

Marginal Markings

- Solid vertical lines indicate technical changes from 2012 IBC.
- - - Dashed vertical lines indicate technical changes in Seattle amendments.
- ➔ Solid deletion arrow indicates IBC text has been deleted.
- ⇨ Hollow arrow indicates Seattle amendments have been deleted.

Text Markings

- Underlining indicates Seattle amendments. ADULT FAMILY HOME.
- Italics indicate a defined term. *A dwelling* licensed.
- Strikethrough indicates Seattle deletions. (~~ADULT FAMILY HOME~~)
- A bracketed and underlined W indicates Washington state amendments. [W]

CHAPTER 17 COMBUSTION AIR

SECTION M1701 GENERAL

M1701.1 Scope. Solid fuel-burning *appliances* shall be provided with *combustion air* in accordance with the *appliance* manufacturer's installation instructions. Oil-fired *appliances* shall be provided with *combustion air* in accordance with NFPA 31. The methods of providing *combustion air* in this chapter do not apply to fireplaces, fireplace stoves and direct-vent *appliances*. The requirements for combustion and dilution air for gas-fired *appliances* shall be in accordance with Chapter 24.

Fireplaces shall comply with Chapter 10.

M1701.2 Opening location. In flood hazard areas as established in Table R301.2(1), *combustion air* openings shall be located at or above the elevation required in Section R322.2.1 or R322.3.2.