- Coho / Steelhead / Chinook / Sockeye
- Residents / Tourists / School Kids / Athletes

Taylor Creek Culvert Replacement 60% Design Update 8/1/2019

Salmon + People















Habitat



Context About Taylor Creek Design Update





The Waterlines Project



Coastal Salish Village Sites

c'ipc'ip (TAYLOR CREEK)












About Taylor Creek





Vision Zero

Lakeridge Playfield

THAYER PLACE

Rainier Av

Lake Washington


Roinier Ave

Site



CREEK VISIBILITY ISSUES ON CURVE





Environmental Education & Placemaking

Design Update



Salmon Patterns



Salmon Patterns

REARING SOCKEYE SPAWNING COHO, STEELHEAD SPAWNING





| | | | | | | | 1 | | | | | | |
|---|---------------------|--------------------|--|------|--|------|------|----------|------|------|-----------|------|-------|
| | Salmon Spp. | Life Stage | Location 🛛 🚽 🖣 | Jan. | Feb. | Mar. | Apr. | May Jun. | Jul. | Aug. | Sep. Oct. | Nov. | Dec. |
| | | Spawning | river riffles, pool tail crests, glides, side channels | | | | | | 1 | | | 1 | |
| | Fall Chinook | Rearing (Yearling) | rearing occurs pretty much everywhere in and around natal streams, pools/lakes | | | 1 | | | 1 | | | | |
| | | Outmigration | Lake Shoreline | | _ | | | | | | | | |
| | | | | | | | | | | | | | |
| | | Spawning | along the shore of the lake in spots with groundwater upwelling | | | ; | | | ; | | | 1 | |
| | Sockeye | Rearing (Yearling) | Lake | | | 1 | | | 1 | | | | |
| | | Outmigration | River Channel / Lake Shore | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | Spawning | river riffles, pool tail crests, glides, side channels | | | | | | | | | 1 | |
| | Coho 🥂 | Rearing (Yearling) | rearing occurs pretty much everywhere in and around natal streams | | | 1 | | 85 | 1 | | | 1 | |
| | | Outmigration | Creek Channel / Lake Shore | | | | | | | | | | |
| v | | 0 | | | | | | | | | | | |
| | Constant Contractor | Spawning | river riffles, pool tail crests, glides, side channels | | | | 1 | | 1 | | | - | |
| | Steelhead | Rearing (Yearling) | rearing occurs pretty much everywhere in and around natal streams | | 1 | 1 | 1 | | 1 | | | | |
| | | Outmigration | Creek Channel / Lake Shore | | | | | | | 2 | | | all a |
| | | | | | A Contraction of the second se | | | | | | | | |



Human Patterns









Placemaking: Community Process

Contes

32% Asign Descent 8% White 25% African American 8% Hispanic 6% Multi-racia

RARRIESS





*ECOLOGICAL PATTERNS

WATER RAIN































*COMMUNITY CULTURAL MOTIFS




















Vegetation



Plant Pallette














Gra

Red Alder











Wetland







abb










Prospect + Refuge



Upstream Ovérlook

Park Plaza + Road Crossing


Parkside Gathering Space

Parkina



Downstream Overlook + Bridge

Log Jam Overlook





a





