

Greenwood Avenue N (N 137th to N 145th Street) Pedestrian Improvements Project Seattle, Washington

SEPA Checklist

May 30, 2018

STATE ENVIRONMENTAL POLICY ACT (SEPA) ENVIRONMENTAL CHECKLIST

A. BACKGROUND

1. Name of proposed project, if applicable:

Greenwood Avenue N (N 136th to N 145th Street) Pedestrian Improvements Project

2. Name of applicant:

Seattle Department of Transportation (SDOT)

3. Address and phone number of applicant and contact person:

Ron Scharf, Project Manager Seattle Department of Transportation Capital Projects and Roadway Structures Division 700 Fifth Avenue, Suite 3900 P.O. Box 34996 Seattle, WA 98124 206-684-5192

4. Date checklist prepared:

May 30, 2018

5. Agency requesting checklist:

City of Seattle Department of Transportation

6. Proposed timing or schedule (including phasing, if applicable):

Construction is anticipated to begin in early 2019 with substantial completion by fall 2019 pending approvals and permits. Construction duration would take approximately six months to complete.

7. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

There are no future additions, expansions or further activity related to the project.

8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

A SEPA Checklist was completed for the east sidewalk of Greenwood Ave N and pavement overlay in the vicinity in 2017. A NPDES Construction Stormwater Permit is required for this adjacent project during construction.

9. Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain.

No other applications are known to be pending for government approvals that will directly affect the property covered by this proposal.

10. List any government approvals or permits that will be needed for your proposal, if known.

The project is obtaining a NEPA Categorical Exclusion through WSDOT to meet requirements for federal funding. The project will require a NPDES Construction Stormwater Permit. It may also require a Seattle Department of Construction and Inspections construction permit and/or grading permit for the proposed retaining wall.

11. Give brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.)

SDOT proposes to construct a new sidewalk, planting strip, curb and gutter along the west side of Greenwood Avenue N, between N 145th and N 137th Streets. Other improvements include Americans with Disabilities Act (ADA)-compliant curb ramps at each intersection in the project area, crosswalk improvements, and compliance with the Seattle Stormwater Code. Pipes and inlets would be installed between N 144th and N 136th Streets as part of drainage improvements. A retaining wall would be installed between N 138th and N 137th Streets partially outside of right-of-way. An estimated 34 temporary construction easements and one permanent easement would be required for the project.

12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.

The project is located on the west side of Greenwood Avenue N between N 145th and N 136th Streets in the Bitter Lake/Broadview neighborhoods. See attached Site Plan. Township 26N Range 4E Sections 19 and 24.

В.	EN\	/IRO	NMEN	ITAL	EL	EMEN	ITS
----	-----	------	------	------	----	-------------	-----

1. Earth

$oxed{oxed}$ Flat	oxtimes Rolling	☐ Hilly	☐ Steep Slopes	☐ Mountainous
Other: ((identify)			

b. What is the steepest slope on the site (approximate percent slope)?

Slopes along the project area are generally less than 5 percent and slope to the southwest. There are steep slopes near sidewalk construction north of N 137th Street.

c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them and note any agricultural land of long-term commercial significance and whether the proposal results in removing any of these soils.

Soils in this area are not identified in the Natural Resources Conservation Service soil survey for King County. The surface geology in the vicinity indicate that soils are generally comprised of till which is unsorted glacial sediment. The site is currently almost completely covered by impervious surfaces. Agricultural lands are not near the project. There would be minor ground disturbance and removal of soils.

d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

There is no history of unstable soils in the vicinity.

e. Describe the purpose, type, total area, and approximate quantities and total affected area of any filling, excavation, and grading proposed. Indicate the source of fill.

Areas of road and sidewalk repair would generally require excavations up to 2 feet deep below ground surface. Stormwater drainage improvements between N 140th and N 136th Streets would require excavation of up to approximately 15 feet deep below ground surface. The total disturbance area is approximately 2.3 acres of which 1.4 acres would be for base repair. There would be approximately 3,200 cubic yards of excavation. All excavation activities are expected to be within previously disturbed areas.

f. Could erosion occur as a result of clearing, construction, or use? If so, generally describe.

Disturbed portions of the project area could be susceptible to erosion during pavement and concrete removal operations. Construction would be sequential along the project corridor, limiting the area of exposed soil at any given time.

g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

The project area of approximately 2.3 acres is almost entirely comprised of impervious surfaces. Net new impervious surface created as a result of the project would be about 8,000 square feet.

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

The contractor would be required to follow the 2017 edition of Seattle Standard Plans and Standard Specifications for Road, Bridge, and Municipal Construction to control erosion in the project area. The following general conservation measures and best management practices (BMPs) are applicable at the construction site:

- The contractor would provide a Stormwater Pollution Prevention Plan (SWPPP) for city review and approval before beginning construction activities and comply with the NPDES Construction Stormwater General Permit during construction.
- All water and soil particles would be retained on the work site. BMPs would be implemented to reduce dust and prevent contaminated soil from reaching water bodies. The BMPs would be monitored and maintained by a SDOT-approved inspector, if necessary.
- All paving and utility work would be performed in accordance with city requirements and the requirements of the utilities involved.
- Staging of construction equipment would not occur in any sensitive or critical area.
- Catch basin filters would be used in catch basins located downgradient of the site to prevent sediments from entering the storm drainage system during construction.

2. Air

a. What types of emissions to the air would result from the proposal during construction, operation, and maintenance when the project is completed? If any, generally describe and give approximate quantities if known.

Construction:

Emissions during construction of the project would include:

- Fugitive dust generated during the excavation, grading and other construction activities.
- Engine exhaust emissions from construction vehicles, work vehicles and construction equipment.
- Increased motor vehicle emissions associated with increased traffic congestion during construction.

After Construction:

Once the project is complete, operation of Greenwood Avenue N would continue unchanged, and operation and maintenance of the road are not expected to result in increased emissions to air.

b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

There are no off-site sources of emissions or odor that would affect the project.

c. Proposed measures to reduce or control emissions or other impacts to air, if any:

During construction, impacts to air quality would be minimized through implementation of standard federal, state and local emission control criteria, in accordance with the 2017 edition of Seattle Standard Plans and Standard Specifications for Road, Bridge, and Municipal Construction. The standard specifications require that contractors maintain air quality to comply with the national emission standards for hazardous air pollutants.

Minimizing air quality impacts during construction may include such measures as spraying areas of exposed soil with water for dust control, periodically cleaning streets in the construction zone, and minimizing vehicle and equipment idling to limit exhaust emissions.

3. Water

a. Surface:

 Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)?
 If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

Bitter Lake is located southeast of the project area just south of the intersection of Greenwood Avenue N and N 137th Street.

2) Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

Bitter Lake is about 100 feet southeast of the project area. The project is separated from Bitter Lake by single and multifamily residences. Stormwater drains north from N 137th streets to catch basins that direct drainage to Bitter Lake.

3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

None.

4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known.

No.

5) Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.

No.

6) Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

No.

b. Ground:

1) Will ground water be withdrawn from a well for drinking water or other purposes? If so, give a general description of the well, proposed uses and approximate quantities withdrawn from the well. Will water be discharged to groundwater? Give general description, purpose, and approximate quantities if known.

No.

2) Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals . . . ; agricultural; etc.). Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

None.

- c. Water runoff (including stormwater):
 - Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.

Stormwater on Greenwood Ave N between N 136th and N 145th Streets is collected in catch basins and generally drains southeast to Bitter Lake and Lake Union/Ship Canal.

2) Could waste materials enter ground or surface waters? If so, generally describe.

During construction, there is potential that waste materials (e.g. oil and grease) from construction equipment could enter runoff from the site. This runoff could enter groundwater if soils are exposed where existing paving has been removed, or could reach Bitter Lake if the water drains to the storm drain. Only minimal patches of soils are likely to be exposed during the project and BMPs would be implemented to minimize the potential for waste materials to affect ground or surface waters. Concrete cutting would result in a slurry mixture that is vacuumed up as part of

Greenwood Avenue N (N 136th to N 145th Street) Pedestrian Improvements Project SEPA Checklist Page 8 of 20

normal BMPs. A spill of this slurry could adversely affect the pH of the stormwater or groundwater.

3) Does the proposal alter or otherwise affect drainage patterns in the vicinity of the site? If so, describe.

No. Proposed work would primarily replace existing impervious surfaces. Stormwater control improvements would be made per the Seattle Stormwater Code.

d. Proposed measures to reduce or control surface, ground, and runoff water, and drainage pattern impacts, if any:

During project construction, BMPs will be implemented to control stormwater running onto and off the site in accordance with the City's Standard Specifications for Road, Bridge and Municipal Construction, and the Seattle Stormwater Code. The contractor would provide a SWPPP for city review and approval before beginning construction activities and comply with the NPDES Construction Stormwater General Permit during construction.

4. Plants

a.	Types of vegetation	n found on the	site: [Check th	ne applicable bo	oxes]
	☑ Deciduous trees:☑ Evergreen trees:☑ Shrubs☑ Grass☐ Pasture☐ Crop or grain	☐ Alder ☐ Fir	☐ Maple ☐ Cedar	☐ Aspen ☐ Pine	Other: (identify) Other: (identify)
	Orchards, vineyar Wet soil plants:	ds, or other pe	rmanent crops	Bulrush	☐ Skunk cabbage
	☐ Other: (identify) ☐ Water plants: ☐ Other types of veg	water lily getation: (ident	eelgrass	milfoil	Other: (identify)
b.	What kind and amo	unt of vegetat	ion will be rem	noved or altere	ed?
	•	ove or alter shru 0 square feet of eet would be re	ubs and plant m f vegetation wo	aterial to const uld be disturbe	ruct the new sidewalk. d during construction of

c. List threatened or endangered species known to be on or near the site.

There are no known threatened or endangered species on or near the project area.

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Restoration would include planting green gable (*Nyssa sylvatica*) and the scarlet oak (*Quercus coccinea*) tree species along with installing seeded lawns and bark mulch.

Tree trimming activities and removal of any trees and other vegetation would be coordinated with SDOT's Street Use and Urban Forestry division to ensure compliance with all appropriate rules and regulations. A Tree, Vegetation, and Soil Protection Plan would be prepared prior to project construction to ensure that existing street trees and vegetation are not damaged during construction.

e. List all noxious weeds and invasive species known to be on or near the site.

Giant Hogweed (*Heracleum mantegazzianum*) has been identified near project area. There are no other noxious weeds or invasive species on or near the project area.

5. Animals

a.	Birds and animals which have been observed on or near the site or are known to be on or near the site: [Check the applicable boxes]				
				Eagle robins, gulls, a he project area	⊠ Songbirds nd house sparrows are
		•	Bear g mice, rats, squar in the projec	•	Beaver coons are common
	Fish: Shellfish	Bass Other: (id	Salmon entify)	☐ Trout	Herring
b.	List any threa	atened or end	angered speci	es known to b	e on or near the site.
	There are no	known threate	ned or endange	ered species on	or near the project area.
C.	Is the site pa	rt of a migrati	on route? If s	o, explain.	
		•	e Pacific Flywa bodies and ope		ds use the nearby Bitter Lake

d. Proposed measures to preserve or enhance wildlife, if any:

No impacts to wildlife are anticipated so no measures are proposed.

e. List any invasive animal species known to be on or near the site.

No invasive animal species are known to occur on or near the project area.

6. Energy and natural resources

a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

After the project is completed, electricity would be required to continue operation of the street lighting and traffic signals located along the project area. Use of such energy would not represent a change from current conditions.

b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

No.

c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:

The project is not anticipated to have any significant adverse energy or natural resource impacts. Therefore, no energy conservation features are included in the plans of this project. However, during construction activities workers would avoid leaving equipment and vehicles idling when not in use which would reduce fuel use.

7. Environmental health

a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.

Yes.

1) Describe any known or possible contamination at the site from present or past uses.

There is no known contamination in the project area. Rubens Dry Cleaners, located at the northwest corner of NW 143rd St, received a No Further Action determination from the Department of Ecology in 2005 for petroleum contamination.

2) Describe existing hazardous chemicals/conditions that might affect project development and design. This includes underground hazardous liquid and gas transmission pipelines located within the project area and in the vicinity.

There are no known existing hazardous chemicals/conditions that might affect the project.

3) Describe any toxic or hazardous chemicals that might be stored, used, or produced during the project's development or construction, or at any time during the operating life of the project.

Potentially hazardous materials likely to be present during construction from vehicles and equipment may include gasoline, diesel, hydraulic fluid, lubricants, solvents, paints, sealants, cement and asphalt. As with any construction project, there is a risk that such materials would be spilled or leaked during construction. This risk would be well within the range for typical construction projects. Materials such as these would also be used to operate and maintain the completed project. Because these materials are used to operate and maintain the existing roadway, the project would not create any additional post-construction environmental health hazards.

4) Describe special emergency services that might be required.

None.

5) Proposed measures to reduce or control environmental health hazards, if any:

A Health and Safety Plan would be developed by the construction contractor before work commences. This plan would provide information on any hazardous materials that may be associated with project construction and would outline safety procedures for handling any of these substances.

BMPs and a Spill Plan would minimize the potential for spills during construction. The contractor would follow the City's Standard Specifications for Road, Bridge, and Municipal Construction, which give protocols for responding to an unexpected discovery of contaminated material during project construction. However, this is not anticipated since no known contamination is located within the right-of-way.

b. Noise

1) What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?

Existing noise in the area, primarily road traffic on Greenwood Avenue N, would not affect the project.

2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site.

Noise levels in the vicinity of construction would temporarily increase during construction activities. Noise levels within 50 feet of construction equipment may exceed 90 decibels (dB) for short periods of time. However, short-term noise from construction equipment would be limited to the allowable maximum levels specified in the City of Seattle's Noise Control Ordinance (SMC 25.08).

3) Proposed measures to reduce or control noise impacts, if any:

The project would comply with the City of Seattle's Noise Control Ordinance. Noise from construction equipment would occur between the hours of 7 AM and 10 PM weekdays, and 9 AM to 10 PM on the weekends during construction. If there is a need for work outside these times to minimize traffic impacts, SDOT would request a noise variance to allow some construction work at night.

The following measures may be used to minimize noise impacts during construction:

- Effective mufflers would be installed and maintained on equipment.
- Equipment and vehicle staging areas would be located as far from residential areas as possible.
- Idling of power equipment would be minimized.

8. Land and shoreline use

a. What is the current use of the site and adjacent properties? Will the proposal affect current land uses on nearby or adjacent properties? If so, describe.

The project area consists of paved road, partial sidewalks, and existing stormwater infrastucture and utilities under the road. There are utility poles, street trees and other landscaping in some areas of the right-of-way. Adjacent land uses include single and multi-family residential properties, and commercial uses along Greenwood Avenue N.

The project consists of repairs and modifications within existing right-of-way and on easements that may result in temporary effects to adjacent land uses during construction. These temporary effects may include air and noise pollution and traffic delays and detours. The completed project is expected to be beneficial to surrounding land uses by improving sidewalk and safety conditions.

b. Has the site been used as working farmlands or working forest lands? If so, describe. How much agricultural or forest land of long-term commercial significance will be converted to other uses as a result of the proposal, if any? If resource lands have not been designated, how many acres in farmland or forest land tax status will be converted to nonfarm or non-forest use?

No.

1) Will the proposal affect or be affected by surrounding working farm or forest land normal business operations, such as oversize equipment access, the application of pesticides, tilling, and harvesting? If so, how?

No.

c. Describe any structures on the site.

The project area consists of roadway used primarily for vehicular traffic and driveways accessing single and multi-family and commercial properties. Sidewalks exist partially throughout the project area. Numerous commercial and single and multi-family residential structures are located adjacent to the project right-of-way. Structures along the right-of-way corridor include utility poles with street lights and signal systems, fire hydrants, and underground structures for drainage, electric, water and other utilities.

d. Will any structures be demolished? If so, what?

The following above- and below-ground utilities may require relocation or removal: fire hydrants, utility poles, mail boxes, bus stops and stormwater infrastructure.

e. What is the current zoning classification of the site?

The project area is zoned SF 7200 (Residential Single Family) to the south and NC2P-40 (Neighborhood Commercial 2) starting just south of N 143rd Street north to N 145th Street.

f. What is the current comprehensive plan designation of the site?

The comprehensive plan designation is Multi-Family Residential Areas to the south and Commercial/Mixed Use Areas starting just south of N 143rd Street north to N 145th Street (Updated 2016).

g. If applicable, what is the current shoreline master program designation of the site?
Not applicable.

h. Has any part of the site been classified as a critical area by the city or county? If so, specify.

Bitter Lake and its riparian corridor is located southeast of the project area near the intersection of Greenwood Avenue N and N 137th Street but it would not be affected by construction. There are steep slopes at N 137th Street on the west side outside of the right-of-way.

Approximately how many people would reside or work in the completed project?
 None.

j. Approximately how many people would the completed project displace?
None.

k. Proposed measures to avoid or reduce displacement impacts, if any:

Not applicable.

I. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any:

The Greenwood Avenue N Pedestrian Improvements Project is part of the Priority Investment Network (PIN) in the Pedestrian Master Plan (Updated 2017). The PIN's foundation are walksheds that serve as important walking routes to K-12 public schools and frequent transit stops in the city. This project is consistent with the plan's strategies and actions to improve conditions both along and across the roadway.

m. Proposed measures to ensure that the proposal is compatible with nearby agricultural and forest lands of long-term commercial significance, if any:

Not applicable.

9. Housing

a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

None.

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

None.

c. Proposed measures to reduce or control housing impacts, if any:

Not applicable.

10. Aesthetics

a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?

The project would primarily construct and improve sidewalk and roadway at ground level. The project would improve traffic signals at N 143rd and N 145th Streets. A retaining wall is also proposed between N 138th and N 137th Streets partially outside of right-of-way. The retaining wall would be approximately 15 feet in height and adjacent to sidewalk.

b. What views in the immediate vicinity would be altered or obstructed?

None.

c. Proposed measures to reduce or control aesthetic impacts, if any:

No adverse impacts to views are anticipated. However, street trees and landscaping would be planted as part of sidewalk improvements.

11. Light and glare

a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

Pedestrian signal improvements would occur at N 143rd and N 145th Streets.

b. Could light or glare from the finished project be a safety hazard or interfere with views?

No. The intent of traffic signal improvements are to improve safety in the project area for all users.

c. What existing off-site sources of light or glare may affect your proposal?

None.

d. Proposed measures to reduce or control light and glare impacts, if any:

No impacts are anticipated so no measures are proposed.

12. Recreation

a. What designated and informal recreational opportunities are in the immediate vicinity?

The Bitter Lake Playfield and Bitter Lake Open Space Park are located about 2,000 feet south and east of the project along N 130th and N 138th Streets. The Seattle Golf Club and Llandover Woods Greenspace are located to the northwest of the project along N 145th Street. Pedestrian traffic on Greenwood Avenue N in the project area is currently obstructed by a lack of a consistent sidewalks and curb ramps.

b. Would the proposed project displace any existing recreational uses? If so, describe.

No. The project would improve the pedestrian connectivity of Greenwood Avenue N with surrounding recreational uses.

c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:

The pedestrian improvements along and across Greenwood Avenue N would improve access to surrounding recreational opportunities.

13. Historic and cultural preservation

a. Are there any buildings, structures, or sites located on or near the project site that are over 45 years old listed in or eligible for listing in national, state, or local preservation registers? If so, specifically describe.

No.

b. Are there any landmarks, features, or other evidence of Indian or historic use of occupation? This may include human burials or old cemeteries. Are there any material evidence, artifacts, or areas of cultural importance on or near the site? Please list any professional studies conducted at the site to identify such resources.

No.

c. Describe the methods used to assess the potential impacts to cultural and historic resources on or near the project site. Examples include consultation with tribes and the Department of Archaeology and Historic Preservation, archaeological surveys, historic maps, GIS data, etc.

During project planning, SDOT submitted a map and description of the project to the Washington State Department of Archaeology and Historic Preservation (DAHP) for its opinion on the likelihood of the project adversely affecting historic, archaeological, or cultural resources. DAHP responded that the project as proposed is unlikely to have an adverse impact on cultural resources in the project area.

The DAHP Washington Information System for Architectural and Archaeological Records Data (WISAARD) was searched for National Register of Historic Places listed or eligible properties and districts. The City of Seattle's online list of landmarks and nominations was also consulted to determine if any current or nominated city landmarks are located within the project area. Field reconnaissance was performed to determine if any additional potential historic or cultural resources were present in the project area.

d. Proposed measures to avoid, minimize, or compensate for loss, changes to, and disturbance of resources. Please include plans for the above and any permits that may be required.

No impacts to historic or cultural resources are anticipated due to previous ground disturbance in the project area.

14. Transportation

 a. Identify public streets and highways serving the site or affected geographic area, and describe proposed access to the existing street system. Show on site plans, if any.

The project would occur on Greenwood Avenue N between N 136th and N 145th Streets. The nearest arterial is NE 145th Street which connects to Aurora Avenue N and Interstate 5 to the east.

b. Is the site or affected geographic area currently served by public transit? If so, generally describe. If not, what is the approximate distance to the nearest transit stop?

The nearest transit stops are located on Greenwood Avenue N at its intersection with N 137th, N 143rd and N 145th Streets. Transit stops may be temporarily or permanently relocated during construction of the project. After project completion, there would be safer access to transit stops with sidewalk and signal improvements.

c. How many additional parking spaces would the completed project or non-project proposal have? How many would the project or non-project proposal eliminate?

As a result of the project, the total loss of parking within the project limits, which includes parking within city right-of-way and parking spaces associated with the adjacent parcels, is approximately 41 parking spaces. The existing total parking count in the project limits is approximately 160 parking spaces and the post-developed condition would be approximately 119 spaces.

d. Will the proposal require any new or improvements to existing roads, streets, pedestrian, bicycle or state transportation facilities, not including driveways? If so, generally describe (indicate whether public or private).

Yes. The project would construct the new sidewalk on the west side of Greenwood Avenue N between N 136th and N 145th Streets. It would also construct ADA-compliant curb ramps and crosswalk and signal improvements.

e. Will the project or proposal use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

No.

f. How many vehicular trips per day would be generated by the completed project or proposal? If known, indicate when peak volumes would occur and what percentage of the volume would be trucks (such as commercial and non-passenger vehicles). What data or transportation models were used to make these estimates?

The number of vehicular trips and peak volumes would not change as a result of the project. Construction-related traffic (i.e., large trucks and materials hauling) would occur

temporarily during the construction period and would be phased to minimize potential impacts to vehicular traffic.

g. Will the proposal interfere with, affect, or be affected by the movement of agricultural and forest products on roads or streets in the area? If so, generally describe.

No.

h. Proposed measures to reduce or control transportation impacts, if any:

The following measures may be used to reduce or control transportation impacts during construction:

- All traffic control would be in accordance with the City of Seattle Traffic Control Manual for In-Street Work.
- SDOT would work to minimize disruptions and maintain adequate access during the construction phases.
- SDOT would inform adjacent property owners of work progress.
- SDOT would conduct public outreach before and during project construction to notify residents, businesses, local agencies, transit agencies and other stakeholders of expected disruptions or changes in traffic flow.
- Temporary road closures would be minimized, and detour routes would have proper signage.
- The construction contractor would be required to submit a traffic control plan for approval by the City. The contractor would enforce the traffic control plan during construction.
- Where required, alternative routes for pedestrians, bicyclists and those with disabilities would be identified and marked clearly.
- Any proposed effects to transit stops would be coordinated with Metro in advance.

15. Public services

a. Would the project result in an increased need for public services (for example: fire protection, police protection, public transit, health care, schools, other)? If so, generally describe.

No.

b. Proposed measures to reduce or control direct impacts on public services, if any.

No impacts are anticipated so no measures are proposed.

16. Utilities

a.	. Utilities currently available at the site, if any: [Check the applicable boxes]			
	•	Natural gasSanitary sewer	☐ Water ☐ Septic system	Refuse service

b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

The project would improve traffic signals on N 143rd and N 145th Streets. Pipes and inlets would be installed between N 143rd and N 136th Streets as part of drainage improvements. This would include installation of new 60-inch, 30-inch and 12-inch pipes, and new inlet and catch basin connections to the existing stormwater system.


Public and private utilities would be identified and avoided where feasible during construction. Any removal, relocation and restoration of utilities would be coordinated with applicable utility owners. This would include coordination with Seattle Public Utilities and Seattle City Light to remove or relocate fire hydrants, stormwater infrastructure, and utility poles.

Greenwood Avenue N (N 136th to N	145th Street) Pedestrian Improvements Project
SEPA Checklist	
Page 20 of 20	

C. SIGNATURE

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature:	Kon Schael
Date Submitted:	6/11/2018



Greenwood Avenue N Pedestrian Improvements Project Site Map