

Seattle "Qualified" Mixed Waste Recyclers and Disposal Facilities						Required Construction Materials for Recycling (Contact facilities for specifications)											
3/1/2017						2012	Jul-18	2012	Jul-18	2012	2014	2014	2014	2015	Jul-18	2015	
FACILITIES	Seattle Certified	Regulatory Compliant	Reporting Compliant	Residual Compliant	4th Quarter 2016 Diversion Rate Estimate	Asphalt Paving	Asphalt Roofing Shingles	Brick	Carpet	Concrete and Rock	Drywall	Ferrous/Nonferrous Metals	OCC	Pallets	Plastic Film	Wood	CDWaste for Disposal
<b>MIXED WASTE RECYCLERS</b>	Health, Landuse, Flow Control			4th Quarter 2016													
<b>United Recycling Seattle</b> , 74 S. Hudson Street, Seattle (360) 668-4300	Yes	Yes	Yes	Yes	83% based on two months	*	* incidental	*		*	*	*	*	*		*	
<b>DRS-Renton</b> , 701 SW 34th Street, Renton (425) 251-1612	Yes	Yes	Yes	Yes	52%	*		*	*	*	*	*	*	*	*	*	
<b>Maltby Container and Recycling</b> 20225 Broadway Ave, Snohomish (360) 668-9841	Yes	Yes	Yes	Yes	84%	*				*	*	*	*	*		*	
<b>Facilities with On-Site Processing &amp; Storage*</b>	* Quarterly rates more accurate due to timing of shipments to end markets																
<b>United Recycling &amp; Container</b> 18827 Yew Way, Snohomish - (360) 668-4300	Yes	Yes	Yes	Yes	88%	*	* limits	*		*	*	*	*		*	*	
<b>Recovery 1, Inc.</b> 1805 Stewart Street, Tacoma - (253) 627-1180	Yes	Yes	Yes	Yes	81%	*		*	*	*	*	*	*	*	*	*	
<b>Transload Facilities for Recycling</b>	Both transload material to DRS-Renton for sorting - their diversion rate includes DRS-Renton diversion rate applied to transloaded tons																
<b>DTG - Bobby Wolford</b> 8624 219th St SE, Woodinville (425) 481-1800	Yes	Yes	Yes	N/A	69%	*				*	*	*	*	*		*	
<b>DRS - Woodinville</b> , 5906 238th St SE, Woodinville, (425) 245-8015	Yes	Yes	Yes	Yes	68%	*				*	*	*	*	*		*	
<b>Transfer Stations with Sort Lines - Check if operating</b>																	
<b>Black River Transfer Station - Republic</b> 501 Monster Road SW, Renton - (425) 235-0269	TBD residual sampling needed	Yes	Yes	TBD	4% for all C&D delivered to facility	*		*		*		*	*	*		*	*
<b>SOLID WASTE TRANSFER STATIONS</b>	Need to inform customers if they do not divert targeted materials banned from landfill disposal to recycling																
<b>City of Seattle North Transfer Station</b> 1350 N 34th Street, Seattle	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D	*		*				*	*	*		*	*
<b>City of Seattle South Transfer Station</b> 130 South Kenyon Street, Seattle (206) 684-3000	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D	*		*		*	*	*	*	*		*	*
<b>Third &amp; Lander Transfer Station - Republic</b> 2733 3rd AVE S. Seattle - (206) 332-7700	N/A	Yes	Yes	N/A	8% - some source-separated recycling	*				*		*	*	*		*	*
<b>Waste Management Eastmont Transfer Station</b> 7201 W Marginal Way SW, Seattle (866) 962-9253	N/A	Yes	Yes	N/A	19% - with some transload to DRS-Renton												*
<b>Waste Management Cascade Recycling</b> , 14020 NE 190th Street, Woodinville	N/A	Yes	Yes	N/A	0%												*
<b>Waste Management RNW Transfer Station</b> , 701 2nd Street NW, Auburn	N/A	Yes	Yes	N/A	0%												*
<b>Mixed Waste C&amp;D Recyclers Certification includes:</b>																	
1) Solid Waste Permit from local Health Department						3) Monthly reports to City of Seattle and King County on material inflows and outflows						* Diversion = Recycling and Beneficial Use (clean wood to pulp & paper mills to be used as boiler fuel)					
2) Compliance with local flow control requirements						4) Residual sampling -no more than 10% of targeted construction materials to landfill disposal						** Landfill = direct disposal, Alternative Daily Cover (ADC) & disposed residuals from sorting					