

Seattle "Qualified" Mixed Waste Recyclers and Disposal Facilities						Required Construction Materials for Recycling (Contact facilities for specifications)											
12/21/2016						2012	2017	2012	2017	2012	2014	2014	2014	2015	2017	2015	
FACILITIES	Seattle Certified	Regulatory Compliant	Reporting Compliant	Residual Compliant	3rd Quarter 2016 Diversion Rate	Asphalt Paving	Asphalt Roofing Shingles	Brick	Carpet	Concrete and Rock	Drywall	Ferrous/Nonferrous Metals	OCC	Pallets	Plastic Film	Wood	CDWaste for Disposal
<b>MIXED WASTE RECYCLERS</b>	Health, Landuse, Flow Control			3rd Quarter 2016													
<b>United Recycling Seattle</b> , 74 S. Hudson Street, Seattle (360) 668-4300	TBD	Yes	TBD	TBD	TBD - opened fall 2016	*	* incidental	*		*	*	*	*	*		*	
<b>DRS-Renton</b> , 701 SW 34th Street, Renton (425) 251-1612	Yes	Yes	Yes	Yes	75%	*		*	*	*	*	*	*	*	*	*	
<b>Maltby Container and Recycling</b> 20225 Broadway Ave, Snohomish (360) 668-9841	TBD residual sampling needed	Yes	Yes	TBD	82%	*				*	*	*	*	*		*	
<b>Facilities with On-Site Processing &amp; Storage*</b>	* Quarterly rates more accurate due to timing of shipments to end markets																
<b>United Recycling &amp; Container</b> 18827 Yew Way, Snohomish - (360) 668-4300	Yes	Yes	Yes	Yes	83%- without stored tons	*	* limits	*		*	*	*	*		*	*	
<b>Recovery 1, Inc.</b> 1805 Stewart Street, Tacoma - (253) 627-1180	Yes	Yes	Yes	Yes	66% - without stored tons	*		*	*	*	*	*	*	*	*	*	
<b>Transload Facilities for Recycling</b>	Both transload material to DRS-Renton for sorting - their diversion rate includes DRS-Renton diversion rate																
<b>DTG - Bobby Wolford</b> 8624 219th St SE, Woodinville (425) 481-1800	Yes	Yes	Yes	N/A	61%	*				*	*	*	*	*		*	
<b>DRS - Woodinville</b> , 5906 238th St SE, Woodinville, (425) 245-8015	Yes	Yes	Yes	Yes	81%	*				*	*	*	*	*		*	
<b>Transfer Stations with Sort Lines</b>																	
<b>Black River Transfer Station - Republic</b> 501 Monster Road SW, Renton - (425) 235-0269	TBD residual sampling needed	Yes	Yes	TBD	6% for all C&D delivered to facility	*		*		*		*	*	*		*	*
<b>SOLID WASTE TRANSFER STATIONS</b>	Need to inform customers if they do not divert targeted materials banned from landfill disposal to recycling																
<b>City of Seattle North Transfer Station</b> 1350 N 34th Street, Seattle	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D	*		*		*	*	*	*	*		*	*
<b>City of Seattle South Transfer Station</b> 130 South Kenyon Street, Seattle (206) 684-3000	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D	*		*		*	*	*	*	*		*	*
<b>Third &amp; Lander Transfer Station - Republic</b> 2733 3rd AVE S. Seattle - (206) 332-7700	N/A	Yes	Yes	N/A	7% - some source-separated recycling	*				*		*	*	*		*	*
<b>Waste Management Eastmont Transfer Station</b> 7201 W Marginal Way SW, Seattle (866) 962-9253	N/A	Yes	Yes	N/A	19% by shipping loads to DRS-Renton for sorting												*
<b>Waste Management Cascade Recycling</b> , 14020 NE 190th Street, Woodinville	N/A	Yes	Yes	N/A	0%												*
<b>Waste Management RNW Transfer Station</b> , 701 2nd Street NW, Auburn	N/A	Yes	Yes	N/A	0%												*
<b>Mixed Waste C&amp;D Recyclers Certification includes:</b>																	
1) Solid Waste Permit from local Health Department		3) Monthly reports to City of Seattle on material inflows and outflows					* Landfill = direct disposal, Alternative Daily Cover (ADC) & disposed residuals from sorting										
2) Compliance with local flow control requirements		4) Residual sampling -no more than 10% of targeted construction materials to landfill disposal															