Seattle "Qualified" Mixed Waste Recyclers and Disposal Facilities							Required Construction Materials for Recycling (Contact facilities for specifications)												
2/15/18 Update							2012	7/1/2018*	2012	7/1/2018*	2012	2014	2014	2014	2015	7/1/2018*	2015		
	Seattle Certified	Regulatory Compliant	Reporting Compliant	Residual Compliant	4th Quarter 2017 Diversion	2017 Ave Annual Diversion Rate	Asphalt Paving	Asphalt Roofing Shingles	Brick	Carpet	Concrete and Rock	Drywall	Ferrous/ Nonferrous Metals	осс	Pallets	Plastic Film	Wood	CDWaste for Disposal	
MIXED WASTE RECYCLERS		Health, Landuse, Flow Control	2017 Samplings	Rate Estimate*	averaged over 4 quarters		-									-			
United Recycling Seattle, 74 S. Hudson Street, Seattle (360) 668-4300	Yes	Yes	Not using standarized report	Yes	62% with soils and 46% if soils not included	70% with soils and 44% if soils not included	*	*incidental	*		*	*	*	*	*		*		
DTG Renton (formerly DRS Renton), 701 SW 34th Street, Renton (425) 251-1612	Yes	Yes	Yes	Yes	55%	42%	*		*	*	*	*	*	*	*	*	*		
Maltby Container and Recycling 20225 Broadway Ave, Snohomish (360) 668-9841	Yes	Yes	Yes	Yes	60%	73%	*				*	*	*	*	*		*		
Facilities with On-Site Processing & Storage*	* Quarterly or annual rates more accurate due to timing of shipments to end markets																		
United Recycling & Container 18827 Yew Way, Snohomish - (360) 668-4300	Yes	Yes	Not using standardized report	Yes	85% with soils and 76% if soils not included	79% with soils and 66% if soils not included	*	* limits	*		*	*	*	*		*	*		
Recovery 1, Inc. 1805 Stewart Street, Tacoma - (253) 627-1180	Yes	Yes	Yes	Yes	95%	76%	*		*	*	*	*	*	*	*	*	*		
Transload Facilities for Recycling	Both transload mater	ial to DTG-Renton for sorting -	their diversion ra	ate includes DTG-Re	nton diversion rate a	applied to transloade	d tons												
DTG Maltby (formerly DTG - Bobby Wolford) 8624 219th St SE, Woodinville (425) 481-1800	Yes	Yes	Yes	N/A	63%	55%	*				*	*	*	*	*		*		
DTG Woodinville (formerly DRS Woodinville) , 5906 238th St SE, Woodinville, (425) 245-8015	Yes	Yes	Yes	Yes	58%	54%	*				*	*	*	*	*		*		
Mixed Construction - No Demo																			
Alpine Recycling 3504 112th Street E., Tacoma (253) 531-2127	Yes	Yes	No Nov or Dec 2017 reports	Yes	not known	not known	*		*		*		*	*	*		*	*	
SOLID WASTE TRANSFER STATIONS	Need to inform customers if they do not divert targeted materials banned from landfill disposal to recycling																		
City of Seattle North Transfer Station 1350 N 34th Street, Seattle	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D								*	*	*		*	*	
City of Seattle South Transfer Station 130 South Kenyon Street, Seattle (206) 684-3000	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D								*	*	*		*	*	
Black River Transfer Station - Republic 501 Monster Road SW, Renton - (425) 235-0269	N/A	Yes	Yes	N/A	3% facility wide-sort line operated sporadically				*		*	*					*	*	
Third & Lander Transfer Station - Republic 2733 3rd AVE S. Seattle - (206) 332-7700	N/A	Yes	Yes	N/A	0% facility wide - may not be accepting large loads of C&D													*	
Waste Management Eastmont Transfer Station 7201 W Marginal Way SW, Seattle (866) 962-9253	N/A	Yes	Yes	N/A	Transloads mixed C&D to DTG-Renton - 2% diversion on site				*		*	*					*	*	
Waste Management Cascade Recycling, 14020 NE 190th Street, Woodinville	N/A	Yes	Yes	N/A	0%													*	
Waste Management RNW Transfer Station, 701 2nd Street NW, Auburn	N/A	Yes	Yes	N/A	0%													*	
		ly reports to City of Seattle an -no more than 10% of targeted				ng 4th quarter 2017	<u>D</u>	quired diversior <u>iversion</u> = Recy <u>ndfil</u> l = direct d	cling an	d Beneficia	al Use (clea	n wood to	pulp & pape	mills to	be used	as boiler fue	9 1)		