



FIRE DEPARTMENT FIREFIGHTER I

Evaluation Sheet: 5.3.10D

2 ½” Hose Up and In

5.3.10- Attack an Interior Fire; 5.2.3- Radio; 5.3.1- SCBA

Recruit: # _____, _____ (_____) Date: _____

<p>You are the Pipe on a Engine Company that has arrived as the third due pumper at a fire on floor 2 of an office building. Your officer tells you that the company is going to advance an exposure line to floor 3 from a ladder on floor 2. You are tasked with stretching a 2 ½” hose line. Do you have any questions?</p>					
<p>STANDARD: NFPA 1001, 2013 Edition 5.2.3, 5.3.10</p>	<p>TASK: Take an uncharged 2 ½” attack line up a ground ladder and flake it out in the stairwell above the fire floor.</p>				
<p>PERFORMANCE OUTCOME: The recruit, working individually, while operating on a simulated fire ground, shall deploy and overhaul 100’ of 2 ½” hose line up a secured extension ladder on floor 2 and advance the hose up to floor 3.</p>					
<p>CONDITIONS: Given a properly deployed ground extension ladder at floor 2 the candidate, while in complete personal protective clothing and SCBA shall demonstrate the ability to advance 100’ of dry 2 ½ to floor 3 for fire attack:</p>					
NO.	TASK STEPS	FIRST TEST		RETEST	
		Pass	Fail	Pass	Fail
1.	Safely exits the Engine from the Pipe position. (Looks and states “traffic”) (Time starts when recruits foot touches the ground)				
2.	Shoulder-load 100’ of 2 ½” hose line and deploy enough additional hose in order for the coupling to be between the first two sections to make it to the top of the ladder				
3.	Place the 100’ shoulder-loaded 2 ½ hose at the right beam of the extension ladder with the nozzle closest to the ladder				
4.	While facing the ladder, the nozzle is passed across the body and over the left shoulder				
5.	The ladder is ascended, with both hands on the beams, until arriving at the window sill				
6.	Safely step into the window, sound the floor before exiting the ladder				
7.	Shoulder-load the hose until the first coupling (100’) is reached. Using a body-loop, secure the hose (with a hose knot to the engine side of the coupling and a clove hitch to the railing). At this point, the member will turn to the left and begin stretching the hose inside the stairway				
8.	Flake hose up-stairs to the outside wall				
9.	Deploy hose so it is ready to push into the floor 3 objective a) Set bundle down, call for water, (Time stops on call for water) b) Stretch center bight up the stairwell so that there is 50’ of working line above the objective (not around a corner) and nozzle advances down the outside wall of the stairwell b) Return to the objective, kneel on the hose and open the bale				
<p>RETEST APPROVED BY: _____</p>		<p>SFD TIME STANDARD: 4:14</p>			



FIRE DEPARTMENT FIREFIGHTER I

Evaluator/Candidate Comments:

Evaluator (Print & Sign)	Date	Candidate	Date
Retest 2nd Evaluator (Print & Sign)	Retest Date	RETEST Candidate	Retest Date