

INDEX [CE]

A

ADDITIONS AND ALTERATIONS

Defined C202
Requirements C101.4.3

ADMINISTRATION Chapter 1

AIR BARRIER C402.4.1

Construction C402.4.1.1
Materials C402.4.1.2.1
Penetrations C402.4.2

AIR CONDITIONERS

Efficiency requirements Tables C403.2.3(1, 3)

AIR ECONOMIZERS

Defined C202
Requirements C403.3.1, C403.4.1, C403.4.5.3

AIR INFILTRATION

Defined C202
Rates for fenestration assemblies . . . Table C402.4.3
Requirements C402.4.5

AIR INTAKES AND EXHAUSTS C402.4.5

AIR LEAKAGE C402.4, C403.2.7.3.2

AIR SYSTEM BALANCING C408.1.3.3, C408.2.2.1, C408.2.2.2

ALTERNATE MATERIALS C102

APPROVED

Defined C202

AREA-WEIGHTED U-FACTOR C402.3.4

AUTOMATIC

Defined C202

B

BALLASTS C405.1

BELOW-GRADE WALLS

Defined C202
Requirements C303.2.1, Table C402.1.2,
Table C402.2, C402.2.2.2, C402.2.4

BOARD OF APPEALS C109

Qualifications of members C109.3

BOILERS Table C403.2.3(5), C403.4.3, C403.4.3.5, C404.2, Table C404.2

BUILDING

Defined C202
Multifamily residential C407.5.2.3

BUILDING COMMISSIONING

Defined C202

BUILDING ENTRANCE

Defined C202

BUILDING ENVELOPE

Compliance documentation C103.2
Defined C202
Exemption C101.5.2
Insulation C303.1.1
Insulation and fenestration criteria C402.1.1
Requirements C402
Performance method C407.3

BUILDING SITE

Defined C202

BUILDING THERMAL ENVELOPE

Defined C202

C

C-FACTOR

Defined C202

CAULKING AND WEATHERSTRIPPING . . . C402.4.1, C402.4.3

CHANGE OF OCCUPANCY C101.4.4

CHILLERS Table C403.2.3(7), Table C407.5.1(4)

Positive displacement chilling packages . . . C403.2.3
Water-cooled centrifugal
chiller packages C403.2.3.1,
Table C403.2.3(7), Table C407.5.1(5)

CIRCULATING PUMPS C403.4.3.3, C404.6

CIRCULATING SYSTEMS C403.4.3.3, C403.4.3.5, C404.6

CLIMATE TYPES

Defined Table C301.3(1)

CLIMATE ZONES C301,

CODE OFFICIAL

Defined C202

COEFFICIENT OF PERFORMANCE

(COP) Table C403.2.3(2), Table C403.2.3(7)

COMMERCIAL BUILDINGS

Compliance C101.2, C101.4.6,
C101.5, C401.1, C401.2

Defined C202

Total building performance C407

COMMERCIAL FOOD SERVICE C403.8

COMMISSIONING C408

COMPLIANCE AND ENFORCEMENT C101.5

COMPRESSED AIR C403.7

CONDENSING UNITS

Efficiency requirements Tables C403.2.3(1, 6)

CONDITIONED FLOOR AREA

Defined C202

CONDITIONED SPACE

- Defined C202
- Changes C101.4.5

CONSTRUCTION DOCUMENTS C103

- Amended C103.4
- Approval C103.3.1
- Examination C103.3
- Information required C103.2
- Phased C103.3.3
- Previous C103.3.2
- Retention C103.5
- Revocation C104.8.1

CONTINUOUS AIR BARRIER

- Defined C202

CONTROLLED RECEPTACLES C405.14

CONTROLS

- Capabilities ... C403.2.2, C403.2.4.1, C403.2.4.3.1, C403.2.4.3.2, C403.2.5.1, C403.4.3.4, C403.4.3.5, C403.4.4, C404.3
- Chilled water plants C403.4.3.5
- Direct digital controls C403.2.4.10
- Economizers C403.3.1, C403.3.1.1.3(1, 2), C403.4.1, C403.4.1.3
- Energy recovery systems C403.2.6
- Fan speed C403.4.4, C403.2.10, C403.2.10.1, C403.2.12, C403.2.12.2
- Heat pump C403.2.4.1.1, C403.4.3.3
- Heating and cooling C101.4.3.2, C403.2.2, C403.2.4, C403.4.5
- Hot water system C404.6
- Humidity C403.2.4.1, C403.2.6, C403.4.5
- HVAC C403.2.4, C403.2.10, C408.2.3.2
- Hydronic systems C403.3.2, C403.4.3
- Lighting C101.4.3.1, C402.3.2.1, C405.2, C405.2.1.2, C405.2.5, C405.6.1, C405.6.2
- Off hour C403.2.4.3
- Service water heating C403.4.6, C404.3, C404.6, 404.8
- Shutoff dampers C403.2.4.4, C403.4.5
- Snow melt system C403.2.4.5
- Temperature C403.2.4.1, C403.2.4.1.1, C403.2.4.2, C403.2.4.3.1, C403.2.4.3.2, C403.2.4.3.3, C403.2.4.4, C403.2.4.6, C403.2.4.7, C403.2.4.8, 403.2.4.9, C403.4.3, C404.3
- Three-pipe system C403.4.3.1
- Two-pipe changeover system C403.4.3.2
- Variable air volume systems ... C403.4.2, C403.4.5
- Ventilation C403.2.5, C403.2.6

COOLERS C403.5

COOLING SYSTEMS

- Hot gas bypass limitation C403.4.7

- COOLING WITH OUTDOOR AIR** C403.3.1, C403.4.1

CURTAIN WALL

- Defined C202

D

- DAMPERS** C402.4.5.2

- DATA ACQUISITION SYSTEM** C409.4.2

- DAYLIGHT ZONE** C405.2.2.3

- Control
 - Automatic C405.2.2.3.2
 - Defined C202
 - Under skylights C402.3.2

- DAYLIGHT ZONE CONTROL** C405.2.2.3

- DEADBAND** ... C403.2.4.2, C403.4.3.2, C403.4.3.3.1

- DEFINITIONS** Chapter 2

DEMAND CONTROL

- VENTILATION (DCV)** C403.2.5.1
- Defined C202

DEMAND RECIRCULATION WATER SYSTEM

- Defined C202

- DESIGN CONDITIONS** Chapter 3, C302

DOORS

- Default *U*-factors Table C303.1.3(2)
- Opaque C402.2.7
- Performance requirements C402.4.4

- DUAL DUCT VAV** C403.4.5.2, C403.4.5.3

DUCTS

- Defined C202
- Insulation C103.2, C403.2.7, C403.2.7.1, C403.2.7.1.1, C403.2.7.1.2, C403.2.7.1.3
- Sealing C103.2, C403.2.7, C403.2.7.1.1, C403.2.7.1.2, C403.2.7.1.3

DUCT SYSTEM

- Defined C202

DWELLING UNIT

- Defined C202

DYNAMIC GLAZING

- Defined C202, C402.3.3.5

E

ECONOMIZER

- Air C403.3.1, C403.3.1.1.1, Tables C403.3.1.1.3(1,2), C403.4.1
- Defined C202
- High-limit shutoff control C403.3.1.1.3, Tables C403.3.1.1.3(1, 2)
- Requirements C403.3.1, C403.4.1
- Water C403.4.1, C403.4.1.1

- ELECTRICAL METERS** C405.7

- ELECTRICAL POWER AND LIGHTING** C405
- ELEVATOR SHAFTS** C402.4.5, C402.4.5.1
- ENCLOSED SPACE**
Defined C202
- ENERGY ANALYSIS, ANNUAL**
Defined C202
Documentation C407
Requirements C407
- ENERGY COST**
Defined C202
- ENERGY EFFICIENCY RATIO (EER)** C403.2.3, Tables C403.2.3(1, 2, 3, 6, 7)
- ENERGY RECOVERY VENTILATION SYSTEMS**
Defined C202
Requirements C403.2.1, C403.2.6
- ENERGY SIMULATION TOOL**
Defined C202
Requirements/use C101.5.1, C407, C407.2, C407.5
- ENTRANCE DOOR**
Defined C202
- ENVELOPE, BUILDING THERMAL**
Defined C202
- ENVELOPE DESIGN PROCEDURES** C402
- EQUIPMENT EFFICIENCIES** C103.2, C403.2.3, C403.3.1, C403.4.1, C404.2
- EQUIPMENT PERFORMANCE REQUIREMENTS** C403.2.3
Boilers Table C403.2.3(5)
Economizer exception Table C403.3.1(2)
Heat rejection equipment Table C403.2.3(8)
Packaged terminal air conditioners and heat pump Table C403.2.3(3)
Unitary air conditioners and condensing units Table C403.2.3(1)
Unitary and applied heat pumps Table C403.2.3(2)
Warm air duct furnaces and unit heaters Table C403.2.3(4)
Warm air furnaces Table C403.2.3(4)
Warm air furnaces/air-conditioning units Table C403.2.3(4)
Water chilling packages, standard Table C403.2.3(7)
Water heating Table C404.2
- EQUIPMENT ROOM**
Defined C202
- ESCALATORS** C405.12
- EXEMPT BUILDINGS** C101.5.2
- EXHAUSTS** C402.4.5.2, C403.2.5.4
- EXIT SIGNS** C405.4
- EXISTING BUILDINGS** C101.4.1
- EXTERIOR LIGHTING** C405.6
- EXTERIOR SHADING** Table C402.3, C402.3.2
- EXTERIOR WALLS**
Defined C202
Thermal performance C402, C402.2.2
- F**
- F-FACTOR**
Defined C202
- FAN BRAKE HORSEPOWER (BHP)**
Defined C202
- FAN FLOOR HORSEPOWER** C403.2.10.1
- FAN POWER LIMITATION** Tables C403.2.10.1(1, 2)
- FAN SYSTEM BHP**
Defined C202
- FAN SYSTEM DESIGN CONDITIONS**
Defined C202
- FAN SYSTEM MOTOR NAMEPLATE HP**
Defined C202
- FEES** C107
Refunds C107.5
Related fees C107.4
Schedule of permit fees C107.2
- FENESTRATION** C303.1.3, C402.3, C402.4
Air Infiltration Rate Table C402.4.3
Defined C202
Rating and labeling C303.1.3, C402.1.1
Skylights C402.3.2
Vertical C402.3.3, C402.3.3.1, C402.3.3.2
- FENESTRATION PRODUCT, FIELD-FABRICATED**
Defined C202
- FENESTRATION PRODUCT, SITE-BUILT**
Defined C202
- FLOORS**
Over outdoor air or unconditioned space C402.2.5
- FREEZERS** C403.5
- FURNACE EFFICIENCY** Table C403.2.3(4)
- FURNACE ELECTRICITY RATIO**
Defined C202
Fan system requirements C403.2.12, C403.2.12.2, C403.4.4
- G**
- GENERAL LIGHTING**
Defined C202
- GUESTROOMS (see SLEEPING UNIT)**
- GLAZING AREA**
Default fenestration *U*-factors Table C303.1.3(1)
Dynamic C402.3.3.5

H

HAZE FACTOR C402.3.2.2

HEAT PUMP Tables C403.2.3(2, 3),
C403.2.4.1.1, C403.4.3.3, C403.4.3.3.3

HEAT REJECTION EQUIPMENT . . Table C403.2.3(8)

HEAT TRANSFER EQUIPMENT . . . Table C403.2.3(9)

HEAT TRAPS C404.4, C404.5
Defined C202

HEATED SLAB
Defined C202

HEATING AND COOLING LOADS . C302.1, C403.2.1,
C403.2.2, C403.2.3, C403.2.4.1.1,
C403.2.4.3, C403.3, C403.4

HEATING OUTSIDE A BUILDING C403.2.11

HIGH-EFFICACY LAMPS
Defined C202

HISTORIC BUILDINGS C101.4.2

HOT GAS BYPASS C403.4.7, Table C403.4.7

HOT WATER C404.2, C404.6
Piping insulation C403.2.8, C404.5
System controls C403.4.6, C404.3, C404.6

HUMIDISTAT
Defined C202
Requirements . . . C403.2.4.1, C403.2.6, C403.4.5.4

HVAC EQUIPMENT
Automatic setback and shutdown C403.2.4.3.2
Automatic start capabilities C403.2.4.3.3
Performance requirements C403.2.3
Supply-air temperature reset C403.4.5.4
System map zones . . Table C407.5.1(2), C 407.5.2.1

HVAC SYSTEMS C403.2.9, C408.2
Manuals C408.1.3.2
Plan C408.1.1
Report C408.1.2, C408.1.2.1,
C408.1.3.3, C408.1.3.4

HYDRONIC HEAT PUMP SYSTEMS C403.4.3.3

I

IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM) C303.1

INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)

INFILTRATION, AIR LEAKAGE C402.4
Defined C202

INSPECTIONS C104

INSULATION
Duct C403.2.7
Identification C303.1, C303.1.2
Installation C303.1.1, C303.1.1.1,
C303.1.2, C303.2
Mechanical system piping C403.2.8

Piping C404.5
Plenum C403.2.7
Product rating C303.1.4
Protection of exposed foundation C303.2.1
Protection of piping insulation C403.2.8.1
Radiant heating systems C402.2.8
Requirements C402.1, C402.2

INSULATING SHEATHING
Defined C202
Requirements Table C402.1.2, C402.2.3

INTEGRATED PART LOAD VALUE (IPLV) Table C403.2.3(6), C403.4.1

INTERIOR LIGHTING POWER C405.5, C405.5.2

L

LABELED
Defined C202
Requirements C303.1.3, C303.3,
Table C403.2.3(3), C405.5.1.2

LIGHTING POWER
Design procedures C405.5.2
Exterior connected C405.6,
Interior connected . . . C405.5, Tables C405.5.2(1, 2)
Manufacturer’s information C102.2, C102.3

LIGHTING SYSTEMS C405
Commissioning C408.3
Controls C405.2, C405.2.1
Controls, additional C405.2.2
Controls, exterior C405.2.4,
Tables C405.6.2(1, 2), C405.6.2
Controls, interior C405.2.1.1,
Tables C405.5.2(1, 2),
C405.5, C405.5.1, C405.5.2
Multi-level lighting C405.2.2.3.3
Guestrooms/sleeping units C405.2.3
Line voltage C405.5.1.4
Merchandise (highlight specific) Table C405.5.2
Plug-in busway C405.5.1.4
Recessed C402.4.8
Track C405.5.1.4
Wattage C405.5.1.2

LISTED
Defined C202

LOADING DOCK WEATHERSEALS C402.4.6

LOW ENERGY BUILDINGS C101.5.2

LOW-VOLTAGE LIGHTING
Defined C202
Requirements C405.5.1.2

LUMINAIRE
Controls C405.2.2.1, C405.2.3
Sealed C402.4.7

Screwed lamp holders C405.5.1.1
 Wattage C405.5.1, C405.6.1

M

MAINTENANCE INFORMATION C102.3
MANUALS C101.5.1, C102.3
 Defined C202
MASS
 Floor C402.2.5
 Wall C402.2.3
MATERIALS AND EQUIPMENT C303
MECHANICAL SYSTEMS AND EQUIPMENT C403
MECHANICAL VENTILATION C403.1, C403.2.5
METERS, ELECTRICAL C405.7
METERS, ENERGY C409
MOTOR EFFICIENCY C403.2.10.3, C403.2.12, C403.2.13, C405.8
MOTOR NAMEPLATE HORSEPOWER C403.2.10.2, C403.2.10.3
MULTI-FAMILY RESIDENTIAL BUILDINGS C407.5.2.3
MULTI-SCENE CONTROL
 Defined C202
MULTIPLE ZONE SYSTEMS C403.4.5

N

NAMEPLATE HORSEPOWER
 Defined C202
NONCIRCULATING SYSTEMS C404.4, C404.5
NONCONDITIONED SPACE
 Alterations C101.4.5
NONSTANDARD PART LOAD VALUE
 Defined C202

O

OCCUPANCY
 Requirements C101.4.4, C101.4.6, C101.5, C403.4.5, C404.3
OCCUPANCY SENSORS C403.2.4.3.2, C405.2.2.2
OFF-HOUR, CONTROLS C403.2.4.3
ON-SITE RENEWABLE ENERGY
 Defined C202
OPAQUE AREAS C402, Table C402.1.2, Table C402.2(1), C402.2.7
OPAQUE DOORS C402.2.7
OPERATING & MAINTENANCE MANUAL C408.1.3.2
ORIENTATION C403.2.4.1

P

PACKAGED TERMINAL AIR CONDITIONER (PTAC)
 Requirements Table C403.2.3(3), C403.3
PACKAGED TERMINAL HEAT PUMP
 Requirements Table C403.2.3(3), C403.3
PERFORMANCE ANALYSIS C407
PERMIT (see FEES)
 Work commencing before permit C107.3
PHOTOCELL C405.2.4
PIPE INSULATION C403.2.8, C403.2.8.1, Table C403.2.8, C404.5
PLANS AND SPECIFICATIONS C103
POOLS C404.10
 Covers C404.10.3
PROPOSED DESIGN
 Defined C202
 Requirements C407
PUMPING SYSTEMS C403.4.3.3, C404.6, C404.7.2, C408.2.2.2

R

R-VALUE
 Below-grade walls C402.2.4
 Defined C202
READILY ACCESSIBLE
 Defined C202
RECOOLING C403.4.5
REFERENCED STANDARDS C106, Chapter 5
REFRIGERATED WAREHOUSE COOLERS
 Defined C202
 Requirements C402.6, C403.6, C405.11
REFRIGERATED WAREHOUSE FREEZERS
 Defined C202
 Requirements C402.6, C403.6, C405.11
REGENERATIVE DRIVE C405.12.2
REHEATING C403.4.5, C403.4.6
RENEWABLE ENERGY C410.1
REPAIR
 Defined C202
 Requirements C101.4.3
RESET CONTROL C403.4.3.4
RESIDENTIAL BUILDINGS
 Compliance C101.2, C101.5
 Defined C202
ROOF ASSEMBLY
 Defined C202
 Reflectance and emittance options Table C402.2.1.1
 Requirements C101.4.3, C303.1.1.1, C402.2.1

Solar reflectance and thermal emittance C402.2.1.1

S

SCOPE C101.2

SCREW LAMP HOLDERS

Defined C202
Requirements C405.5.1.1

SEASONAL ENERGY EFFICIENCY

RATIO (SEER) C403.2.3

SERVICE WATER HEATING

Defined C202
Requirements C401.2, C403.4.6, C404, C404.2

SETBACK THERMOSTAT C403.2.4.3.1

SHADING C402.3.2

SHEATHING, INSULATING

(see **INSULATING SHEATHING**)

SHGC

(see **SOLAR HEAT GAIN COEFFICIENT**)

SHUTOFF DAMPERS C402.4.5, C403.2.4.4

SIMULATED PERFORMANCE

ALTERNATIVE C407

SIMULATION TOOL

(see **ENERGY SIMULATION TOOL**)

SINGLE ZONE C403.3

SIZING

Equipment and system C403.2.2

SKYLIGHTS C102.1.3, C402.1.1,
C402.3.1.2, C402.3.2, C402.3.2.1,
C402.3.3.3, C402.3.3.4

Defined C202
Haze factor C402.3.2.2
Maximum exempt area C402.3.1

SLAB-EDGE INSULATION C303.2.1, C402.2.6

SLEEPING UNIT C405.2.2.1,
C405.2.2.2, C405.2.3

SNOW MELT SYSTEM CONTROLS C403.2.4.5

SOLAR HEAT GAIN COEFFICIENT

(**SHGC**) C102.1.3, C104.2,
Table C303.1.3(3), Table C402.3, C402.3.2,
C402.3.3.1, C402.3.3.2, C402.3.3.3

Defined C202

SOLAR READINESS C410.2

SPAS C404.7

STAIRWAYS C402.4.5, C402.4.5.1

STANDARD REFERENCE DESIGN

Defined C202
Requirements C407, Tables C407.5.1(1, 3)

STANDARDS, REFERENCED C106, Chapter 5

STEEL FRAMING Table C402.2

STOP WORK ORDER C108

Authority C108.1

Emergencies C108.3

Failure to comply C108.4

Issuance C108.2

STOREFRONT C202, Table C402.3

SUBSTANTIAL ALTERATION C101.4.7

SUPPLY AIR TEMPERATURE

RESET CONTROLS C403.4.5.4

SUSPENDED CEILINGS C402.2.1

SWIMMING POOLS C404.7

T

TARGET PERFORMANCE C402.1.5

TEMPERATURE DEAD BAND C403.4.3.3.1

THERMAL CONDUCTANCE (see **C-FACTOR**)

THERMAL ISOLATION

Defined C202

THERMAL MASS (see **MASS**)

THERMAL RESISTANCE (see **R-VALUE**)

THERMAL TRANSMITTANCE (see **U-FACTOR**)

THERMOSTAT

Defined C202

Requirements C403.3

Setback capabilities C403.2.4.3.1

TIME SWITCHES C405.2.2.1

TOTAL BUILDING PERFORMANCE C407

TOWNHOUSE (see **RESIDENTIAL BUILDINGS**)

U

U-FACTOR

Air-weighted *U*-factor C402.3.4

Alternative C402.1.2

Component performance option C402.1.3

Default door Table C303.1.3(2)

Default glazed fenestration Table C303.1.3(1),
Table C303.1.3(5)

Defined C202

Skylights C402.3.3.4

V

VACUUM AIR C403.7

VARIABLE AIR VOLUME SYSTEMS

(**VAV**) C403.2.6, C403.4.2, C403.4.5,
C403.4.5.1, C403.4.5.2, C403.4.5.3

VENTILATION C403.2.5

Defined C202

Demand controlled ventilation (DCV) C403.2.5.1

Energy recovery system . . . C403.2.6, Table C403.2.6

VESTIBULESC402.4.7
VISIBLE TRANSMITTANCE (VT)
 Default glazed fenestration..... Table C303.1.3(3),
 Table C303.1.3(5)
 DefinedC202

W

WALK-IN COOLERS AND FREEZERS C403.5

WALL

Above-grade, defined C202, C402.2.2.1
 Thermal resistance C402.2.3, Table C402.2
 Below-grade C402.2.2.2, C402.2.4
 Exterior, definedC202

WALLS (see EXTERIOR WALLS AND ENVELOPE, BUILDING THERMAL)

WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)

WATER ECONOMIZERC403.4.1
 DefinedC202

WATER HEATING..... C404, Table C404.2

WHOLE HOUSE MECHANICAL VENTILATION SYSTEM

DefinedC202

WINDOW AREA

(see FENESTRATION and GLAZING AREA)

WIRING, TANDEM C405.3

Z

ZONE (see also CLIMATE ZONES)

DefinedC202
 Requirements..... C403.2.4, C403.3,
 C403.4.3.3.2.1, C403.4.3.3.2.2,
 C403.4.3.4, C403.4.5

ZONE ISOLATIONC403.4.5

