

# INDEX [RE]

## A

<b>ACCESS HATCHES</b> .....	R402.2.4
<b>ADDITIONS AND ALTERATIONS</b>	
Defined .....	R202
Requirements .....	R101.4.3
<b>ADMINISTRATION</b> .....	Chapter 1
<b>AIR BARRIER</b>	
Installation .....	Table R402.4.1.1
<b>AIR ECONOMIZERS</b>	
Defined .....	R202
<b>AIR INFILTRATION</b>	
Defined .....	R202
Requirements .....	R402.4.1, R402.4.2
<b>AIR LEAKAGE</b> .....	R402.4, R403.2.2.1, Table R405.5.2(1)
<b>ALTERNATE MATERIALS</b> .....	R102
<b>APPROVED</b>	
Defined .....	R202
<b>ATTIC</b>	
Requirements .....	Table R405.5.2(1)
<b>AUTOMATIC</b>	
Defined .....	R202

## B

<b>BAFFLE</b>	
Installation .....	R402.2.3
<b>BELOW-GRADE WALLS</b>	
Defined .....	R202
Requirements .....	R303.2.1, Table R402.1.1, Table R402.1.3, R402.2.8, Table R405.5.2(1)
<b>BOARD OF APPEALS</b> .....	R109
Qualifications of members .....	R109.3
<b>BUILDING</b>	
Defined .....	R202
<b>BUILDING ENVELOPE</b>	
Air tightness .....	R402.4.3
Compliance documentation .....	R103.2, R401.2
Defined .....	R202
Exemption .....	R101.5.2
Insulation .....	R303.1.1
Insulation and fenestration criteria .....	R402.1.1
Requirements .....	R102.1.1, R402
Performance method .....	Table R405.5.2(1)

## BUILDING SITE

Defined .....

R202

## BUILDING THERMAL ENVELOPE

Defined .....

R202

## C

### C-FACTOR

Defined .....

R202

### CEILING

Specification for standard  
reference design .....

Table R405.5.2(1)

**CERTIFICATE** .....

R401.3

**CHANGE OF OCCUPANCY** .....

R101.4.4

**CIRCULATING SYSTEMS** .....

R403.4.1

### CLIMATE TYPES

Defined .....

Table R301.3(1)

**CLIMATE ZONES** .....

R301, Table R301.1

### CODE OFFICIAL

Defined .....

R202

### COMMERCIAL BUILDINGS

Compliance .....

R101.2, R101.4.6, R101.5

Defined .....

R202

**COMPLIANCE AND ENFORCEMENT** .....

R101.5

### CONDITIONED FLOOR AREA

Defined .....

R202

### CONDITIONED SPACE

Defined .....

R202

Changes .....

R101.4.5

**CONSTRUCTION DOCUMENTS** .....

R103

Amended .....

R103.4

Approval .....

R103.3.1

Examination .....

R103.3

Information required .....

R103.2

Phased .....

R103.3.3

Previous .....

R103.3.2

Retention .....

R103.5

Revocation .....

R104.8.1

### CONTINUOUS AIR BARRIER

Defined .....

R202

### CONTROLS

Heat pump .....

R403.1.1

Heating and cooling .....

R403.1

Service water heating .....

R403.4

Shutoff dampers .....

R403.5

### CURTAIN WALL

Defined .....

R202

**D**

**DEFAULT DISTRIBUTION SYSTEM EFFICIENCIES** . . . . . Table R405.5.2(2)

**DEFINITIONS** . . . . . Chapter 2

**DEMAND CONTROL VENTILATION (DCV)**  
 Defined . . . . . R202

**DEMAND RECIRCULATION WATER SYSTEM**  
 Defined . . . . . R202

**DESIGN CONDITIONS** . . . . . Chapter 3, R302

**DOORS**  
 Attics and crawl spaces . . . . . R402.2.4  
 Default *U*-factors . . . . . Table R303.1.3(2)  
 Opaque . . . . . R402.3.4  
 Performance requirements . . . . . Table R405.5.2(1)

**DUCTS**  
 Defined . . . . . R202  
 Insulation . . . . . R103.2, R401.3, R403.2, R403.2.1  
 Sealing . . . . . R103.2, R403.2.2  
 Tightness verification  
     Postconstruction test . . . . . R403.2.2  
     Rough-in test . . . . . R403.2.2

**DUCT SYSTEM**  
 Defined . . . . . R202

**DWELLING UNIT**  
 Defined . . . . . R202  
 Multiple units . . . . . R403.7

**DYNAMIC GLAZING**  
 Defined . . . . . R202

**E**

**ELECTRICAL POWER AND LIGHTING** . . . . . R404

**ENERGY ANALYSIS, ANNUAL**  
 Defined . . . . . R202  
 Documentation . . . . . R405.4  
 Requirements . . . . . R405.3

**ENERGY COST**  
 Defined . . . . . R202

**ENERGY RECOVERY VENTILATION SYSTEMS**  
 Defined . . . . . R202  
 Requirements . . . . . Table R405.5.2(1)

**ENERGY SIMULATION TOOL**  
 Defined . . . . . R202  
 Requirements/use . . . . . R101.5.1, R405

**ENTRANCE DOOR**  
 Defined . . . . . R202

**ENVELOPE, BUILDING THERMAL**  
 Defined . . . . . R202

**ENVELOPE DESIGN PROCEDURES** . . . . . R402

**EQUIPMENT EFFICIENCIES** . . . . . R103.2, R401.3

**EQUIPMENT ROOM**

Defined . . . . . R202

**EXEMPT BUILDINGS** . . . . . R101.5.2

**EXISTING BUILDINGS** . . . . . R101.4.1

**EXTERIOR WALLS**  
 Defined . . . . . R202  
 Thermal performance . . . . . R402, R402.1.1, Table R405.5.2(1)

**F**

**F-FACTOR**  
 Defined . . . . . R202

**FAN BRAKE HORSEPOWER (BHP)**  
 Defined . . . . . R202

**FAN SYSTEM BHP**  
 Defined . . . . . R202

**FAN SYSTEM DESIGN CONDITIONS**  
 Defined . . . . . R202

**FAN SYSTEM MOTOR NAMEPLATE HP**  
 Defined . . . . . R202

**FEES** . . . . . R107  
 Refunds . . . . . R107.5  
 Related fees . . . . . R107.4  
 Schedule of permit fees . . . . . R107.2

**FENESTRATION** . . . . . R303.1.3, R402.3, R402.3.2, R402.4.3  
 Defined . . . . . R202  
 Rating and labeling . . . . . R303.1.3, R402.1.1  
 Replacement . . . . . R402.3.6  
 Requirements . . . . . Table R402.1.1

**FENESTRATION PRODUCT, FIELD-FABRICATED**  
 Defined . . . . . R202

**FENESTRATION PRODUCT, SITE-BUILT**  
 Defined . . . . . R202

**FIREPLACES** . . . . . R402.4.2

**FLOORS**  
 Above-grade . . . . . Table R405.5.2(1)  
 Insulation . . . . . R402.2.7  
 Slab-on-grade insulation requirements . . . . . R402.2.9

**FOUNDATIONS**  
 Requirements . . . . . Table R405.5.2(1)

**FURNACE EFFICIENCY** . . . . . Table R405.5.2(1)

**FURNACE ELECTRICITY RATIO**  
 Defined . . . . . R202

**G**

**GENERAL LIGHTING**  
 Defined . . . . . R202

**GUESTROOMS (see SLEEPING UNIT)**

**GLAZING AREA**

- Default fenestration
- U*-factors . . . . . Table R303.1.3(1), R303.1.3(5)
- Requirements . . . . . R402.3.3, R402.3.5,  
Table R405.5.2(1)

**H**

- HEAT PUMP** . . . . . R403.1.2
- HEAT TRAPS**
- Defined . . . . . R202
- HEATED SLAB**
- Defined . . . . . R202
- Requirements . . . . . R402.2.9.1
- HEATING AND COOLING LOADS** . . R302.1, R403.1.2
- HIGH-EFFICACY LAMPS**
- Defined . . . . . R202
- HISTORIC BUILDINGS** . . . . . R101.4.2
- HOT WATER**
- Piping insulation . . . . . R403.4.2, Table R403.4.2
- HUMIDISTAT**
- Defined . . . . . R202
- HVAC SYSTEMS**
- Tests
- Postconstruction . . . . . R403.2.2
- Rough-in-test . . . . . R403.2.2

**I**

- IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM)** . . . . . R303.1
- INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)**
- INFILTRATION, AIR LEAKAGE** . . . . . R402.4,  
Table R405.5.2(1)
- Defined . . . . . R202
- INSPECTIONS** . . . . . R104
- INSULATION**
- Ceilings with attic spaces . . . . . R402.2.1
- Ceilings without attic spaces . . . . . R402.2.2
- Duct . . . . . R403.2.1
- Eave baffle . . . . . R402.2.3
- Hot water piping . . . . . R403.4.2
- Identification . . . . . R303.1, R303.1.2
- Installation . . . . . R303.1.1, R303.1.1.1,  
R303.1.2, R303.2, Table R402.4.1.1
- Masonry veneer . . . . . R402.2.11
- Mechanical system piping . . . . . R403.3
- Product rating . . . . . R303.1.4
- Protection of exposed foundation . . . . . R303.2.1

- Protection of piping insulation . . . . . R403.3.1
- Requirements . . . . . Table R402.1.1, R402.2
- Slab-on-grade floors . . . . . R402.2.9

**INSULATING SHEATHING**

- Defined . . . . . R202
- Requirements . . . . . Table R402.1.1, R402.1.2

**L**

**LABELED**

- Defined . . . . . R202
- Requirements . . . . . R303.1.3, R303.3, R402.4.3

**LIGHTING POWER**

- Manufacturer's information . . . . . R102.2, R102.3

**LIGHTING SYSTEMS** . . . . . R404

- Recessed . . . . . R402.4.4

**LISTED**

- Defined . . . . . R202

**LOW ENERGY BUILDINGS** . . . . . R101.5.2

**LOW-VOLTAGE LIGHTING**

- Defined . . . . . R202

**LUMINAIRE**

- Sealed . . . . . R402.4.3, R502.4.7

**M**

**MAINTENANCE INFORMATION** . . . . . R102.3

**MANUALS** . . . . . R101.5.1, R102.3

- Defined . . . . . R202

**MASONRY VENEER**

- Insulation . . . . . R402.2.11

**MASS**

- Wall . . . . . R402.1.3, R402.2.5, Table R402.2.6

**MATERIALS AND EQUIPMENT** . . . . . R303

**MECHANICAL SYSTEMS AND EQUIPMENT** . . . . . R101.4.3.1, R403, R405.1

**MECHANICAL VENTILATION** . . . . . R403.5,

- Table R403.5.1, Table R405.5.2(1)

**MULTI-SCENE CONTROL**

- Defined . . . . . R202

**MULTIPLE DWELLING UNITS** . . . . . R403.7

**N**

**NAMEPLATE HORSEPOWER**

- Defined . . . . . R202

**NONCONDITIONED SPACE**

- Alterations . . . . . R101.4.5

**NONSTANDARD PART LOAD VALUE**

- Defined . . . . . R202

**O**

**OCCUPANCY**

Requirements . . . . . R101.4.4, R101.4.6, R101.5

**ON-SITE RENEWABLE ENERGY**

Defined . . . . . R202

**OPAQUE AREAS** . . . . . R402.3.4

**P**

**PERFORMANCE ANALYSIS** . . . . . R405, R507

**PERMIT**

(see FEES)

Work commencing before permit . . . . . R107.3

**PIPE INSULATION** . . . . . R403.3, R403.4

**PLANS AND SPECIFICATIONS** . . . . . R103

**POOLS** . . . . . R403.9

Covers . . . . . R403.9.3

**PROPOSED DESIGN**

Defined . . . . . R202

Requirements . . . . . R405, Table R405.5.2(1)

**PUMPS**

Time switches . . . . . R403.9.2

**PUMPING SYSTEMS** . . . . . R403.4

**R**

**R-VALUE**

Defined . . . . . R202

Computation . . . . . R402.1.2

Wood frame to cold formed  
steel frame ceiling, wall and  
floor insulation *R*-values . . . . . Table R402.2.6

**READILY ACCESSIBLE**

Defined . . . . . R202

**REFERENCED STANDARDS** . . . . . R106, Chapter 5

**REPAIR**

Defined . . . . . R202

Requirements . . . . . R101.4.3

**RESIDENTIAL BUILDINGS**

Compliance . . . . . R101.2, R101.5

Defined . . . . . R202

Simulated performance alternative . . . . . R405.5.2

**ROOF ASSEMBLY**

Defined . . . . . R202

Requirements . . . . . R101.4.3, R303.1.1.1, R402.2.2,  
Table R405.5.2(1)

**S**

**SCOPE** . . . . . R101.2

**SCREW LAMP HOLDERS**

Defined . . . . . R202

**SEASONAL ENERGY EFFICIENCY**

**RATIO (SEER)** . . . . . R405.6.1

**SERVICE WATER HEATING**

Defined . . . . . R202

Requirements . . . . . R401.3, R403.4, R405.1

**SHEATHING, INSULATING**

(see INSULATING SHEATHING)

**SHGC**

(see SOLAR HEAT GAIN COEFFICIENT)

**SHUTOFF DAMPERS** . . . . . R403.5

**SIMULATED PERFORMANCE**

**ALTERNATIVE** . . . . . R405

Documentation . . . . . R405.4

Mandatory requirements . . . . . R405.2

Performance-based compliance . . . . . R405.3

Report . . . . . R405.4.2

Software tools . . . . . R405.4.1

**SIZING**

Equipment and system . . . . . R403.6, R405.6.1

**SKYLIGHTS** . . . . . R102.1.3, R402.3, R402.3.5,  
R402.4.1, Table R405.5.2(1)

Defined . . . . . R202

**SLAB-EDGE INSULATION** . . . . . R303.2.1, R401.3,  
Table R402.1.1, R402.2.7

**SNOW MELT SYSTEM CONTROLS** . . . . . R403.8

**SOLAR HEAT GAIN COEFFICIENT**

(SHGC) . . . . . R102.1.3, R104.2,  
Table R303.1.3(3), R401.3,  
Table R402.1.1, R402.1.4, R402.3.2,  
R402.3.3, R402.3.6, R402.5

Defined . . . . . R202

**STANDARD REFERENCE DESIGN**

Defined . . . . . R202

Requirements . . . . . R405, Table R405.5.2(1)

**STANDARDS, REFERENCED** . . . . . R106, Chapter 5

**STEEL FRAMING** . . . . . R402.2.4

**STOP WORK ORDER** . . . . . R108

Authority . . . . . R108.1

Emergencies . . . . . R108.3

Failure to comply . . . . . R108.4

Issuance . . . . . R108.2

**STOREFRONT** . . . . . R202

**SWIMMING POOLS** . . . . . R403.9

**T**

**THERMAL CONDUCTANCE (see C-Factor)**

**THERMAL ISOLATION** . . . . . R402.2.12, R402.3.5,  
Table R405.5.2(1)

Defined . . . . . R202

**THERMAL MASS (see MASS)**

**THERMAL RESISTANCE (see R-VALUE)**

**THERMAL TRANSMITTANCE (see U-FACTOR)****THERMOSTAT**

- Defined . . . . . R202
- Controls . . . . . R403.1
- Programmable . . . . . R403.1.1
- Requirements . . . . . Table R405.5.2(1)

**TIME SWITCHES . . . . . R403.9.2****TOTAL BUILDING PERFORMANCE**

- Residential . . . . . R405

**TOWNHOUSE (see RESIDENTIAL BUILDINGS)****U****U-FACTOR**

- Alternative . . . . . R402.1.3, Table R402.1.3, R402.1.4
- Default door . . . . . Table R303.1.3(2)
- Default glazed fenestration . . . . . Table R303.1.3(1)
- Defined . . . . . R202, R402.3.1, R402.5
- Skylights . . . . . Table R402.1.1,  
Table R402.1.3, R402.3.5
- Sunroom . . . . . R402.3.5

**V****VAPOR RETARDER . . . . . R402.2.10****VENTILATION . . . . . R402.5, R403.5, Table R403.5.1,  
Table R405.5.2(1)**

- Defined . . . . . R202

**VISIBLE TRANSMITTANCE (VT)**

- Default glazed fenestration . . . . . Table R303.1.3(3)
- Defined . . . . . R202

**W****WALL**

- Above-grade, defined . . . . . R202, R502.2.2.1
- Standard reference design . . . . . Table R405.5.2(1)
- Below grade, defined . . . . . R202
- Installation . . . . . R402.2.8
- Standard reference design . . . . . Table R405.5.2(1)
- Exterior, defined . . . . . R202

**WALLS (see EXTERIOR WALLS AND  
ENVELOPE, BUILDING THERMAL)****WALLS ADJACENT TO UNCONDITIONED  
SPACE (see BUILDING THERMAL ENVELOPE)****WATER ECONOMIZER**

- Defined . . . . . R202

**WATER HEATING . . . . . R401.3****WHOLE HOUSE MECHANICAL  
VENTILATION SYSTEM**

- Defined . . . . . R202
- System fan efficacy . . . . . R403.5.1

**WINDOW AREA**

(see FENESTRATION and GLAZING AREA)

**Z****ZONE (see also CLIMATE ZONES)**

- Defined . . . . . R202
- Requirements . . . . . R405.6.1

