

INDEX

Changes from the index in the Washington State Energy Code are not shown in underline and strikeout.

A

ACCESSIBLE

Controls C303.3, C403.2.4.2,
C404.9.1, C405.2.3

Defined C202

ADDITIONAL EFFICIENCY PACKAGE C406

ADDITIONS

Defined C202

Landmarks C501.6

Requirements C502

ADMINISTRATION Chapter 1

AIR BARRIER C402.5.1

Access openings C402.5.4

Building test C402.5.1.2

Construction C402.5.1.1

Dampers C402.5.5, C403.2.4.3

Doors other than fenestration C402.5.4

Penetrations C402.5.1.1

Recessed lighting C402.5.8

Rooms with fuel burning appliances C402.5.3

Testing C402.5.1.2

Vestibules C402.5.7

AIR CONDITIONERS

Efficiency requirements Tables C403.2.3(1, 3)

AIR CURTAIN

Defined C202

Vestibules C402.5.7

AIR ECONOMIZERS

Defined C202

Requirements C403.3, C403.3.1, C403.3.2,
C403.3.3, C403.3.4

AIR INFILTRATION (see AIR BARRIER)

Defined C202

AIR INTAKES AND EXHAUSTS C402.5.5,
C403.2.4.3

AIR LEAKAGE—THERMAL ENVELOPE (see AIR BARRIER)

AIR SYSTEM BALANCING C408.2.2.1

ALTERATIONS

Defined C202

Landmarks C501.6

Requirements C503

ALTERNATE MATERIALS C102

APPROVED

Defined C202

APPROVED AGENCY

Defined C202

Inspections C104.4

AREA-WEIGHTED U-FACTOR C402.4.3.4

AUTOMATIC

Defined C202

B

BASEMENT WALLS (see WALL, BELOW GRADE)

Protection of insulation C303.2.1

BELOW-GRADE WALLS (see WALL, BELOW GRADE)

BOILER SYSTEM

Defined C202

Requirements Table C403.2.3(5), C403.4.2,
C403.4.2.5, C404.2, Table C404.2

Setback controls C403.2.5

Turndown controls C403.4.2.5

BUILDING

Defined C202

Multifamily residential modeling C407.5.2.3

BUILDING COMMISSIONING

Defined C202

Requirements C408

BUILDING ENTRANCE

Defined C202

Exterior lighting Table C405.5.2(2)

Lighting controls C405.2.1.1

Vestibules C402.5.7

BUILDING THERMAL ENVELOPE

Air leakage and barriers C402.5

Compliance documentation C103.6.3

Defined C202

Doors C402.4.4

Exemptions C402.1.1, C402.1.2

Insulation C303.1.1, C402.2

Insulation criteria C402.1.3, Table C402.1.3,
C402.1.4, Table C402.1.4

Low-energy buildings C402.1.1

Requirements C402

Performance C402.1, C402.1.3,
C402.1.4, C402.1.5

Performance method C407.3

Rooms with fuel-burning appliances C402.5.3

C

C-FACTOR

- Defined C202
- Assembly U-, C- or F-factor method C402.1.4,
Table C402.1.4

CAULKING AND

- WEATHERSTRIPPING** C402.5.1.1, C402.5.3,
C402.5.4, C402.5.8

CHANGE OF OCCUPANCY C501.4, C505**CHILLERS** Table C403.2.3(7), Table C407.5.1(4)

- Positive displacement
chilling packages C403.2.3.2
- Water-cooled centrifugal
chiller packages C403.2.3.1,
Table C403.2.3(7)

CIRCULATING HOT WATER SYSTEM

- Defined C202
- Requirements C404.7, C404.8

CIRCULATING PUMPS C403.4.2.3, C404.7.1**CLIMATE ZONES**

- Defined C202
- Established C301, Table C301.1

CODE OFFICIAL

- Approval of alternate methods C102
- Defined C202
- Inspections C104

COEFFICIENT OF PERFORMANCE (COP)

- Defined C202
- Requirements Table C403.2.3(2),
Table C403.2.3(7)

COMMERCIAL BUILDINGS

- Compliance C101.2, C101.4.1,
C101.5, C401.1, C401.2, Chapter 5
- Defined C202
- Total building performance C407

COMMERCIAL FOOD SERVICE C403.9**COMMISSIONING** C408**COMPLIANCE AND ENFORCEMENT**

- General C101.5, C108
- Existing buildings C501.4

COMPRESSED AIR SYSTEMS C403.8**COMPRESSOR (REFRIGERATION)**

- SYSTEMS** C403.5.2, C410

COMPONENT PERFORMANCE

- APPROACH** C402.1.5

COMPUTER ROOM

- Air conditioning Table C403.2.3(9)
- Defined C202

CONDENSING UNITS

- Defined C202
- Efficiency requirements Table C403.2.3(1)

CONDITIONED FLOOR AREA

- Defined C202
- Renewable energy C406.5

CONDITIONED SPACE

- Defined C202
- Change from nonconditioned or
semi-heated C503.2
- Rooms containing fuel-burning
appliances C402.5.3

CONSTRUCTION DOCUMENTS C103.2

- Information required C103.2.1

CONTINUOUS AIR BARRIER

- Defined C202
- Required C402.5.1

CONTINUOUS INSULATION

- Defined C202
- Equivalents Table C402.1.3(9)
- Requirements C402.1.3, Table C402.1.3,
Table C402.1.3(g), C402.2.1, C402.2.3, C402.2.4

CONTROLLED RECEPTACLES .. C405.10, C405.13

- Defined C202

CONTROLS

- Capabilities C403.2.4, C403.2.6
C403.4, 404.7
- Chilled water plants C403.4.2.6
- Dynamic Glazing C402.4.3.3
- Economizers C403.3, C403.3.1,
Table C403.3.3.3, C403.4
- Exhaust systems C403.2.7
- Fan speed C403.2.13, C403.4.1, C403.4.3.1,
- Freeze protection system C403.2.4.6
- Heat pump C403.2.4.1.1, C403.4.2.3
- Heating and cooling C403.2.4,
- Hot water system C404.7
- Humidity C403.2.4.1
- HVAC C403.2.4, C403.2.11, C408.2.3.2
- Hydronic systems C403.4.2
- Lighting C402.4.2.1, C405.2
- Lighting, digital C406.4
- Off hour C403.2.4.2
- Service water heating C404.7
- Shutoff dampers C403.2.4.3, C 403.4.4
- Snow melt system C403.2.4.5
- Temperature C403.2.4.1, C403.2.4.2,
C403.2.4.3, C403.4.2
- Three-pipe system C403.4.2.1
- Two-pipe changeover system C403.4.2.2
- Variable air volume systems C403.2.11.6,
C403.2.11.7, C403.2.11.8, C403.4.4, C403.7
- Ventilation C403.2.6

COOLING SYSTEMS

- Hot gas bypass limitation C403.4.6

COOLING TOWER C403.4.3
COOLING WITH OUTDOOR AIR C403.3.1
CURTAIN WALL
 Defined C202
 Product rating C303.1.3

D

DAMPERS C402.5.5, C403.2.4.3
DAYLIGHT RESPONSIVE CONTROL
 Defined C202
 Required C405.2.4
DAYLIGHT ZONE C405.2.3.2, C405.2.3.3
 At sidelights C405.2.4.2
 Defined C202
 Under skylights C402.4.2, C405.2.4.3
DAYLIGHT ZONE CONTROL C405.2.3
DEADBAND C403.2.4.1.2, C403.2.4.1.3,
 C403.4.2.3.1
DEDICATED OUTDOOR AIR SYSTEM (DOAS) C403.6
DEFINITIONS Chapter 2
DEMAND CONTROL VENTILATION (DCV)
 Defined C202
 Requirements C403.2.6.2
DEMAND RECIRCULATION WATER SYSTEM
 Defined C202
 Requirements C404.8
DESIGN CONDITIONS C302
DIRECT EXPANSION (DX) C403.2.11.5, C403.3.1
DOORS
 Defined C202
 Default *U*-factors Appendix Table A107.1(1)
 Garage doors C303.1.3
 Loading docks C402.5.6
 Opaque C402.2.7
 Performance requirements Table C402.1.3,
 Table C402.1.4, C402.4,
 Table C402.4, C402.4.4, 402.5.4
 Vestibules C402.5.7
DRAIN WATER HEAT RECOVERY C404.10
DUAL DUCT VAV C403.4.4.2, C403.4.4.3
DUCTS
 Defined C202
 Insulation C103.2, C403.2.8
 Sealing C103.2, C403.2.8
DUCT SYSTEM
 Defined C202
 Requirements C403.2.8
DWELLING UNIT
 Defined C202

Electrical Meter C405.7
 Lighting C405.1
 Vestibules C402.5.7
DYNAMIC GLAZING
 Defined C202
 Requirements C402.4.3.3

E

ECONOMIZER
 Air C403.3.3, Table C403.3.3.3
 Controls C403.3.1, C403.3.3
 Defined C202
 Fault detection and diagnostics (FDD) C403.2.4.7
 High-limit shutoff control C403.3.3.3,
 Table C403.3.3.3
 Requirements C403.3.3, C403.3.4
 Water C403.3.4
EFFICIENCY, ADDITIONAL C406
ELECTRICAL METERS C409
ELECTRICAL MOTORS C405.8
ELECTRICAL POWER AND LIGHTING C405
ELECTRICAL TRANSFORMERS C405.6
ELEVATOR POWER C405.9.1
ELEVATOR SHAFTS C402.1.3, C402.5.4, C402.5.5
ENCLOSED SPACE
 Defined C202
 Under skylights C402.4.2
ENERGY ANALYSIS, ANNUAL
 Defined C202
 Documentation C407.4
 Requirements C407
ENERGY EFFICIENCY RATIO (EER) C403.2.3, Tables C403.2.3(1, 2, 3, 6, 7)
ENERGY RECOVERY VENTILATION SYSTEMS
 Defined C202
 Requirements C403.2.1, C403.5.1
ENERGY SIMULATION TOOL
 Defined C202
 Requirements/use C101.5.1, C407
ENTRANCE DOOR
 Defined C202
 Thermal performance Table C402.4
ENVELOPE, BUILDING THERMAL
 Defined C202
ENVELOPE DESIGN METHODS C402.1.3,
 C402.1.4, C402.1.5
EQUIPMENT BUILDINGS C402.1.2
EQUIPMENT EFFICIENCIES C103.2, C403.2.3,
 Tables C403.2.3(1-8), C403.3, C404.2

EQUIPMENT PERFORMANCE

- REQUIREMENTS** C403.2.3
- Boilers Table C403.2.3(5)
- Economizer exception C403.3
- Heat rejection equipment Table C403.2.3(8)
- Packaged terminal air conditioners and heat pump Table C403.2.3(3)
- Unitary air conditioners and condensing units Table C403.2.3(1)
- Unitary and applied heat pumps Table C403.2.3(2)
- Warm air duct furnaces and unit heaters Table C403.2.3(4)
- Warm air furnaces Table C403.2.3(4)
- Warm air furnaces/air-conditioning units Table C403.2.3(4)
- Water chilling packages, standard Table C403.2.3(7)
- Water heating C404.2, Table C404.2

EQUIPMENT ROOM

- Defined C202
- Lighting power allowance Table C405.5.2(2)

ESCALATORS C405.9.2

EXEMPT BUILDINGS C402.1.1, C402.1.2

EXHAUSTS C402.5.5, C403.2.4.3

EXIT SIGNS C405.3

EXISTING BUILDINGS Chapter 5

EXTERIOR LIGHTING C405.2.7, C405.5

EXTERNAL SHADING C402.4.3, Table C407.5.1(1)

EXTERIOR WALLS

- Defined C202
- Thermal performance C402, C402.2.3, C402.2.4

F

F-FACTOR

- Assembly U-, C- or F-factor method C402.1.4, Table C402.1.4

FAN BRAKE HORSEPOWER (BHP)

- Allowable C403.2.11
- Defined C202

FAN EFFICIENCY GRADE (FEG)

- Defined C202
- Requirements C403.2.11.3

FAN POWER

- LIMITATION** Tables C403.2.11.1(1, 2)

FAN SYSTEM BHP

- Allowable C403.2.11.1
- Defined C202

FAN SYSTEM DESIGN CONDITIONS

- Allowable C403.2.11.1
- Defined C202

FAN SYSTEM MOTOR NAMEPLATE HP

- Defined C202
- Requirements C403.2.11.1

FAULT DETECTION & DIAGNOSTICS (FDD)

- Economizers C403.2.4.7

FEES C107

FENESTRATION

- (see also Doors)** C303.1.3, C402.4
- Defined C202
- Maximum area C402.4.1
- Rating and labeling C303.1.3
- Skylights C402.4.2, C402.4.2.1, C402.4.2.2, C402.4.3, C503.3.3
- Solar heat gain coefficient (SHGC) C402.4.3, Table C402.4
- Vertical C402.1, C402.4.1.1, C402.4.3, Table C402.4, C502.2, C503.3.2

FENESTRATION PRODUCT, FIELD-FABRICATED

- Defined C202

FENESTRATION PRODUCT, SITE-BUILT

- Defined C202

FLOOR AREA, NET

- Defined C202
- Fenestration increase C402.4.1.1

FLOORS

- Slab on grade C402.2.6
- Thermal properties C402.2.5

FREEZE PROTECTION SYSTEMS C403.2.4.6

FURNACE EFFICIENCY Table C403.2.3(4)

G

GENERAL LIGHTING

- Additional lighting C405.4.2.2.1
- Daylight controls C405.2.4
- Defined C202
- Interior lighting power C405.4

GENERAL PURPOSE ELECTRIC MOTORS

- Defined C202

GREENHOUSE

- Defined C202
- Building envelope C402.1.1

GUESTROOMS (see SLEEPING UNIT)

H

HAZE FACTOR C402.4.2.2

HEAT PUMP Tables C403.2.3(2, 3), C403.2.4.1.1, C403.4.2.3

HEAT RECOVERY

- Drain water C404.10, C406.7.2

Economizer exemption C403.3
 Kitchen exhaust C403.2.7.1
 Service water C403.5.4
HEAT REJECTION EQUIPMENT C403.4.3,
 Table C403.2.3(8)
HEAT TRACE SYSTEMS C404.6.2
**HEAT TRANSFER
 EQUIPMENT** Table C403.2.3(10)
HEAT TRAPS
 Defined C202
 Required C404.4
HEATED SLAB
 Defined C202
 Insulation Table C402.1.3,
 Table C402.1.4, C402.2.6
**HEATING AND COOLING
 LOADS** C302.1, C403.2.1, C403.2.2,
 C403.2.3, C403.2.4.1.1, C403.3
HEATING OUTSIDE A BUILDING C403.2.12
HIGH-SPEED DOOR
 Defined C202
HOT GAS BYPASS C403.4.6, Table C403.4.6
HOT WATER C404.2
 Efficient delivery C404.5
 Piping insulation C403.2.9, C404.6
 System controls C403.5.4, C404.7
HUMIDISTAT
 Defined C202
 Requirements C403.2.3.4, C403.2.4.1
HVAC ALTERATIONS C503.4, C506.2.2
HVAC EQUIPMENT
 Automatic setback and shutdown C403.2.4.2.2
 Automatic start capabilities C403.2.4.2.3
 Increased efficiency C406.2
 Performance requirements C403.2.3
 Supply-air temperature reset C403.4.4.4
 Systems map zones Tables C407.5.1(2, 3),
HVAC SYSTEMS COMMISSIONING C408.2
 Manuals C103.6.2
 Plan C408.1.2
 Report C408.1.4
HYDRONIC HEAT PUMP SYSTEMS C403.4.2

I

ICE MELT SYSTEMS C403.2.4.5
**IDENTIFICATION (MATERIALS,
 EQUIPMENT AND SYSTEM)** C303.1
**INDIRECTLY CONDITIONED SPACE
 (see CONDITIONED SPACE)**

**INFILTRATION (air leakage)
 (see AIR BARRIER)**
 Defined C202
INSPECTIONS C104
 Inspection agencies C104.4
INSULATED SIDING C303.1.4.1
INSULATION
 Continuous insulation C402.1.3, Table C402.1.3,
 C402.2.1, C402.2.2
 Duct C403.2.8
 Identification C303.1, C303.1.2
 Installation C303.1.2, C303.2
 Mechanical system piping C403.2.9
 Piping C404.6
 Plenum C403.2.8
 Product rating C303.1.4
 Protection of exposed foundation C303.2.1
 Protection of piping insulation C403.2.9.1
 Radiant heating systems C402.2.8
 Requirements C402.1.3, Table C402.1.3,
 C402.2 through C402.2.6
**INTEGRATED PART LOAD VALUE
 (IPLV)**
 Defined C202
 Requirements Table C403.2.3(7), C403.2.3.1
INTERIOR LIGHTING POWER C405.4, C405.4.2
 C406.3

K

KITCHEN EXHAUST C403.2.7.1, Table C403.2.7.1

L

LABELED
 Dampers C403.2.4.3
 Defined C202
 Fans C403.2.11.3
 Glazing, skylights C303.1.3
 HVAC equipment C403.2.3
 Lighting C402.5.8, C405.4.1
 Requirements C303.1.3, C303.3
LANDMARKS C501.6
 Defined C202
LIGHTING POWER
 Additional lighting C405.4.2.2.1
 Design procedures C405.4.2,
 C405.4.2.1, C405.4.2.2
 Exterior connected C405.5, C405.5.1,
 Tables C405.5.1(1, 2)
 Interior connected C405.4, C405.4.1, C405.4.2,
 Tables C405.4.2(1, 2), C406.3

INDEX

Reduced lighting power density C406.3
LIGHTING SYSTEMS C405, C406.3
 Exterior C405.2.7,
 Tables C405.5.1(1, 2), C405.5.1
 Interior C405.2, Tables C405.4.2(1, 2),
 C405.4, C405.4.1, C405.4.2, C406.4
 Daylight responsive C405.2.4, C405.2.4.1
 Dwelling and sleeping units C405.1, C405.2.2,
 C405.2.4
 Existing buildings C502.2.6, C503.6
 Full cutoff C405.5.3
 Light reduction C405.2.2.2
 Occupant sensor controls C405.2.1, C405.2.1.1,
 C405.2.1.2
 Recessed C402.5.8
 Retail display C405.4.2.2.1
 Specific applications C405.2.5
 Time switch controls C405.2.2, C405.2.2.1

LINER SYSTEM (Ls)

Defined C202
 Insulation Table C402.1.3

LISTED

Defined C202
 Kitchen exhaust hoods C403.2.7.1
 Skylights C402.2.2

LOADING DOCK WEATHERSEALS C402.5.6

LOW-ENERGY BUILDINGS C402.1.1

LOW-SLOPED ROOF

Defined C202

LUMINAIRE

Controls C405.2, C405.2.1,
 C405.2.2, C405.2.3, C405.2.4
 Sealed C402.5.8
 Wattage C405.4.1, C405.5.1

M

MAINTENANCE

General C501.2, C501.3
 Instructions for equipment and systems C303.3
 Owner responsibility C501.3

MANDATORY

Defined C202

MANUALS C101.5.1, C103.6.2

Defined C202

MASS

Floor Table C402.1.3, Table C402.1.4
 Wall C402.2.3

MATERIALS AND EQUIPMENT C303

MECHANICAL SYSTEMS AND EQUIPMENT C403

Existing buildings C501.5, C502.1,
 C502.2.3, C503.4, C504

MECHANICAL VENTILATION C403.1, C403.2.6

METERING C409

In existing buildings C506

METERS, DOMESTIC HOT WATER C404.9

METERS, ELECTRICAL C405.7, C409

MOTOR NAMEPLATE

HORSEPOWER C403.2.14

Efficiency C405.8

MOVING WALKWAYS C405.9.2

MULTIFAMILY

RESIDENTIAL BUILDINGS C407.5.2.3

MULTIPLE ZONE SYSTEMS C403.4, C403.4.4,
 C403.4.4.3

N

NAMEPLATE HORSEPOWER

Allowable C403.2.11.1

Defined C202

NET FLOOR AREA (see FLOOR AREA, NET)

NONCONDITIONED SPACE

Alterations C503.2

NONSTANDARD PART LOAD VALUE

Defined C202

O

OCCUPANCY

Lighting power allowances Tables C405.4.2(1, 2)

Mixed occupancies C101.4.1

OCCUPANT SENSOR CONTROL

Commissioning C408.3.1.1

Defined C202

Lighting C406.4

Outdoor heating C403.2.12

Required C405.2.1, C405.2.1.1, C405.2.1.2

OFF-HOUR, CONTROLS C403.2.4.2, C405.2.2.1

ON-SITE RENEWABLE ENERGY

Defined C202

Efficiency package C406.5

OPAQUE AREAS C402.1, Table C402.1.3,
 Table C402.1.4

OPAQUE DOORS

Defined C202

Regulated Table C402.1.3, C402.1.4, C402.4.4

OPERATING &

MAINTENANCE MANUAL C103.6.2

ORIENTATION

- Daylight Responsive controls C405.2.4
- Fenestration Table C402.4
- Thermostatic controls C403.2.4.1, C407.5.2.2

P

PACKAGED TERMINAL AIR CONDITIONER (PTAC)

- Requirements Table C403.2.3(3)

PACKAGED TERMINAL HEAT PUMP (PTHP)

- Requirements Table C403.2.3(3)

PARKING GARAGE VENTILATION C403.2.6.4

PERFORMANCE ANALYSIS C407

PIPE INSULATION C403.2.9,
Table C403.2.9, C404.6

PLANS AND SPECIFICATIONS C103

PLENUMS

- Insulation and sealing C403.2.8

POOLS C404.1

- Controls C404.11.1, 404.11.2
- Covers C404.11.3
- Existing buildings C502.2.5

POWER DENSITY (LIGHTING) C406.3

POWERED ROOF/WALL VENTILATORS

- Defined C202
- Fan efficiency exemption C403.2.11.3

PRESCRIPTIVE

- Defined C202

PROPOSED DESIGN

- Defined C202
- Requirements C407

PUBLIC LAVATORY C404.3

PUMPING SYSTEMS C403.4.2.3, C404.6,
C404.14, C408.2.2.2

R

R-VALUE

- Above-grade walls C402.2.3
- Defined C202
- Insulation component method C402.1.3,
Table C402.1.3
- Roof assemblies C402.2.2
- Slabs on grade C402.2.6
- Steel stud walls C402.1.4.1, Table C402.1.4.1

RADIANT HEATING SYSTEM

- Defined C202
- Insulation C402.2.8

READILY ACCESSIBLE

- Defined C202
- Lighting controls C405.2.3

RECOOLING C403.4.4

REFERENCED STANDARDS C106, Chapter 6

REFRIGERATED WAREHOUSE COOLER

- Defined C202
- Requirements C410.2

REFRIGERATED WAREHOUSE FREEZER

- Defined C202
- Requirements C410.2

REFRIGERATION EQUIPMENT

- Performance C410

REGISTERED DESIGN PROFESSIONAL

- Defined C202

REHEATING C403.5.4

RENEWABLE/NONDEPLETABLE

- ENERGY SOURCES C406.5, C411

REPAIR

- Defined C202
- Landmarks C501.6
- Requirements C501.5, C504

REPLACEMENT MATERIALS C501.5

REROOFING

- Defined C202

RESET CONTROL C403.4.4.4

RESIDENTIAL BUILDINGS

- Compliance C101.4.1, C101.5
- Defined C202

ROOF ASSEMBLY

- Air barriers C402.5.1
- Defined C202
- Fenestration C402.4.1, C402.4.2,
C405.2.4.3
- Recover C503.1
- Repairs C504.1
- Replacement C503.3.1
- Requirements C303.1.1.1, C402.2.2

ROOF RECOVER

- Defined C202
- Exemption C503.1

ROOF REPAIR

- Defined C202
- Exemption C504.1

ROOF REPLACEMENT

- Defined C202
- Requirements C503.3.1

ROOFTOP MONITOR

- Daylight zones C405.2.4.2
- Defined C202
- Skylights required C402.4.2

ROOF VENTILATORS

(see POWERED ROOF/ WALL VENTILATORS)

ROOMS WITH FUEL-BURNING APPLIANCES C402.5.3

S

SATURATED CONDENSING TEMPERATURE
 Defined C202
 Refrigeration systems C410.3.1

SCOPE OF CODE C101.2

SCREW LAMP HOLDERS
 Defined C202

SEASONAL ENERGY EFFICIENCY RATIO (SEER) Tables C403.2.3(1, 2, 3)

SEMI-HEATED SPACE
 Defined C202
 Requirements C402.1.1.1

SERVICE WATER HEATING
 Commissioning C404.11, C408.4
 Defined C202
 Drain water heat recovery C404.10
 Efficiency C404.2
 Existing buildings C502.2.4, C503.5, C504.1
 Reduced use C406.7
 Requirements C403.5.4, C404, C404.2, C404.5, C404.6, C404.7, C404.8

SETBACK THERMOSTAT C403.2.4.2

SHADING C402.4.3

SHGC
 (see **SOLAR HEAT GAIN COEFFICIENT**)

SHUTOFF DAMPERS C402.5.5, C403.2.4.3

SIMULATED PERFORMANCE ALTERNATIVE C407

SIMULATION TOOL
 (see **ENERGY SIMULATION TOOL**)

SINGLE ZONE C403.3

SIZING
 Equipment and system C403.2.2

SKYLIGHTS C402.1.5, Table C402.4
 Additions C502.2.2
 Alterations C503.3.3
 Curb insulation C402.2.2
 Defined (see Fenestration) C202
 Haze factor C402.4.2.2
 Lighting controls C402.4.2.1, C405.2.4
 Maximum area C402.4.1
 Minimum area C402.4.2

SLAB-EDGE INSULATION C303.2.1, C402.2.6

SLEEPING UNIT
 Defined C202
 Lighting C405.1, C405.2.2, C405.2.4

SMALL BUSINESS
 Defined C202

Fenestration default values Table C303.1.3(5)

SMALL ELECTRIC MOTOR
 Defined C202
 Minimum efficiency C405.8

SNOW MELT AND ICE SYSTEM CONTROLS C403.2.4.5

SOLAR HEAT GAIN COEFFICIENT (SHGC) C103.2, Table C303.1.3(3), C402.4.1.1, C402.4.3, Table C402.4

Defined C202
 Dynamic glazing C402.4.3.3
 Replacement products C503.3.2.1

SOLAR READINESS C412

SOLAR ZONE
 Defined C202

SPANDREL PANELS C303.1.5, Table C303.1.5

SPAS C404.11, C404.12

STAIRWAYS C402.5.4, C402.5.5, C403.2.4.3, C405.2, C405.2.1.1, Table C405.4.2(2)

STANDARD REFERENCE DESIGN
 Defined C202
 Requirements C407, Tables C407.5.1(1, 2, 3)

STANDARDS, REFERENCED C106, Chapter 6

STEEL FRAMING Table C402.1.3, Table C402.1.4, C402.1.4.1

STOREFRONT
 Defined C202

SUBSTANTIAL ALTERATIONS C503.8

SUPPLY AIR TEMPERATURE RESET CONTROLS C403.4.4.4

SUSPENDED CEILINGS C402.2.2

SWIMMING POOLS C404.11

T

TARGET PERFORMANCE PATH C401.3

TEMPERATURE DEAD BAND C403.4.2.3.1

TENANT SPACES C406.1.1

THERMAL CONDUCTANCE (see C-Factor)

THERMAL MASS (see MASS)

THERMAL RESISTANCE (see R-VALUE)

THERMAL TRANSMITTANCE (see U-FACTOR)

THERMOSTAT
 Defined C202
 Pools and spa heaters C404.11.1
 Requirements C403.2.4.1, C403.2.4.1.2, C403.2.4.1.3, C403.2.4.2, C403.4.4.4
 Setback capabilities C403.2.4.2

TIME SWITCH CONTROL
 Defined C202
 Requirements C405.2.2, C405.2.2.1

TOTAL BUILDING PERFORMANCE C407
TOWNHOUSE (see RESIDENTIAL BUILDINGS)
TRANSFORMERS, ELECTRIC C405.6

U

U-FACTOR

Area-weighted *U*-factor fenestration C402.4.3.4
 Assembly U-, C- or F-factor
 method C402.1.4, Table C402.1.4
 Component performance alternative C402.1.5
 Default door Table C303.1.3(2)
 Default glazed fenestration Table C303.1.3(1)
 Defined C202
 Fenestration C401.2.1, C402.4.3, Table C402.4
 Skylights Table C402.4, C402.4.3.2
 Steel framing C402.1.4.1

V

VACUUM AIR C403.8
VARIABLE AIR VOLUME SYSTEMS (VAV) C403.2.11.6, C403.2.11.7, C403.2.11.8, C403.3.2, C403.4.1.2, C403.4.4.1, C403.4.4.2, C403.4.5, C403.4.5.4, C403.4.5.6, Table C407.5.1(3)
VARIABLE REFRIGERANT FLOW SYSTEM
 Defined C202
VENTILATION C403.2.6
 Defined C202
 Demand controlled ventilation (DCV) C403.2.6.2
 Energy recovery system C403.5.1
 Parking garages C403.2.6.4
VENTILATION AIR
 Defined C202
 Energy recovery C403.5.1
 Fan controls C403.4.1
 Kitchen exhaust C403.2.7.1
VERTICAL FENESTRATION (see FENESTRATION)
VESTIBULES C402.5.7
VISIBLE TRANSMITTANCE (VT)
 Default glazed fenestration Table C303.1.3(3)
 Defined C202
 Dynamic glazing C402.4.3.3
 Increased fenestration C402.4.1.1
 Skylights C402.4.2, C405.2.4.3

W

WALK-IN COOLER

Defined C202
 Requirements C410.2

WALK-IN FREEZER

Defined C202
 Requirements C410.2

WALL

Above-grade wall, defined C202
 Thermal resistance C402.2.3, Table C402.1.3, Table C402.1.4
 Below-grade wall, defined C202
 Thermal resistance Table C402.1.3, Table C402.1.4, C402.2.4
 Crawlspace wall, defined C202
 Exterior wall, defined C202
 Steel framed C402.1.4.1, Table C402.1.4.1

WALLS (see EXTERIOR WALLS AND ENVELOPE, BUILDING THERMAL)

WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)

WALL VENTILATORS (see POWERED ROOF/ WALL VENTILATORS)

WATER ECONOMIZER C403.3, C403.3.4, C403.3.4.1, C403.3.4.2

WATER HEATER

Defined C202
 Efficiency Table C404.2, C404.2

WATER HEATING C404, Table C404.2

WINDOW AREA

(see FENESTRATION and GLAZING AREA)

Z

ZONE (see also CLIMATE ZONES)

Defined C202
 Requirements C403.2.4, C403.3, C403.4, C407.5.2.1, C407.5.2.2

