

INDEX

Changes from the index in the Washington State Energy Code are not shown in underline and strikeout.

A

ACCESS HATCHES R402.2.4
ADDITIONS
Defined R202
Requirements R501.1.1, R502
ALTERATIONS
Defined R202
Requirements 503
ADMINISTRATION Chapter 1
ADMINISTRATIVE REVIEW R109
AIR BARRIER
Installation R402.4.1.1, Table R402.4.1.1
Testing R402.4.1.2
AIR ECONOMIZERS
Defined R202
AIR LEAKAGE R402.4, R403.3.3, R403.3.4
ALTERNATE MATERIALS R102.1
APPROVED
Defined R202
AUTOMATIC
Defined R202

B

BASEMENT WALLS
Defined R202
Requirements R303.2.1, Table R402.1.1,
Table R402.1.3, R402.2.8,
Table R405.5.2(1)
BELOW-GRADE WALLS (see BASEMENT WALLS)
BUILDING
Defined R202
BUILDING THERMAL ENVELOPE
Air tightness R402.4.1
Compliance documentation R103.2, R401.2
Defined R202
Insulation R303.1.1
Insulation and fenestration criteria R402.1.2
Performance method Table R405.5.2(1)
Requirements R402

C

CEILING R402.2.1
Specification for standard
reference design Table R405.5.2(1)

CERTIFICATE R401.3
CHANGE OF OCCUPANCY R505
CIRCULATION SYSTEMS R403.5.1
CLIMATE TYPES
Defined Table R301.1
CLIMATE ZONES R301, Table R301.1
CODE OFFICIAL
Defined R202
COMMERCIAL BUILDINGS
Compliance R101.5
Defined R202
COMPLIANCE AND ENFORCEMENT R101.5
Compliance Report R405.4.2
CONDITIONED FLOOR AREA
Defined R202
CONDITIONED SPACE
Defined R202
CONSTRUCTION DOCUMENTS R103.2
Information required R103.2.1
Thermal envelope depiction R103.2.2
CONTINUOUS AIR BARRIER
Defined R202
Requirements Table R402.4.1.1
CONTROLS
Heat pump R403.1.2
Heating and cooling R403.1
Service water heating R403.5
CRAWL SPACE WALLS
Requirements R303.2.1, Table R402.1.1,
Table R402.1.3

D

**DEFAULT DISTRIBUTION
SYSTEM EFFICIENCIES** Table R405.5.2(2)
DEFINITIONS Chapter 2
DEMAND RECIRCULATION WATER SYSTEM
Defined R202
Requirements R403.5.2
DESIGN CONDITIONS Chapter 3, R302
DOORS
Attics and crawl spaces R402.2.4
Default *U*-factors Table R303.1.3(2)
Opaque R402.3.4
Performance requirements Table R405.5.2(1)
U-values Table R402.1.3

INDEX

DUCTS

- Defined R202
- Insulation R103.2, R401.3, R403.3, R403.3.1
- Sealing R103.2, R403.3.2
- Tightness verification
 - Postconstruction test R403.3.4
 - Rough-in test R403.3.4

DUCT SYSTEM

- Defined R202

DWELLING UNIT

- Defined R202
- Multiple units R403.8

E

EAVE BAFFLE

- Installation R402.2.3

ELECTRICAL POWER AND LIGHTING R404

ENERGY ANALYSIS, ANNUAL

- Defined R202
- Documentation R405.4
- Requirements R405.3

ENERGY COST

- Defined R202

ENERGY CREDITS Table R406.2

ENERGY SIMULATION TOOL

- Defined R202

ENVELOPE, BUILDING THERMAL

- Defined R202

ENVELOPE DESIGN PROCEDURES R402

EQUIPMENT EFFICIENCIES R103.2, R401.3

EXISTING BUILDINGS Chapter 5

EXTERIOR WALLS

- Defined R202
- Thermal performance R402, R402.1, Table R405.5.2(1)

F

FEES R107

- Schedule of permit fees R107.1

FENESTRATION R303.1.3, R402.3, R402.3.2, R402.4.3

- Default U-factors Table R303.1.3(1)
- Defined R202
- Rating and labeling R303.1.3, R402.1.1
- Replacement R503.1.1.1
- Requirements Table R402.1.1

FENESTRATION PRODUCT, FIELD-FABRICATED

- Defined R202

FENESTRATION PRODUCT, SITE-BUILT

- Defined R202

FIREPLACES R402.4.2

FLOORS

- Above-grade Table R405.5.2(1)
- Insulation R402.2.7
- Slab-on-grade insulation requirements R402.2.9

FOUNDATIONS

- Requirements Table R402.4.1.1, Table R405.5.2(1)

FURNACE EFFICIENCY Table R405.5.2(1)

G

GLAZED FENESTRATION R402.3.2, R402.3.3

H

HEAT PUMP R403.1.2

HEATED SLAB

- Defined R202

HEATING AND COOLING LOADS R302.1, R403.7

HIGH-EFFICACY LAMPS

- Defined R202

HOT WATER

- Piping insulation R403.4, R403.5.3

HOT WATER BOILER

- Outdoor temperature setback R403.2

HVAC SYSTEMS

- Tests
 - Postconstruction R403.3.4
 - Rough-in-test R403.3.4

I

IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM) R303.1

INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)

INFILTRATION, AIR LEAKAGE R402.4, Table R405.5.2(1)

- Defined R202

INSPECTIONS R104

INSULATION

- Basement walls R402.2.8
- Ceilings with attic spaces R402.2.1
- Duct R403.3.1
- Eave baffle R402.2.3
- Floors R402.2.7
- Hot water piping R403.5.3
- Identification R303.1, R303.1.2
- Installation R303.1.1, R303.1.1.1, R303.1.2, R303.2, Table R402.4.1.1
- Masonry veneer R402.2.11

Mass walls R402.2.5
 Mechanical system piping R403.4
 Product rating R303.1.4
 Protection of exposed foundation R303.2.1
 Protection of piping insulation R403.4.1
 Requirements Table R402.1.1, R402.2
 Slab-on-grade floors R402.2.9
 Steel-frame ceilings, walls and floors R402.2.6,
 Table A103.3.6.1(1),
 Table A103.3.6.1(2),
 Table A103.3.6.2,
 Table A105.1(3)

INSULATING SHEATHING

Defined R202
 Requirements R402.1.2

L

LABELED

Defined R202
 Requirements R303.1.3, R303.3, R402.4.3

LANDMARK BUILDINGS R101.6

LIGHTING SYSTEMS R404

Recessed R402.4.5

LISTED

Defined R202

LOW ENERGY BUILDINGS R402.1

LOW-VOLTAGE LIGHTING

Defined R202

LUMINAIRE

Sealed R402.4.5

M

MASONRY VENEER

Insulation R402.2.11

MASS

Wall. R402.2.5, Table A105.3.7.1(1),
 Table A105.3.7.1(2), Table A105.3.7(4)

MATERIALS AND EQUIPMENT R303

MECHANICAL SYSTEMS AND

EQUIPMENT R403, R405.1

MECHANICAL VENTILATION R403.6,

Table R405.5.2(1)

MODIFICATIONS R102.2

MULTIPLE DWELLING UNITS R403.8

O

OCCUPANCY

Requirements R101.4.1

OPAQUE DOORS R402.3.4, Table R303.1.3(2)

P

PERFORMANCE ANALYSIS R405

PERMIT R103.1

PIPE INSULATION R403.4, R403.5.3

POOLS R403.10

Covers. R403.10.3

Heaters R403.10.1

Time switches R403.10.2

PROPOSED DESIGN

Defined R202

Requirements R405, Table R405.5.2(1)

PUMPS

Time switches R403.10.2

R

R-VALUE

Defined R202

Computation R402.1.2

Wood frame to cold formed
 steel frame ceiling, wall and
 floor insulation R-values Appendix A

READILY ACCESSIBLE

Defined R202

REFERENCED STANDARDS R106, Chapter 6

REPAIR

Defined R202

Requirements R504

RESIDENTIAL BUILDINGS

Compliance R101.2, R101.5

Defined R202

Simulated performance alternative R405

ROOF ASSEMBLY

Defined R202

Requirements R303.1.1.1, R402.2.1,
 Table R405.5.2(1)

S

SCOPE R101.2

SERVICE HOT WATER

Requirements R403.5

SHEATHING, INSULATING

(see INSULATING SHEATHING)

SHGC

(see SOLAR HEAT GAIN COEFFICIENT)

SIMULATED PERFORMANCE

ALTERNATIVE R405

Documentation R405.4

Mandatory requirements R405.2

Performance-based compliance R405.3

Report R405.4.2

INDEX

Software tools R405.4.1

SIZING

Equipment and system R403.7

SKYLIGHTS R303.1.3, R402.1.1, R402.3,
Table R405.5.2(1)

SNOW MELT SYSTEM CONTROLS R403.9

SOLAR HEAT GAIN

COEFFICIENT (SHGC) R104.2,
Table R303.1.3(3), R401.3,
Table R402.1.1, R402.1.4,
R402.3.2, R402.3.3

Defined R202

STANDARD REFERENCE DESIGN

Defined R202

Requirements R405, Table R405.5.2(1)

STANDARDS, REFERENCED R106, Chapter 6

STEEL FRAMING R402.2.6

SWIMMING POOLS R403.10

T

THERMAL MASS (see MASS)

THERMAL RESISTANCE (see R-VALUE)

THERMAL TRANSMITTANCE (see U-FACTOR)

THERMOSTAT

Defined R202

Controls R403.1.1

Programmable R403.1.1

TIME SWITCHES R403.10.2

TOTAL BUILDING PERFORMANCE

Residential R405

TOWNHOUSE (see RESIDENTIAL BUILDINGS)

U

U-FACTOR

Alternative R402.1.3, Table R402.1.3, R402.1.4

Default door Table R303.1.3(2)

Default glazed fenestration Table R303.1.3(1)

Defined R202, R402.3.1, R402.5

Skylights Table R402.1.1, Table R402.1.3

V

VALIDITY R105

VAPOR RETARDER R402.1.5

VENTILATION R403.6, Table R403.6.1,
Table R405.5.2(1)

Defined R202

VISIBLE TRANSMITTANCE (VT)

Default glazed fenestration Table R303.1.3(3)

Defined R202

W

WALL

Above-grade, defined R202

Standard reference design Table R405.5.2(1)

Basement, defined R202

Installation R402.2.8

Standard reference design Table R405.5.2(1)

Exterior, defined R202

Mass R402.2.5

Steel-frame R402.2.6

WALLS (see EXTERIOR WALLS AND BUILDING THERMAL ENVELOPE)

WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)

WATER HEATING R401.3, R403.5, R405.1,
Table R405.5.2(1)

WHOLE HOUSE MECHANICAL VENTILATION SYSTEM

Defined R202

System fan efficacy R403.6.1

WINDOW AREA

(see FENESTRATION and GLAZING AREA)