



RECOMMENDATION OF THE SOUTHWEST DESIGN REVIEW BOARD

Record Number(s): 3026909-LU & 3029469-LU
Address: 5242 & 5248 California Avenue Southwest
Applicant: Robert Humble, Hybrid Architecture
Date of Meeting: Thursday, January 24, 2019
Board Members Present: Crystal Loya (chair), John Cheng, Matt Hutchins, Scott Rosenstock
Board Members Absent: Donald Caffrey
SDCI Staff Present: Allison Whitworth

SITE & VICINITY

Site Zone: Neighborhood Commercial 2 with a 30' structure height limit (NC2-30)
Nearby Zones: (North) NC2-30, (South) NC2-30, (East) SF 5000, (West) NC2-30
Lot Area: 3026909 - 7,537 square feet, 3029469 - 7,463 square feet



### **Current Development:**

The project site is currently developed with a one-story commercial structure constructed in 1974 and a surface parking lot. The site slopes from east to west with an overall grade change of approximately 12'.

### **Surrounding Development and Neighborhood Character:**

The project site is located in the West Seattle neighborhood between the commercial nodes of the West Seattle Junction Urban Village and the Morgan Junction Residential Urban Village. The surrounding neighborhood is a mix of residential and commercial structures of varying ages and architectural styles. One- and two-story single family residences are located across the alley to the east.

### **Access:**

Vehicular access is currently provided by two curb cuts on California Avenue SW. The proposal provides vehicular access from the alley. Pedestrian access is provided via the adjacent sidewalk on California Avenue SW.

### **Environmentally Critical Areas:**

No environmentally critical areas are present on the site.

### **PROJECT DESCRIPTION**

3026909-LU: Land use application proposing a three-story, nine-unit townhouse building. Parking for 11 vehicles to be provided. Existing structure to be demolished.

3029469-LU: Land use application proposing a three-story, nine-unit townhouse building. Parking for 7 vehicles to be provided. Existing structure to be demolished.

The design packet includes information presented at the meeting, and is available online by entering the record numbers at this website:

<http://www.seattle.gov/DPD/aboutus/news/events/DesignReview/SearchPastReviews/default.aspx>

The packet is also available to view in the file, by contacting the Public Resource Center at SDCl:

**Mailing Public Resource Center**  
**Address:** 700 Fifth Ave., Suite 2000  
P.O. Box 34019  
Seattle, WA 98124-4019

**Email:** [PRC@seattle.gov](mailto:PRC@seattle.gov)

## **PUBLIC COMMENT**

The following public comments were offered at this meeting:

- Questioned whether the proposal meets the Land Use Code definition of “townhouse.”
- Concerned regarding the response of the massing to the single-family zone transition across the alley.
- Stated the massing seems to maximize the zoning envelope and the verticality does not respond to the urban pattern and form of the single-family structures to the east.
- Supported below-grade parking.
- Concerned regarding the adequacy of the number of parking stalls provided.
- Supported the trash storage location and enclosure.
- Supported the overall design concept and site plan of the preferred massing option.
- Concerned regarding smoking in the courtyard.

One purpose of the design review process is for the Board and City to receive comments from the public that help to identify feedback and concerns about the site and design concept, identify applicable citywide and neighborhood design guidelines of highest priority to the site and explore conceptual design, siting alternatives and eventual architectural design. Concerns with off-street parking are reviewed as part of the environmental review conducted by SDCI and are not part of this review. Concerns with building type definition and the accompanying standards are addressed under the City’s zoning code and are not part of this review.

All public comments submitted in writing for this project can be viewed using the following link and entering the project number: <http://web6.seattle.gov/dpd/edms/>

## **PRIORITIES & BOARD RECOMMENDATIONS**

After visiting the site, considering the analysis of the site and context provided by the proponents, and hearing public comment, the Design Review Board members provided the following siting and design guidance.

- 1. Massing & Form:** The Board discussed the three massing options presented and appreciated the interesting form of Option #3 as a refreshing disruption of the repetitive massing pattern along California Avenue SW. This option was supported as the basis for further refinement with careful response to the following guidance.
  - a. The Board strongly agreed that greater articulation and erosion of the massing is needed. Further erosion and carving out of the massing should be in keeping with the conceptual sketch on page 22 of the EDG packet (“3: erode massing”). (CS2-D-4 Massing Choices, DC2-A Massing)
  - b. Echoing public comment, the Board was concerned regarding the response to the single-family zone transition to the east. Further erosion of the massing should be used as a tool to create a form which sensitively responds to the adjacent single-family structures. (CS2-D Height Bulk and Scale)
  - c. The Board also gave guidance to further erode the massing to maximize access to natural light and air within the development. (CS1-B Sunlight and Natural Ventilation)

2. **Streetscape & Entries:** The Board provided the following guidance regarding development of the street façade and entries.
  - a. The Board requested further study of stoops and entry patterns along California Avenue SW be provided at the Recommendation phase. (PL3-A Entries)
  - b. While the continuation of a strong street wall was supported, the Board was concerned with the harsh vertical wall condition at the street edge. Use increased articulation of the façade and careful detailing to create greater visual interest. Incorporate secondary architectural elements, erosion of the massing, and layered landscaping. The Board encouraged variation in entry recesses and composition. (DC2-D Scale and Texture, PL3-A Entries, PL3-B Residential Edges)
  - c. The Board was concerned regarding the interaction of the front facade with the street. Design the street front façade to engage and activate the street edge. (CS2-B-2 Connection to the Street)
  
3. **Materials:** The Board agreed that a simple material palette is necessary to balance the complexity of the massing form and provided the following guidance.
  - a. The Board strongly recommended a legible and concise material expression. Precedent images #5 and #12 on page 25 of the EDG packet were identified to guide development of the material palette and application. (DC4-A Building Materials, DC2-B-1 Façade Composition,
  - b. The Board recommended purposeful material transitions at distinct massing shifts; slight plane changes are not sufficient to signal material transitions. (DC2-A Massing, DC2-B-1 Façade Composition)
  - c. The Board noted that light-toned materials, such as those depicted in the noted precedent images, are successful in reducing the bulk of the massing. (DC2-A-2 Reducing Perceived Mass)
  
4. **Circulation:** As the massing is further refined, the Board recommended the establishment of a clearly designed circulation hierarchy with emphasis on the primary pedestrian pathway. (PL1-B Walkways and Connections)
  
5. **Landscape Concept:** The Board noted that landscaping is an important element of the design concept and would like to see a fully developed landscape plan at the Recommendation phase. (DC3-A Building-Open Space Relationship, DC4-D Trees Landscape and Hardscape Materials)

## RECOMMENDATION January 24, 2019

### PUBLIC COMMENT

The following public comments were offered at this meeting:

- Appreciated the overall form and erosion of the massing.
- Supported the palette material palette and use of two different textures at the street.
- Supported the use of color at the front entries.

One purpose of the design review process is for the Board and City to receive comments from the public that help to identify feedback and concerns about the site and design concept, identify applicable Seattle Design Guidelines and Neighborhood Design Guidelines of highest priority to the site and explore conceptual design, siting alternatives and eventual architectural design.

All public comments submitted in writing for this project can be viewed using the following link and entering the record number: <http://web6.seattle.gov/dpd/edms/>

## **PRIORITIES & BOARD RECOMMENDATIONS**

After visiting the site, considering the analysis of the site and context provided by the proponents, and hearing public comment, the Design Review Board members provided the following recommendations.

### **1. Massing & Façade Composition**

- a. The Board discussed the massing response to EDG guidance. While the massing form is complicated, the Board agreed that the design is working well and reads as a cohesive project. (CS2-D-4 Massing Choices, DC2-A Massing)
- b. The Board also agreed that the lack of modulation along the California Ave SW frontage had been resolved since EDG. (CS2-D-4 Massing Choices, DC2-A Massing)
- c. The Board was concerned with the composition of the northwest corner and recommended a condition of approval to continue the design language of the front elevation around the corner onto the north façade. This could be accomplished through further erosion, additional glazing, or changes in material application. (DC2-B-1 Façade Composition, DC2-C Visual Depth and Interest)
- d. The Board was concerned with the blank wall condition on the north façade in relationship to the adjacent neighbor and recommended a condition of approval to provide landscaping to screen the wall. (DC2-B-1 Façade Composition, DC2-B-2 Blank Walls)

### **2. Alley**

- a. The Board supported the alley elevation, agreeing that the overall composition was interesting and a sensitive response to the single family zone transition. (CS2-D-3 Zone Transitions, DC2-A-2 Reducing Perceived Mass)
- b. The Board appreciated the thoughtful attention to trash storage and screening. (DC1-C-4 Service Uses)
- c. While noting that adequate lighting is provided elsewhere throughout the site, the Board was concerned with the lack of lighting at the alley. Therefore, the Board recommended a condition to provide appropriate, safe lighting levels at the alley. (DC4-C Lighting)
- d. The Board was also concerned with the lack of visibility into the alley when exiting the garages and recommended a condition of approval to address safety at the garage ramps. This could be accomplished by erosion of the massing or using mirrors or other features to ensure safety. (DC1-B-1 Access Location and Design)

### **3. Pedestrian Entry**

- a. The Board discussed the width and function of the pedestrian entry from California Ave SW and was concerned that the area was potentially too narrow or not activated enough. To address these concerns, the Board recommended a condition of approval to create a gracious, activated pedestrian entry from California Ave SW. This could be accomplished by shifting the stairs back from the property line, breaking up the stairs in multiple, smaller runs, and providing more substantial landscape areas similar to the condition at the pedestrian entry from the alley. (PL1-B Walkways and Connections, PL1-C Outdoor Uses and Activities)
- b. The Board also recommended a condition of approval that the pedestrian entry not be gated. (PL1-B Walkways and Connections)

### **4. Materials**

- a. The Board was very supportive of the proposed material palette and appreciated the use of similar colored materials with varying textures. (DC4-A Building Materials, DC2-D-2 Texture)
- b. The Board agreed that the various materials were successfully woven throughout the site in support of the design concept and in relationship to the erosion of the massing. (DC4-A Building Materials, DC2-B-2 Façade Composition)
- c. The Board debated the use of two different materials along California Ave SW but ultimately supported brick on the north structure and metal paneling on the south structure as proposed. (DC4-A Building Materials, DC2-B-2 Façade Composition)
- d. The Board also supported the use of accent colors at the entries. (PL3-A Entries, DC4-A Building Materials)
- e. The Board advised using a lighter colored brick that more closely matches the other material colors but did not require this as a condition of approval. (DC4-A Building Materials, DC2-B-2 Façade Composition)

### **5. Landscape Concept**

- a. The Board supported the overall landscape concept and agreed that the planting palette complements the monochromatic materials and relates well to the garden center across the street. (DC3-4 Trees, Landscape and Hardscape Materials)

### **DEVELOPMENT STANDARD DEPARTURES**

The Board's recommendation on the requested departure(s) will be based on the departure's potential to help the project better meet these design guidelines priorities and achieve a better overall project design than could be achieved without the departure(s). The Board's recommendation will be reserved until the final Board meeting.

At the time of the Recommendation meeting no departures were requested.

## DESIGN REVIEW GUIDELINES

The priority Citywide and Neighborhood guidelines identified as Priority Guidelines are summarized below, while all guidelines remain applicable. For the full text please visit the [Design Review website](#).

### CONTEXT & SITE

**CS1 Natural Systems and Site Features: Use natural systems/features of the site and its surroundings as a starting point for project design.**

#### **CS1-A Energy Use**

**CS1-A-1. Energy Choices:** At the earliest phase of project development, examine how energy choices may influence building form, siting, and orientation, and factor in the findings when making siting and design decisions.

#### **CS1-B Sunlight and Natural Ventilation**

**CS1-B-1. Sun and Wind:** Take advantage of solar exposure and natural ventilation. Use local wind patterns and solar gain to reduce the need for mechanical ventilation and heating where possible.

**CS1-B-2. Daylight and Shading:** Maximize daylight for interior and exterior spaces and minimize shading on adjacent sites through the placement and/or design of structures on site.

**CS1-B-3. Managing Solar Gain:** Manage direct sunlight falling on south and west facing facades through shading devices and existing or newly planted trees.

#### **CS1-C Topography**

**CS1-C-1. Land Form:** Use natural topography and desirable landforms to inform project design.

**CS1-C-2. Elevation Changes:** Use the existing site topography when locating structures and open spaces on the site.

#### **CS1-D Plants and Habitat**

**CS1-D-1. On-Site Features:** Incorporate on-site natural habitats and landscape elements into project design and connect those features to existing networks of open spaces and natural habitats wherever possible. Consider relocating significant trees and vegetation if retention is not feasible.

**CS1-D-2. Off-Site Features:** Provide opportunities through design to connect to off-site habitats such as riparian corridors or existing urban forest corridors. Promote continuous habitat, where possible, and increase interconnected corridors of urban forest and habitat where possible.

#### **CS1-E Water**

**CS1-E-1. Natural Water Features:** If the site includes any natural water features, consider ways to incorporate them into project design, where feasible

**CS1-E-2. Adding Interest with Project Drainage:** Use project drainage systems as opportunities to add interest to the site through water-related design elements.

**CS2 Urban Pattern and Form: Strengthen the most desirable forms, characteristics, and patterns of the streets, block faces, and open spaces in the surrounding area.**

**CS2-A Location in the City and Neighborhood**

**CS2-A-1. Sense of Place:** Emphasize attributes that give a distinctive sense of place. Design the building and open spaces to enhance areas where a strong identity already exists, and create a sense of place where the physical context is less established.

**CS2-A-2. Architectural Presence:** Evaluate the degree of visibility or architectural presence that is appropriate or desired given the context, and design accordingly.

**CS2-B Adjacent Sites, Streets, and Open Spaces**

**CS2-B-1. Site Characteristics:** Allow characteristics of sites to inform the design, especially where the street grid and topography create unusually shaped lots that can add distinction to the building massing.

**CS2-B-2. Connection to the Street:** Identify opportunities for the project to make a strong connection to the street and public realm.

**CS2-B-3. Character of Open Space:** Contribute to the character and proportion of surrounding open spaces.

**CS2-C Relationship to the Block**

**CS2-C-1. Corner Sites:** Corner sites can serve as gateways or focal points; both require careful detailing at the first three floors due to their high visibility from two or more streets and long distances.

**CS2-C-2. Mid-Block Sites:** Look to the uses and scales of adjacent buildings for clues about how to design a mid-block building. Continue a strong street-edge and respond to datum lines of adjacent buildings at the first three floors.

**CS2-C-3. Full Block Sites:** Break up long facades of full-block buildings to avoid a monolithic presence. Provide detail and human scale at street-level, and include repeating elements to add variety and rhythm to the façade and overall building design.

**CS2-D Height, Bulk, and Scale**

**CS2-D-1. Existing Development and Zoning:** Review the height, bulk, and scale of neighboring buildings as well as the scale of development anticipated by zoning for the area to determine an appropriate complement and/or transition.

**CS2-D-2. Existing Site Features:** Use changes in topography, site shape, and vegetation or structures to help make a successful fit with adjacent properties.

**CS2-D-3. Zone Transitions:** For projects located at the edge of different zones, provide an appropriate transition or complement to the adjacent zone(s). Projects should create a step in perceived height, bulk and scale between the anticipated development potential of the adjacent zone and the proposed development.

**CS2-D-4. Massing Choices:** Strive for a successful transition between zones where a project abuts a less intense zone.

**CS2-D-5. Respect for Adjacent Sites:** Respect adjacent properties with design and site planning to minimize disrupting the privacy of residents in adjacent buildings.

**CS3 Architectural Context and Character: Contribute to the architectural character of the neighborhood.**

**CS3-A Emphasizing Positive Neighborhood Attributes**



**CS3-A-1. Fitting Old and New Together:** Create compatibility between new projects, and existing architectural context, including historic and modern designs, through building articulation, scale and proportion, roof forms, detailing, fenestration, and/or the use of complementary materials.

**CS3-A-2. Contemporary Design:** Explore how contemporary designs can contribute to the development of attractive new forms and architectural styles; as expressed through use of new materials or other means.

**CS3-A-3. Established Neighborhoods:** In existing neighborhoods with a well-defined architectural character, site and design new structures to complement or be compatible with the architectural style and siting patterns of neighborhood buildings.

**CS3-A-4. Evolving Neighborhoods:** In neighborhoods where architectural character is evolving or otherwise in transition, explore ways for new development to establish a positive and desirable context for others to build upon in the future.

**CS3-B Local History and Culture**

**CS3-B-1. Placemaking:** Explore the history of the site and neighborhood as a potential placemaking opportunity. Look for historical and cultural significance, using neighborhood groups and archives as resources.

**CS3-B-2. Historical/Cultural References:** Reuse existing structures on the site where feasible as a means of incorporating historical or cultural elements into the new project.

**PUBLIC LIFE**

**PL1 Connectivity: Complement and contribute to the network of open spaces around the site and the connections among them.**

**PL1-A Network of Open Spaces**

**PL1-A-1. Enhancing Open Space:** Design the building and open spaces to positively contribute to a broader network of open spaces throughout the neighborhood.

**PL1-A-2. Adding to Public Life:** Seek opportunities to foster human interaction through an increase in the size and quality of project-related open space available for public life.

**PL1-B Walkways and Connections**

**PL1-B-1. Pedestrian Infrastructure:** Connect on-site pedestrian walkways with existing public and private pedestrian infrastructure, thereby supporting pedestrian connections within and outside the project.

**PL1-B-2. Pedestrian Volumes:** Provide ample space for pedestrian flow and circulation, particularly in areas where there is already heavy pedestrian traffic or where the project is expected to add or attract pedestrians to the area.

**PL1-B-3. Pedestrian Amenities:** Opportunities for creating lively, pedestrian oriented open spaces to enliven the area and attract interest and interaction with the site and building should be considered.

**PL1-C Outdoor Uses and Activities**

**PL1-C-1. Selecting Activity Areas:** Concentrate activity areas in places with sunny exposure, views across spaces, and in direct line with pedestrian routes.

**PL1-C-2. Informal Community Uses:** In addition to places for walking and sitting, consider including space for informal community use such as performances, farmer’s markets, kiosks and community bulletin boards, cafes, or street vending.

**PL1-C-3. Year-Round Activity:** Where possible, include features in open spaces for activities beyond daylight hours and throughout the seasons of the year, especially in neighborhood centers where active open space will contribute vibrancy, economic health, and public safety.

**PL2 Walkability: Create a safe and comfortable walking environment that is easy to navigate and well-connected to existing pedestrian walkways and features.**

**PL2-A Accessibility**

**PL2-A-1. Access for All:** Provide access for people of all abilities in a manner that is fully integrated into the project design. Design entries and other primary access points such that all visitors can be greeted and welcomed through the front door.

**PL2-A-2. Access Challenges:** Add features to assist pedestrians in navigating sloped sites, long blocks, or other challenges.

**PL2-B Safety and Security**

**PL2-B-1. Eyes on the Street:** Create a safe environment by providing lines of sight and encouraging natural surveillance.

**PL2-B-2. Lighting for Safety:** Provide lighting at sufficient lumen intensities and scales, including pathway illumination, pedestrian and entry lighting, and/or security lights.

**PL2-B-3. Street-Level Transparency:** Ensure transparency of street-level uses (for uses such as nonresidential uses or residential lobbies), where appropriate, by keeping views open into spaces behind walls or plantings, at corners, or along narrow passageways.

**PL2-C Weather Protection**

**PL2-C-1. Locations and Coverage:** Overhead weather protection is encouraged and should be located at or near uses that generate pedestrian activity such as entries, retail uses, and transit stops.

**PL2-C-2. Design Integration:** Integrate weather protection, gutters and downspouts into the design of the structure as a whole, and ensure that it also relates well to neighboring buildings in design, coverage, or other features.

**PL2-C-3. People-Friendly Spaces:** Create an artful and people-friendly space beneath building.

**PL2-D Wayfinding**

**PL2-D-1. Design as Wayfinding:** Use design features as a means of wayfinding wherever possible.

**PL3 Street-Level Interaction: Encourage human interaction and activity at the street-level with clear connections to building entries and edges.**

**PL3-A Entries**

**PL3-A-1. Design Objectives:** Design primary entries to be obvious, identifiable, and distinctive with clear lines of sight and lobbies visually connected to the street.

**PL3-A-2. Common Entries:** Multi-story residential buildings need to provide privacy and security for residents but also be welcoming and identifiable to visitors.

**PL3-A-3. Individual Entries:** Ground-related housing should be scaled and detailed appropriately to provide for a more intimate type of entry.

**PL3-A-4. Ensemble of Elements:** Design the entry as a collection of coordinated elements including the door(s), overhead features, ground surface, landscaping, lighting, and other features.

**PL3-B Residential Edges**

**PL3-B-1. Security and Privacy:** Provide security and privacy for residential buildings through the use of a buffer or semi-private space between the development and the street or neighboring buildings.

**PL3-B-2. Ground-level Residential:** Privacy and security issues are particularly important in buildings with ground-level housing, both at entries and where windows are located overlooking the street.

**PL3-B-3. Buildings with Live/Work Uses:** Maintain active and transparent facades in the design of live/work residences. Design the first floor so it can be adapted to other commercial use as needed in the future.

**PL3-B-4. Interaction:** Provide opportunities for interaction among residents and neighbors.

**PL3-C Retail Edges**

**PL3-C-1. Porous Edge:** Engage passersby with opportunities to interact visually with the building interior using glazing and transparency. Create multiple entries where possible and make a physical and visual connection between people on the sidewalk and retail activities in the building.

**PL3-C-2. Visibility:** Maximize visibility into the building interior and merchandise displays. Consider fully operational glazed wall-sized doors that can be completely opened to the street, increased height in lobbies, and/or special lighting for displays.

**PL3-C-3. Ancillary Activities:** Allow space for activities such as sidewalk vending, seating, and restaurant dining to occur. Consider setting structures back from the street or incorporating space in the project design into which retail uses can extend.

**PL4 Active Transportation: Incorporate design features that facilitate active forms of transportation such as walking, bicycling, and use of transit.**

**PL4-A Entry Locations and Relationships**

**PL4-A-1. Serving all Modes of Travel:** Provide safe and convenient access points for all modes of travel.

**PL4-A-2. Connections to All Modes:** Site the primary entry in a location that logically relates to building uses and clearly connects all major points of access.

**PL4-B Planning Ahead for Bicyclists**

**PL4-B-1. Early Planning:** Consider existing and future bicycle traffic to and through the site early in the process so that access and connections are integrated into the project along with other modes of travel.

**PL4-B-2. Bike Facilities:** Facilities such as bike racks and storage, bike share stations, shower facilities and lockers for bicyclists should be located to maximize convenience, security, and safety.

**PL4-B-3. Bike Connections:** Facilitate connections to bicycle trails and infrastructure around and beyond the project.

**PL4-C Planning Ahead For Transit**

**PL4-C-1. Influence on Project Design:** Identify how a transit stop (planned or built) adjacent to or near the site may influence project design, provide opportunities for placemaking.

**PL4-C-2. On-site Transit Stops:** If a transit stop is located onsite, design project-related pedestrian improvements and amenities so that they complement any amenities provided for transit riders.

**PL4-C-3. Transit Connections:** Where no transit stops are on or adjacent to the site, identify where the nearest transit stops and pedestrian routes are and include design features and connections within the project design as appropriate.

<b>DESIGN CONCEPT</b>
-----------------------

**DC1 Project Uses and Activities: Optimize the arrangement of uses and activities on site.**

**DC1-A Arrangement of Interior Uses**

**DC1-A-1. Visibility:** Locate uses and services frequently used by the public in visible or prominent areas, such as at entries or along the street front.

**DC1-A-2. Gathering Places:** Maximize the use of any interior or exterior gathering spaces.

**DC1-A-3. Flexibility:** Build in flexibility so the building can adapt over time to evolving needs, such as the ability to change residential space to commercial space as needed.

**DC1-A-4. Views and Connections:** Locate interior uses and activities to take advantage of views and physical connections to exterior spaces and uses.

**DC1-B Vehicular Access and Circulation**

**DC1-B-1. Access Location and Design:** Choose locations for vehicular access, service uses, and delivery areas that minimize conflict between vehicles and non-motorists wherever possible. Emphasize use of the sidewalk for pedestrians, and create safe and attractive conditions for pedestrians, bicyclists, and drivers.

**DC1-B-2. Facilities for Alternative Transportation:** Locate facilities for alternative transportation in prominent locations that are convenient and readily accessible to expected users.

**DC1-C Parking and Service Uses**

**DC1-C-1. Below-Grade Parking:** Locate parking below grade wherever possible. Where a surface parking lot is the only alternative, locate the parking in rear or side yards, or on lower or less visible portions of the site.

**DC1-C-2. Visual Impacts:** Reduce the visual impacts of parking lots, parking structures, entrances, and related signs and equipment as much as possible.

**DC1-C-3. Multiple Uses:** Design parking areas to serve multiple uses such as children's play space, outdoor gathering areas, sports courts, woonerf, or common space in multifamily projects.

**DC1-C-4. Service Uses:** Locate and design service entries, loading docks, and trash receptacles away from pedestrian areas or to a less visible portion of the site to reduce possible impacts of these facilities on building aesthetics and pedestrian circulation.

**DC2 Architectural Concept: Develop an architectural concept that will result in a unified and functional design that fits well on the site and within its surroundings.**

**DC2-A Massing**

**DC2-A-1. Site Characteristics and Uses:** Arrange the mass of the building taking into consideration the characteristics of the site and the proposed uses of the building and its open space.

**DC2-A-2. Reducing Perceived Mass:** Use secondary architectural elements to reduce the perceived mass of larger projects.

**DC2-B Architectural and Facade Composition**

**DC2-B-1. Façade Composition:** Design all building façades—including alleys and visible roofs— considering the composition and architectural expression of the building as a whole. Ensure that all façades are attractive and well-proportioned.

**DC2-B-2. Blank Walls:** Avoid large blank walls along visible façades wherever possible. Where expanses of blank walls, retaining walls, or garage façades are unavoidable, include uses or design treatments at the street level that have human scale and are designed for pedestrians.

**DC2-C Secondary Architectural Features**

**DC2-C-1. Visual Depth and Interest:** Add depth to façades where appropriate by incorporating balconies, canopies, awnings, decks, or other secondary elements into the façade design. Add detailing at the street level in order to create interest for the pedestrian and encourage active street life and window shopping (in retail areas).

**DC2-C-2. Dual Purpose Elements:** Consider architectural features that can be dual purpose— adding depth, texture, and scale as well as serving other project functions.

**DC2-C-3. Fit With Neighboring Buildings:** Use design elements to achieve a successful fit between a building and its neighbors.

**DC2-D Scale and Texture**

**DC2-D-1. Human Scale:** Incorporate architectural features, elements, and details that are of human scale into the building façades, entries, retaining walls, courtyards, and exterior spaces in a manner that is consistent with the overall architectural concept

**DC2-D-2. Texture:** Design the character of the building, as expressed in the form, scale, and materials, to strive for a fine-grained scale, or “texture,” particularly at the street level and other areas where pedestrians predominate.

**DC2-E Form and Function**

**DC2-E-1. Legibility and Flexibility:** Strive for a balance between building use legibility and flexibility. Design buildings such that their primary functions and uses can be readily determined from the exterior, making the building easy to access and understand. At the same time, design flexibility into the building so that it may remain useful over time even as specific programmatic needs evolve.

**DC3 Open Space Concept: Integrate open space design with the building design so that they complement each other.**

**DC3-A Building-Open Space Relationship**

**DC3-A-1. Interior/Exterior Fit:** Develop an open space concept in conjunction with the architectural concept to ensure that interior and exterior spaces relate well to each other and support the functions of the development.

**DC3-B Open Space Uses and Activities**

**DC3-B-1. Meeting User Needs:** Plan the size, uses, activities, and features of each open space to meet the needs of expected users, ensuring each space has a purpose and function.

**DC3-B-2. Matching Uses to Conditions:** Respond to changing environmental conditions such as seasonal and daily light and weather shifts through open space design and/or programming of open space activities.

**DC3-B-3. Connections to Other Open Space:** Site and design project-related open spaces to connect with, or enhance, the uses and activities of other nearby public open space where appropriate.

**DC3-B-4. Multifamily Open Space:** Design common and private open spaces in multifamily projects for use by all residents to encourage physical activity and social interaction.

**DC3-C Design**

**DC3-C-1. Reinforce Existing Open Space:** Where a strong open space concept exists in the neighborhood, reinforce existing character and patterns of street tree planting, buffers or treatment of topographic changes. Where no strong patterns exist, initiate a strong open space concept that other projects can build upon in the future.

**DC3-C-2. Amenities/Features:** Create attractive outdoor spaces suited to the uses envisioned for the project.

**DC3-C-3. Support Natural Areas:** Create an open space design that retains and enhances onsite natural areas and connects to natural areas that may exist off-site and may provide habitat for wildlife.

**DC4 Exterior Elements and Finishes: Use appropriate and high quality elements and finishes for the building and its open spaces.**

**DC4-A Exterior Elements and Finishes**

**DC4-A-1. Exterior Finish Materials:** Building exteriors should be constructed of durable and maintainable materials that are attractive even when viewed up close. Materials that have texture, pattern, or lend themselves to a high quality of detailing are encouraged.

**DC4-A-2. Climate Appropriateness:** Select durable and attractive materials that will age well in Seattle’s climate, taking special care to detail corners, edges, and transitions.

**DC4-B Signage**

**DC4-B-1. Scale and Character:** Add interest to the streetscape with exterior signs and attachments that are appropriate in scale and character to the project and its environs.

**DC4-B-2. Coordination with Project Design:** Develop a signage plan within the context of architectural and open space concepts, and coordinate the details with façade design, lighting, and other project features to complement the project as a whole, in addition to the surrounding context.

**DC4-C Lighting**

**DC4-C-1. Functions:** Use lighting both to increase site safety in all locations used by pedestrians and to highlight architectural or landscape details and features such as entries, signs, canopies, plantings, and art.

**DC4-C-2. Avoiding Glare:** Design project lighting based upon the uses on and off site, taking care to provide illumination to serve building needs while avoiding off-site night glare and light pollution.

**DC4-D Trees, Landscape, and Hardscape Materials**

**DC4-D-1. Choice of Plant Materials:** Reinforce the overall architectural and open space design concepts through the selection of landscape materials.

**DC4-D-2. Hardscape Materials:** Use exterior courtyards, plazas, and other hard surfaced areas as an opportunity to add color, texture, and/or pattern and enliven public areas through the use of distinctive and durable paving materials. Use permeable materials wherever possible.

**DC4-D-3. Long Range Planning:** Select plants that upon maturity will be of appropriate size, scale, and shape to contribute to the site as intended.

**DC4-D-4. Place Making:** Create a landscape design that helps define spaces with significant elements such as trees.

**DC4-E Project Assembly and Lifespan**

**DC4-E-1. Deconstruction:** When possible, design the project so that it may be deconstructed at the end of its useful lifetime, with connections and assembly techniques that will allow reuse of materials.

**RECOMMENDATION**

At the conclusion of the RECOMMENDATION meeting, the Board recommended approval of the project with conditions.

The recommendation summarized above was based on the design review packet dated Thursday, January 24, 2019, and the materials shown and verbally described by the applicant at the Thursday, January 24, 2019 Design Recommendation meeting. After considering the site and context, hearing public comment, reconsidering the previously identified design priorities and reviewing the materials, the four Design Review Board members recommended APPROVAL of the subject design and departures with the following conditions:

1. At the northwest corner, continue the design language of the front elevation around the corner onto the north facade. This could be accomplished through further erosion, additional glazing, or changes in material application. (DC2-B-1 Façade Composition, DC2-C Visual Depth and Interest)
2. Provide landscaping to screen the blank wall condition on the north façade. (DC2-B-1 Façade Composition, DC2-B-2 Blank Walls)
3. Provide safe lighting levels for all users at the alley. (DC4-C Lighting)

4. Address safety concerns at the garage entries, potentially by further erosion of the massing or using mirrors or other features to ensure safe exiting. (DC1-B-1 Access Location and Design)
5. Create a gracious, activated pedestrian entry from California Ave SW. This could be accomplished by shifting the stairs back from the property line, breaking the stairs into multiple runs, or providing more substantial landscaping such as provided at the pedestrian entry from the alley. (PL1-B Walkways and Connections, PL1-C Outdoor Uses and Activities)
6. The pedestrian entry from California Ave SW may not be gated. (PL1-B Walkways and Connections)