



**ADMINISTRATIVE EARLY DESIGN GUIDANCE
EAST**

Record Number: 3032517-EG
Address: 1726 19th Avenue
Applicant: Bradley Khouri, B9 Architects
Report Date: April 8, 2019
SDCI Staff: Tami Garrett, Senior Land Use Planner

SITE & VICINITY

Site Zone: Neighborhood Commercial 2 (NC2-40)
Nearby Zones: (North) NC2-40
(South) NC2-40
(East) NC2-40
(West) NC2-40
Lot Area: 8,255 square feet (sq. ft.)

Current Development:

The site is a vacant property.

Surrounding Development and Neighborhood Character:

The predominant existing development surrounding the subject site are multifamily residential uses (apartments and townhouses) except for the adjacent vacant lot northwest of this site.

This mid-block property is located within the Madison-Miller Urban Village and is situated on the east side of 19th Avenue. The neighborhood contains a mix of residential, commercial, religious and office structures. The architectural context in the surrounding neighborhood varies in scale, architectural style (contemporary and traditional) and materials (cement panel, lap siding, metal siding, brick/masonry, wood siding). This area is moderately pedestrian friendly and transit oriented due to its proximity to bus transit along both 19th Avenue and East Madison Street. A religious facility (Mount Zion Baptist Church campus) is located one block south of the project site, at the southeast intersection of East Madison Street and 19th Avenue.

Access:

Vehicular access to the subject property mainly possible from 19th Avenue due to a minor portion of the site's north property line abuts part of an existing 16' wide alley which dead ends at the subject site and another private property east of the subject site's east boundary line.

Environmentally Critical Areas:

No Environmentally Critical Areas (ECAs) are mapped at this site. The existing topography is characterized as descending approximately 10' from the west property line abutting 19th Avenue to the east property line.

PROJECT DESCRIPTION

The proposed project is for the design and construction of a four-story townhouse development (nine units total, 24,614 gross floor area max.) above a below-grade parking garage. Parking stalls for thirteen vehicles is proposed onsite.

The subject site is proposed to be configured under lot boundary adjustment (LBA) application 3033003-LU which is currently being reviewed by SDCI. Another parcel subject to this LBA application is west and north of this project site and involves an EDG application for a townhouse development proposal at 1730 19th Avenue (3032762-EG). Shared pedestrian access and vehicular parking is being contemplated between the two projects.

The design packet for this project is available online by entering the record number at this website:

<http://www.seattle.gov/DPD/aboutus/news/events/DesignReview/SearchPastReviews/default.aspx>

The packet is also available to view in the file, by contacting the Public Resource Center at SDCI:

Mailing Public Resource Center
Address: 700 Fifth Ave., Suite 2000
P.O. Box 34019
Seattle, WA 98124-4019

Email: PRC@seattle.gov

ADMINISTRATIVE EARLY DESIGN GUIDANCE April 8, 2019

PUBLIC COMMENT

SDCI received public comments concerning this project during this Early Design Guidance Review phase. The following comments, issues and concerns were raised:

- Concerned that the proposed development is not compliant with residential use and density requirements per the zoning code.
- Very concerned about the removal of existing trees onsite and risks to existing mature street trees within the right-of-way. Unable to find arborist report in the project file.

One purpose of the design review process is for the Board and City to receive comments from the public that help to identify feedback and concerns about the site and design concept, identify applicable Seattle Design Guidelines and Neighborhood Design Guidelines of highest priority to the site and explore conceptual design, siting alternatives and eventual architectural design. Concerns with use and density standards are addressed under the City's zoning code and are not part of this review.

Seattle Department of Transportation (SDOT) offered the following comments about the design and the adjacent site to the north (3032762-EG):

- Supports consolidation of vehicle access to one driveway. Particularly given the location of near two crosswalks, SDOT strongly supports this shared access plan as it will minimize curb cuts and create fewer points of conflict between people walking and people driving.
- Operations supports the preferred driveway option, located at the south edge of the parcel, in order to keep the driveway out of the middle of the intersection. The driveway must be 7.5' from the street tree to the south. The south leg of the intersection may be closed.
- (If the project is vested after 11/5/18) The following are required:
 - 5.5' planting strip with street trees and 6' sidewalk.
 - One curb ramp on the east side of 19th Avenue for the north leg of the crosswalk. This can be done through the UMP process.

All public comments submitted in writing for this project can be viewed using the following link and entering the record number: <http://web6.seattle.gov/dpd/edms/>

PRIORITIES & RECOMMENDATIONS

After visiting the site, considering the analysis of the site and context provided by the proponents, and reviewing public comment, the SDCI staff (Staff) provided the following siting and design guidance.

ADMINISTRATIVE EARLY DESIGN GUIDANCE

1. Design Concept, Massing, Architectural Context and Character: The design and siting of the new residential development should complement the established context, be compatible with modern and existing architectural context and respect adjacent properties.

- a. In consideration of the design evolution analysis and three massing options illustrated in the EDG design packet, SDCI staff (Staff) supports the preferred design scheme (referenced as “Alternative 3”) and has determined that design Alternative 3 may move forward to Master Use Permit (MUP) submittal with the following guidance:
 - i. Staff appreciates the robust courtyard analysis inclusive of precedent images, and the specific architectural strategies that the design team traditionally utilizes to design courtyard developments (pgs. 32-33). It is important that this same level of design is applied to the townhouse buildings’ exterior facades. In addition to the courtyard-facing facades, Staff expects to review further development of the buildings’ exterior-facing facades inclusive of modulation, fenestration, secondary elements and unit articulation; with the intent to provide interest to facades that will be visible by pedestrians and surrounding developments. (DC2.A, DC2.B, DC2.C, DC2.D)
 - ii. Staff generally supports the siting of the overall massing. However, Staff has concerns with the street-facing upper-level massing. Additional discussion concerning this subject is found in item #2.c.i (CS2.C.2)
 - iii. Staff appreciates the applicant’s design intent to orient the building massing in an east-west direction to create a potential spatial relationship with the residential development planned at the property east of the subject site. However, it is imperative that the future massing design be respectful of surrounding properties. Staff expects the applicant to explain and demonstrate how the new townhouse development will respond to those adjacency pressures (i.e. privacy, light, outdoor activities, etc.). Provide a cross elevation to the overall overlay of the existing/future neighboring buildings’ elevations with the proposed design to illustrate how they juxtapose (window study). An elevation/perspective view is the preferred method to illustrate how the design meets this guidance. (CS2.D, PL3.B, DC3.B.3)
- b. Staff expects the future design to be compatible with both modern and existing architectural context. Staff advises the applicant to be mindful of the neighborhood context and building material guidelines during the selection of exterior materials and color palette. (CS3.A, CS3.I.iv CAPITOL HILL, DC4.II CAPITOL HILL)

2. 19th Avenue Frontage and Trees:

- a. SDCI expects to review an ensemble of elements (doors, canopies, railings, hardscape, landscaping, glazing, seating, screening, etc.) that encourage interest at the street-level and clarify building entries/edges. Conceptual lighting designs proposed for the building’s street facing and surrounding façades should also be offered during the

MUP phase of design development. (PL2.B, PL3.A, PL3.B, DC4.C, DC4.I CAPITOL HILL, D4.II CAPITOL HILL)

- b. Staff supports the centralized pedestrian path between the project site and the residential proposal to the north. Staff questions how the site circulation will occur at the varied elevations between the proposed neighboring projects and within the courtyard itself. This aspect of the design should be clarified in the next design iteration. (DC3.B.4, DC3.I.ii CAPITOL HILL)
- c. Upon review of the tree survey and arborist report provided in the design packet (pgs. 26-27) and the supported design scheme (Alternative 3), Staff's comments pertaining to trees are as follows:
 - i. Staff, in consideration of public comment, also observes that the upper-level massing abutting 19th Avenue may negatively impact the viability/health of the existing stately tree that is currently oriented near the site's southeast corner protruding over the sidewalk and onto the project site; and strongly encourages that this tree be preserved. Staff recognizes that this tree is considered a "Street Tree" because it is planted in the 19th Avenue right-of-way. Thus, the Seattle Department of Transportation (SDOT) has purview over Street Trees and potential street improvements. Staff expects the applicant to address this concern directly with SDOT during the initial Master Use Permit (MUP) review process and provide street improvement design specifics (Street Trees, landscaping, pavement, design elements, etc.)/SDOT feedback during the Recommendation phase of review. (DC3.I.v CAPITOL HILL, DC3.II CAPITOL HILL)
 - ii. The arborist report identifies several trees on the subject site that are planned to be removed and other trees offsite on surrounding properties that are planned to remain and be protected. Staff anticipates that tree replacement will be required per SMC 25.11.090 (Tree Replacement). Staff acknowledges that further consultation between the applicant's arborist, SDCI reviewers (zoning and tree experts) is necessary before Staff can offer any design feedback related to these trees. Thus, Staff requests that the applicant address this requirement directly with identified key SDCI reviewers during the initial MUP review process and provide tree replacement specifics/tree protection measures during the Recommendation phase of review. Ultimately, Staff expects to review a quality landscape design that distinguishes the selected replacement trees and illustrates the placement of these trees, preferably onsite. (DC3.II.iii CAPITOL HILL, DC4.D)

3. Vehicular Access, Parking and Waste Storage Location:

- a. In reviewing the site survey and considering the design intent to create onsite parking, Staff understands the need to allow vehicular access to garage parking via 19th Avenue. Staff expects that special attention to pedestrian safety be prioritized and incorporated in the next design iteration. (DC1.B.1)
- b. Staff expects that the garage door screening treatment to be carefully designed for pedestrian scale and visual interest, due to its dominance of the street-level street-facing façade abutting 19th Avenue. (CS2.I.iii CAPITOL HILL, DC1.C.2, DC4.II CAPITOL HILL)

- c. Staff is pleased that the shared waste storage location is planned to be located within the parking garage and be accessible by waste providers from the alley. (DC1.C.4)

DEVELOPMENT STANDARD DEPARTURES

SDCI Staff’s recommendation on the requested departure(s) will be based on the departure’s potential to help the project better meet these design guidelines priorities and achieve a better overall project design than could be achieved without the departure(s). SDCI’s recommendation will be reserved until the final Design Review Recommendation phase.

At the time of the EARLY DESIGN GUIDANCE review, no code departures were requested.

DESIGN REVIEW GUIDELINES

Staff Priority Guidelines: CS2.C.2, CS2.D, CS2.I.iii CAPITOL HILL, CS3.A, CS3.I.iv CAPITOL HILL, PL3.A, PL3.B, DC1.B.1, DC1.C, DC2.A, DC2.B, DC3.I CAPITOL HILL, DC3.II CAPITOL HILL, DC4.C, DC4.D, DC4.I CAPITOL HILL, D4.II CAPITOL HILL

The Seattle Design Guidelines and Neighborhood Design Guidelines recognized by Staff as Priority Guidelines are identified above. All guidelines remain applicable and are summarized below. For the full text please visit the [Design Review website](#).

CONTEXT & SITE

CS1 Natural Systems and Site Features: Use natural systems/features of the site and its surroundings as a starting point for project design.

CS1-A Energy Use

CS1-A-1. Energy Choices: At the earliest phase of project development, examine how energy choices may influence building form, siting, and orientation, and factor in the findings when making siting and design decisions.

CS1-B Sunlight and Natural Ventilation

CS1-B-1. Sun and Wind: Take advantage of solar exposure and natural ventilation. Use local wind patterns and solar gain to reduce the need for mechanical ventilation and heating where possible.

CS1-B-2. Daylight and Shading: Maximize daylight for interior and exterior spaces and minimize shading on adjacent sites through the placement and/or design of structures on site.

CS1-B-3. Managing Solar Gain: Manage direct sunlight falling on south and west facing facades through shading devices and existing or newly planted trees.

CS1-C Topography

CS1-C-1. Land Form: Use natural topography and desirable landforms to inform project design.

CS1-C-2. Elevation Changes: Use the existing site topography when locating structures and open spaces on the site.

CS1-D Plants and Habitat

CS1-D-1. On-Site Features: Incorporate on-site natural habitats and landscape elements into project design and connect those features to existing networks of open spaces and natural habitats wherever possible. Consider relocating significant trees and vegetation if retention is not feasible.

CS1-D-2. Off-Site Features: Provide opportunities through design to connect to off-site habitats such as riparian corridors or existing urban forest corridors. Promote continuous habitat, where possible, and increase interconnected corridors of urban forest and habitat where possible.

CS1-E Water

CS1-E-1. Natural Water Features: If the site includes any natural water features, consider ways to incorporate them into project design, where feasible

CS1-E-2. Adding Interest with Project Drainage: Use project drainage systems as opportunities to add interest to the site through water-related design elements.

Capitol Hill Supplemental Guidance:

CS1-I Energy Use

CS1-I-i. Heating/Cooling: Integrate new buildings and site with external direct heating/cooling system(s)

CS1-I-ii. Renewable Energy: Incorporate building-integrated renewable energy generation, provide for potential expansion with adjacent properties

CS1-I-iii. Meters: Provide individual, advanced meters for every residential unit

CS1-I-iv. Usage Feedback: Provide publicly visible displays of energy use

CS1-II Plants and Habitat

CS1-II-i. Habitat on Building: Enhance urban wildlife corridors by creating new habitat for insects and birds through design and plantings for green roofs, walls, and gardens. Maximize use of native species.

CS1-II-ii. Habitat in Right-Of-Way: Create habitat through right-of-way improvements and/or integrated green roofs and walls

CS1-III Water

CS1-III-i. Visible Water: Provide publicly visible displays of water use

CS1-III-ii. Shared Systems: Provide shared site-wide systems for rain water harvesting, greywater reuse, blackwater processing/reuse, centralized shared water cisterns. Provide for potential expansion with adjacent properties.

CS1-III-iii. Flow Reduction: Reduce flows into the municipal water system through stormwater management of building green roofs and walls.

CS2 Urban Pattern and Form: Strengthen the most desirable forms, characteristics, and patterns of the streets, block faces, and open spaces in the surrounding area.

CS2-A Location in the City and Neighborhood

CS2-A-1. Sense of Place: Emphasize attributes that give a distinctive sense of place. Design the building and open spaces to enhance areas where a strong identity already exists, and create a sense of place where the physical context is less established.

CS2-A-2. Architectural Presence: Evaluate the degree of visibility or architectural presence that is appropriate or desired given the context, and design accordingly.

CS2-B Adjacent Sites, Streets, and Open Spaces

CS2-B-1. Site Characteristics: Allow characteristics of sites to inform the design, especially where the street grid and topography create unusually shaped lots that can add distinction to the building massing.

CS2-B-2. Connection to the Street: Identify opportunities for the project to make a strong connection to the street and public realm.

CS2-B-3. Character of Open Space: Contribute to the character and proportion of surrounding open spaces.

CS2-C Relationship to the Block

CS2-C-1. Corner Sites: Corner sites can serve as gateways or focal points; both require careful detailing at the first three floors due to their high visibility from two or more streets and long distances.

CS2-C-2. Mid-Block Sites: Look to the uses and scales of adjacent buildings for clues about how to design a mid-block building. Continue a strong street-edge and respond to datum lines of adjacent buildings at the first three floors.

CS2-C-3. Full Block Sites: Break up long facades of full-block buildings to avoid a monolithic presence. Provide detail and human scale at street-level, and include repeating elements to add variety and rhythm to the façade and overall building design.

CS2-D Height, Bulk, and Scale

CS2-D-1. Existing Development and Zoning: Review the height, bulk, and scale of neighboring buildings as well as the scale of development anticipated by zoning for the area to determine an appropriate complement and/or transition.

CS2-D-2. Existing Site Features: Use changes in topography, site shape, and vegetation or structures to help make a successful fit with adjacent properties.

CS2-D-3. Zone Transitions: For projects located at the edge of different zones, provide an appropriate transition or complement to the adjacent zone(s). Projects should create a step in perceived height, bulk and scale between the anticipated development potential of the adjacent zone and the proposed development.

CS2-D-4. Massing Choices: Strive for a successful transition between zones where a project abuts a less intense zone.

CS2-D-5. Respect for Adjacent Sites: Respect adjacent properties with design and site planning to minimize disrupting the privacy of residents in adjacent buildings.

Capitol Hill Supplemental Guidance:

CS2-I Streetscape Compatibility

CS2-I-i. Sidewalk Width: Retain or increase the width of sidewalks

CS2-I-ii. Street Trees: Provide street trees with tree grates or in planter strips

CS2-I-iii. Entrances: Vehicle entrances to buildings should not dominate the streetscape

CS2-I-iv. Townhouse Orientation: Orient townhouse structures to provide pedestrian entrances to the sidewalk

CS2-I-v. Multiple Frontages: For buildings that span a block and “front” on two streets, each street frontage should receive individual and detailed site planning and architectural design treatments.

CS2-I-vi. Zoning Sensitivity: Where possible, new development in commercial zones should be sensitive to neighboring residential zones.

CS2-II Corner Lots

CS2-II-i. Residential Entries: Incorporate residential entries and special landscaping into corner lots by setting the structure back from the property lines.

CS2-II-ii. Retail Corner Entry: Provide for a prominent retail corner entry.

CS2-III Height, Bulk, and Scale Compatibility

CS2-III-i. Building Mass: Break up building mass by incorporating different façade treatments to give the impression of multiple, small-scale buildings, in keeping with the established development pattern.

CS2-III-ii. Views: Consider existing views to downtown Seattle, the Space Needle, Elliott Bay and the Olympic Mountains, and incorporate site and building design features that may help to preserve those views from public rights-of-way.

CS2-III-iii. Sunlight: Design new buildings to maximize the amount of sunshine on adjacent sidewalks throughout the year.

CS2-III-iv. Broadway Scale: Help maintain and enhance the character of Broadway by designing new buildings to reflect the scale of existing buildings.

CS2-III-v. Broadway Storefronts: The pedestrian orientation of Broadway should be strengthened by designing to accommodate the presence or appearance of small storefronts that meet the sidewalk and where possible provide for an ample sidewalk.

CS2-IV Light Rail Station Sites

CS2-IV-i. Broadway Character: Enhance the character of Broadway as one of Capitol Hill’s most prominent and vibrant shopping and public main streets.

CS2-IV-ii. Street Edge: Facades facing Broadway should reinforce the street edge.

CS2-IV-iii. Visual Break: Design the Broadway E. façade of site A such that there is a discernible visual break in the building mass that marks the pedestrian passthrough

CS2-IV-iv. Pedestrian Passthrough: Design the Broadway E. façade of site A such that a pedestrian pass through between the building and the plaza to the east is provided. The crossing should be of a highly transparent nature, and be a prominent feature of building design. Consider the following:

- a. An inviting entry feature such as cascading stair or terrace (especially Site A)
- b. Commercial and retail uses that activate Broadway E. and that ‘turn-the-corner’ into the mid-block crossing on Site A.
- c. Use mid-block crossing as transition point of building character, scale or mass.

CS2-IV-v. Visual Integration: Consider design approaches that visually integrate the 10th Avenue E. frontage with the low-rise multifamily residential context to the east. Setbacks at the upper levels are a valuable tool to help accomplish a scale compatible with that across the street.

CS3 Architectural Context and Character: Contribute to the architectural character of the neighborhood.

CS3-A Emphasizing Positive Neighborhood Attributes

CS3-A-1. Fitting Old and New Together: Create compatibility between new projects, and existing architectural context, including historic and modern designs, through building articulation, scale and proportion, roof forms, detailing, fenestration, and/or the use of complementary materials.

CS3-A-2. Contemporary Design: Explore how contemporary designs can contribute to the development of attractive new forms and architectural styles; as expressed through use of new materials or other means.

CS3-A-3. Established Neighborhoods: In existing neighborhoods with a well-defined architectural character, site and design new structures to complement or be compatible with the architectural style and siting patterns of neighborhood buildings.

CS3-A-4. Evolving Neighborhoods: In neighborhoods where architectural character is evolving or otherwise in transition, explore ways for new development to establish a positive and desirable context for others to build upon in the future.

CS3-B Local History and Culture

CS3-B-1. Placemaking: Explore the history of the site and neighborhood as a potential placemaking opportunity. Look for historical and cultural significance, using neighborhood groups and archives as resources.

CS3-B-2. Historical/Cultural References: Reuse existing structures on the site where feasible as a means of incorporating historical or cultural elements into the new project.

Capitol Hill Supplemental Guidance:

CS3-I Architectural Concept and Consistency

CS3-I-i. Signage: Incorporate signage that is consistent with the existing or intended character of the building and neighborhood

CS3-I-ii. Canopies: Solid canopies or fabric awnings over the sidewalk are preferred.

CS3-I-iii. Illuminated Signs: Avoid using vinyl awnings that also serve as big, illuminated signs.

CS3-I-iv. Materials: Use materials and design that are compatible with the structures in the vicinity if those represent the neighborhood character.

PUBLIC LIFE

PL1 Connectivity: Complement and contribute to the network of open spaces around the site and the connections among them.

PL1-A Network of Open Spaces

PL1-A-1. Enhancing Open Space: Design the building and open spaces to positively contribute to a broader network of open spaces throughout the neighborhood.

PL1-A-2. Adding to Public Life: Seek opportunities to foster human interaction through an increase in the size and quality of project-related open space available for public life.

PL1-B Walkways and Connections

PL1-B-1. Pedestrian Infrastructure: Connect on-site pedestrian walkways with existing public and private pedestrian infrastructure, thereby supporting pedestrian connections within and outside the project.

PL1-B-2. Pedestrian Volumes: Provide ample space for pedestrian flow and circulation, particularly in areas where there is already heavy pedestrian traffic or where the project is expected to add or attract pedestrians to the area.

PL1-B-3. Pedestrian Amenities: Opportunities for creating lively, pedestrian oriented open spaces to enliven the area and attract interest and interaction with the site and building should be considered.

PL1-C Outdoor Uses and Activities

PL1-C-1. Selecting Activity Areas: Concentrate activity areas in places with sunny exposure, views across spaces, and in direct line with pedestrian routes.

PL1-C-2. Informal Community Uses: In addition to places for walking and sitting, consider including space for informal community use such as performances, farmer’s markets, kiosks and community bulletin boards, cafes, or street vending.

PL1-C-3. Year-Round Activity: Where possible, include features in open spaces for activities beyond daylight hours and throughout the seasons of the year, especially in neighborhood centers where active open space will contribute vibrancy, economic health, and public safety.

Capitol Hill Supplemental Guidance:

PL1-I Pedestrian Links

PL1-I-i. Pedestrian Links: Consider design approaches that provide clear, unobstructed pedestrian links between the station entries, public spaces on E. Denny Way, and the plaza space across E. Denny Way.

PL1-II Lighting

PL1-II-i. Lighting: Consider additional pedestrian lighting such as catenary suspended lighting to enhance the E. Denny Way Festival Street.

PL1-III Network of Public Spaces

PL1-III-i. Public Space Accessibility: Consider design approaches that make new public spaces easily accessible from existing sidewalks and public areas, and proposed new light rail station entries.

PL1-III-ii. Plaza: Consider design approaches to the pedestrian pass throughs of Site A and Site B in a way that draws the public into the plaza.

PL1-IV Outdoor Uses and Activities

PL1-IV-i. Plaza Activation: Within the plaza, consider appropriate substructures, built elements and utility connections to ensure the proposed plaza can be used for Farmer’s Markets, performance and other temporary uses that provide interest and activity.

PL1-IV-ii. Grade Transitions: Consider taking advantage of grade changes between the plaza level and adjacent sites to create transitions used for seating or other amenities.

PL2 Walkability: Create a safe and comfortable walking environment that is easy to navigate and well-connected to existing pedestrian walkways and features.

PL2-A Accessibility

PL2-A-1. Access for All: Provide access for people of all abilities in a manner that is fully integrated into the project design. Design entries and other primary access points such that all visitors can be greeted and welcomed through the front door.

PL2-A-2. Access Challenges: Add features to assist pedestrians in navigating sloped sites, long blocks, or other challenges.

PL2-B Safety and Security

PL2-B-1. Eyes on the Street: Create a safe environment by providing lines of sight and encouraging natural surveillance.

PL2-B-2. Lighting for Safety: Provide lighting at sufficient lumen intensities and scales, including pathway illumination, pedestrian and entry lighting, and/or security lights.

PL2-B-3. Street-Level Transparency: Ensure transparency of street-level uses (for uses such as nonresidential uses or residential lobbies), where appropriate, by keeping views open into spaces behind walls or plantings, at corners, or along narrow passageways.

PL2-C Weather Protection

PL2-C-1. Locations and Coverage: Overhead weather protection is encouraged and should be located at or near uses that generate pedestrian activity such as entries, retail uses, and transit stops.

PL2-C-2. Design Integration: Integrate weather protection, gutters and downspouts into the design of the structure as a whole, and ensure that it also relates well to neighboring buildings in design, coverage, or other features.

PL2-C-3. People-Friendly Spaces: Create an artful and people-friendly space beneath building.

PL2-D Wayfinding

PL2-D-1. Design as Wayfinding: Use design features as a means of wayfinding wherever possible.

Capitol Hill Supplemental Guidance:

PL2-I Human Scale

PL2-I-i. Building Entries: Incorporate building entry treatments that are arched or framed in a manner that welcomes people and protects them from the elements and emphasizes the building's architecture.

PL2-I-ii. Pedestrian Character: Improve and support pedestrian-orientation by using components such as: non-reflective storefront windows and transoms; pedestrian scaled awnings; architectural detailing on the first floor; and detailing at the roof line.

PL2-II Pedestrian Open Spaces and Entrances

PL2-II-i. Entryways: Provide entryways that link the building to the surrounding landscape.

PL2-II-ii. Link Open Spaces: Create open spaces at street level that link to the open space of the sidewalk.

PL2-II-iii. Ingress/Egress: Building entrances should emphasize pedestrian ingress and egress as opposed to accommodating vehicles.

PL2-II-iv. Residential Entrances: Minimize the number of residential entrances on commercial streets where non-residential uses are required. Where unavoidable, minimize their impact to the vitality of the retail commercial streetscape.

PL2-III Personal Safety and Security

PL2-III-i. Lighting/Windows: Consider

- a. pedestrian-scale lighting, but prevent light spillover onto adjacent properties

- b. architectural lighting to complement the architecture of the structure
- c. transparent windows allowing views into and out of the structure—thus incorporating the “eyes on the street” design approach.

PL2-III-ii. Travel Area Distinction: Provide a clear distinction between pedestrian traffic areas and commercial traffic areas through the use of different paving materials or colors, landscaping, etc.

LIGHT RAIL STATION SITES

PL2-I Safety and Security

PL2-I-i. Upper-Level Amenity: Consider including amenity areas on upper levels of structures around the plaza as well as active uses fronting the plaza that contribute to eyes-on-the-plaza.

PL2-I-ii. Balconies/Terraces: Consider including usable balconies and terraces associated with individual housing units facing onto the plaza to provide oversight and contribute to architectural interest facing the plaza.

PL2-I-iii. Pedestrian Lighting: Consider installing pedestrian lighting such as catenary lighting along the E Denny Way Festival Street between sites A and C.

PL3 Street-Level Interaction: Encourage human interaction and activity at the street-level with clear connections to building entries and edges.

PL3-A Entries

PL3-A-1. Design Objectives: Design primary entries to be obvious, identifiable, and distinctive with clear lines of sight and lobbies visually connected to the street.

PL3-A-2. Common Entries: Multi-story residential buildings need to provide privacy and security for residents but also be welcoming and identifiable to visitors.

PL3-A-3. Individual Entries: Ground-related housing should be scaled and detailed appropriately to provide for a more intimate type of entry.

PL3-A-4. Ensemble of Elements: Design the entry as a collection of coordinated elements including the door(s), overhead features, ground surface, landscaping, lighting, and other features.

PL3-B Residential Edges

PL3-B-1. Security and Privacy: Provide security and privacy for residential buildings through the use of a buffer or semi-private space between the development and the street or neighboring buildings.

PL3-B-2. Ground-level Residential: Privacy and security issues are particularly important in buildings with ground-level housing, both at entries and where windows are located overlooking the street.

PL3-B-3. Buildings with Live/Work Uses: Maintain active and transparent facades in the design of live/work residences. Design the first floor so it can be adapted to other commercial use as needed in the future.

PL3-B-4. Interaction: Provide opportunities for interaction among residents and neighbors.

PL3-C Retail Edges

PL3-C-1. Porous Edge: Engage passersby with opportunities to interact visually with the building interior using glazing and transparency. Create multiple entries where possible

and make a physical and visual connection between people on the sidewalk and retail activities in the building.

PL3-C-2. Visibility: Maximize visibility into the building interior and merchandise displays. Consider fully operational glazed wall-sized doors that can be completely opened to the street, increased height in lobbies, and/or special lighting for displays.

PL3-C-3. Ancillary Activities: Allow space for activities such as sidewalk vending, seating, and restaurant dining to occur. Consider setting structures back from the street or incorporating space in the project design into which retail uses can extend.

Capitol Hill Supplemental Guidance:

PL3-I Human Activity

PL3-I-i. Open Storefronts: Provide for sidewalk retail opportunities and connections by allowing for the opening of the storefront to the street and displaying goods.

PL3-I-ii. Outdoor Seating: Provide for outdoor eating and drinking opportunities on the sidewalk by allowing restaurant or café windows to open to the sidewalk and installing outdoor seating while maintaining pedestrian flow.

PL3-I-iii. Visual Access: Install clear glass windows along the sidewalk to provide visual access into the retail or dining activities that occur inside. Do not block views into the interior spaces with the backs of shelving units or with posters.

LIGHT RAIL STATION SITES

PL3-I Street-Level Interaction

PL3-I-i. Flexible Retail: Consider designing flexible retail spaces facing Broadway to potentially accommodate either a combination of smaller businesses or a larger ‘anchor’ or destination retail tenant.

PL3-I-ii. Active Uses: Consider encouraging activating uses in the ground level façades of Sites A fronting the plaza to provide eyes on the plaza and during the day and evening.

PL4 Active Transportation: Incorporate design features that facilitate active forms of transportation such as walking, bicycling, and use of transit.

PL4-A Entry Locations and Relationships

PL4-A-1. Serving all Modes of Travel: Provide safe and convenient access points for all modes of travel.

PL4-A-2. Connections to All Modes: Site the primary entry in a location that logically relates to building uses and clearly connects all major points of access.

PL4-B Planning Ahead for Bicyclists

PL4-B-1. Early Planning: Consider existing and future bicycle traffic to and through the site early in the process so that access and connections are integrated into the project along with other modes of travel.

PL4-B-2. Bike Facilities: Facilities such as bike racks and storage, bike share stations, shower facilities and lockers for bicyclists should be located to maximize convenience, security, and safety.

PL4-B-3. Bike Connections: Facilitate connections to bicycle trails and infrastructure around and beyond the project.

PL4-C Planning Ahead For Transit

PL4-C-1. Influence on Project Design: Identify how a transit stop (planned or built) adjacent to or near the site may influence project design, provide opportunities for placemaking.

PL4-C-2. On-site Transit Stops: If a transit stop is located onsite, design project-related pedestrian improvements and amenities so that they complement any amenities provided for transit riders.

PL4-C-3. Transit Connections: Where no transit stops are on or adjacent to the site, identify where the nearest transit stops and pedestrian routes are and include design features and connections within the project design as appropriate.

DESIGN CONCEPT

DC1 Project Uses and Activities: Optimize the arrangement of uses and activities on site.

DC1-A Arrangement of Interior Uses

DC1-A-1. Visibility: Locate uses and services frequently used by the public in visible or prominent areas, such as at entries or along the street front.

DC1-A-2. Gathering Places: Maximize the use of any interior or exterior gathering spaces.

DC1-A-3. Flexibility: Build in flexibility so the building can adapt over time to evolving needs, such as the ability to change residential space to commercial space as needed.

DC1-A-4. Views and Connections: Locate interior uses and activities to take advantage of views and physical connections to exterior spaces and uses.

DC1-B Vehicular Access and Circulation

DC1-B-1. Access Location and Design: Choose locations for vehicular access, service uses, and delivery areas that minimize conflict between vehicles and non-motorists wherever possible. Emphasize use of the sidewalk for pedestrians, and create safe and attractive conditions for pedestrians, bicyclists, and drivers.

DC1-B-2. Facilities for Alternative Transportation: Locate facilities for alternative transportation in prominent locations that are convenient and readily accessible to expected users.

DC1-C Parking and Service Uses

DC1-C-1. Below-Grade Parking: Locate parking below grade wherever possible. Where a surface parking lot is the only alternative, locate the parking in rear or side yards, or on lower or less visible portions of the site.

DC1-C-2. Visual Impacts: Reduce the visual impacts of parking lots, parking structures, entrances, and related signs and equipment as much as possible.

DC1-C-3. Multiple Uses: Design parking areas to serve multiple uses such as children's play space, outdoor gathering areas, sports courts, woonerf, or common space in multifamily projects.

DC1-C-4. Service Uses: Locate and design service entries, loading docks, and trash receptacles away from pedestrian areas or to a less visible portion of the site to reduce possible impacts of these facilities on building aesthetics and pedestrian circulation.

Capitol Hill Supplemental Guidance:

DC1-I Parking and Vehicle Access

DC1-I-i. Continuous Crosswalks: Preserve and enhance the pedestrian environment in residential and commercial areas by providing for continuous sidewalks that are unencumbered by parked vehicles and are minimally broken within a block by vehicular access.

DC1-II Screening of Dumpsters, Utilities, and Service Areas

DC1-II-i. Dumpsters: Consolidate and screen dumpsters to preserve and enhance the pedestrian environment.

DC1-II-ii. Screening: For new development along Broadway that extends to streets with residential character—such as Nagle Place or 10th or Harvard Avenues East (see map on page 12)—any vehicle access, loading or service activities should be screened and designed with features appropriate for a residential context.

DC2 Architectural Concept: Develop an architectural concept that will result in a unified and functional design that fits well on the site and within its surroundings.

DC2-A Massing

DC2-A-1. Site Characteristics and Uses: Arrange the mass of the building taking into consideration the characteristics of the site and the proposed uses of the building and its open space.

DC2-A-2. Reducing Perceived Mass: Use secondary architectural elements to reduce the perceived mass of larger projects.

DC2-B Architectural and Facade Composition

DC2-B-1. Façade Composition: Design all building facades—including alleys and visible roofs— considering the composition and architectural expression of the building as a whole. Ensure that all facades are attractive and well-proportioned.

DC2-B-2. Blank Walls: Avoid large blank walls along visible façades wherever possible. Where expanses of blank walls, retaining walls, or garage facades are unavoidable, include uses or design treatments at the street level that have human scale and are designed for pedestrians.

DC2-C Secondary Architectural Features

DC2-C-1. Visual Depth and Interest: Add depth to facades where appropriate by incorporating balconies, canopies, awnings, decks, or other secondary elements into the façade design. Add detailing at the street level in order to create interest for the pedestrian and encourage active street life and window shopping (in retail areas).

DC2-C-2. Dual Purpose Elements: Consider architectural features that can be dual purpose— adding depth, texture, and scale as well as serving other project functions.

DC2-C-3. Fit With Neighboring Buildings: Use design elements to achieve a successful fit between a building and its neighbors.

DC2-D Scale and Texture

DC2-D-1. Human Scale: Incorporate architectural features, elements, and details that are of human scale into the building facades, entries, retaining walls, courtyards, and exterior spaces in a manner that is consistent with the overall architectural concept

DC2-D-2. Texture: Design the character of the building, as expressed in the form, scale, and materials, to strive for a fine-grained scale, or “texture,” particularly at the street level and other areas where pedestrians predominate.

DC2-E Form and Function

DC2-E-1. Legibility and Flexibility: Strive for a balance between building use legibility and flexibility. Design buildings such that their primary functions and uses can be readily determined from the exterior, making the building easy to access and understand. At the same time, design flexibility into the building so that it may remain useful over time even as specific programmatic needs evolve.

Capitol Hill Supplemental Guidance:

LIGHT RAIL STATION SITES

DC2-I Architectural Concept

DC2-I-i. Building Identity: Consider an architectural concept that will contribute to distinct building design identities that function as a whole.

DC2-I-ii. Intersection Focus: Consider design approaches that could give a strong form or focus on site A at the intersection of Broadway E. and E. John St. near the main (north) station entry without obscuring or competing with the visual orientation to the transit station entrance. This could be a prominent retail entry, an architectural expression or other feature.

DC2-I-iii. Grade Change: Consider addressing the grade change between Broadway E. and Nagle Place in such a way that engages the E. Denny Way Festival Street.

DC2-II Massing

DC2-II-i. Sun/Air Exposure: Consider scaling the mass of buildings on sites A and C facing the plaza and the E. Denny Way Festival Street so as to provide favorable sun and air exposure to the proposed plaza and Festival Street.

DC2-II-ii. Solar Setbacks: If proposing setbacks, consider the solar exposure achieved for the plaza and E. Denny Way Festival Street.

DC2-III Secondary Architectural Features

DC2-III-i. Station Entry: Consider design approaches that visually integrate the base of the building on Site A with the north station entry. Consider extending design elements from the station into the design of the base of the building on Site A.

DC2-III-ii. Public Art: Consider dynamic public art, information (potentially transit or train related) or dynamic displays including movies, green wall treatment, or public art installations to integrate the central vent shaft facility as a focal point of the plaza.

DC2-III-iii. Varied Facades: Consider exploring architectural features within ground level façades at the plaza such as recesses, bays, colonnades to ensure interest and variety.

DC3 Open Space Concept: Integrate open space design with the building design so that they complement each other.

DC3-A Building-Open Space Relationship

DC3-A-1. Interior/Exterior Fit: Develop an open space concept in conjunction with the architectural concept to ensure that interior and exterior spaces relate well to each other and support the functions of the development.

DC3-B Open Space Uses and Activities

DC3-B-1. Meeting User Needs: Plan the size, uses, activities, and features of each open space to meet the needs of expected users, ensuring each space has a purpose and function.

DC3-B-2. Matching Uses to Conditions: Respond to changing environmental conditions such as seasonal and daily light and weather shifts through open space design and/or programming of open space activities.

DC3-B-3. Connections to Other Open Space: Site and design project-related open spaces to connect with, or enhance, the uses and activities of other nearby public open space where appropriate.

DC3-B-4. Multifamily Open Space: Design common and private open spaces in multifamily projects for use by all residents to encourage physical activity and social interaction.

DC3-C Design

DC3-C-1. Reinforce Existing Open Space: Where a strong open space concept exists in the neighborhood, reinforce existing character and patterns of street tree planting, buffers or treatment of topographic changes. Where no strong patterns exist, initiate a strong open space concept that other projects can build upon in the future.

DC3-C-2. Amenities/Features: Create attractive outdoor spaces suited to the uses envisioned for the project.

DC3-C-3. Support Natural Areas: Create an open space design that retains and enhances onsite natural areas and connects to natural areas that may exist off-site and may provide habitat for wildlife.

Capitol Hill Supplemental Guidance:

DC3-I Residential Open Space

DC3-I-i. Open Space: Incorporate quasi-public open space with residential development, with special focus on corner landscape treatments and courtyard entries.

DC3-I-ii. Courtyards: Create substantial courtyard-style open space that is visually accessible to the public view.

DC3-I-iii. View Corridors: Set back development where appropriate to preserve view corridors.

DC3-I-iv. Upper-floor Setbacks: Set back upper floors to provide solar access to the sidewalk and/or neighboring properties.

DC3-I-v. Street Trees: Mature street trees have a high value to the neighborhood and departures from development standards that an arborist determines would impair the health of a mature tree are discouraged.

DC3-I-vi. Landscape Materials: Use landscape materials that are sustainable, requiring minimal irrigation or fertilizer.

DC3-I-vii. Porous Paving: Use porous paving materials to enhance design while also minimizing stormwater run-off.

DC3-II Landscape Design to Address Special Site Conditions

DC3-II-i. Aesthetic Consistency: Maintain or enhance the character and aesthetic qualities of neighborhood development to provide for consistent streetscape character.

DC3-II-ii. Mature Street Trees: Supplement/complement existing mature street trees

DC3-II-iii. Onsite Trees: Incorporate street trees in both commercial and residential environments in addition to trees onsite.

LIGHT RAIL STATION SITES

DC3-I Open Space Concept

DC3-I-i. Plaza Relationship: Consider the relationship of the plaza to the surrounding buildings as well as to the E. Denny Festival Street and Cal Anderson Park a primary design consideration — one that will orient and elevate the design quality of adjacent streets and building façades.

DC3-I-ii. Festival Street Relationship: Consider design approaches that are informed but not dictated by that of the E. Denny Festival Street.

DC3-I-iii. Overhead Protection: Consider accommodating and not precluding temporary overhead protection across the plaza.

DC3-I-iv. Future Infrastructure: Anticipate and accommodate infrastructure for future programming of the plaza such as access to electricity and water.

DC3-I-v. Plaza Surface: Consider the following

- a. A progression of landscape and paving from green and soft at the park edge to a more urban texture at Broadway
- b. Textures and interest in the ground plane
- c. Places to sit gather and rest
- d. Restrict vehicular access across the plaza to those needed for servicing site A and Sound Transit access
- e. Explore integration of an artistic, removable weather protection cover/canopy over the plaza

DC4 Exterior Elements and Finishes: Use appropriate and high quality elements and finishes for the building and its open spaces.

DC4-A Exterior Elements and Finishes

DC4-A-1. Exterior Finish Materials: Building exteriors should be constructed of durable and maintainable materials that are attractive even when viewed up close. Materials that have texture, pattern, or lend themselves to a high quality of detailing are encouraged.

DC4-A-2. Climate Appropriateness: Select durable and attractive materials that will age well in Seattle’s climate, taking special care to detail corners, edges, and transitions.

DC4-B Signage

DC4-B-1. Scale and Character: Add interest to the streetscape with exterior signs and attachments that are appropriate in scale and character to the project and its environs.

DC4-B-2. Coordination with Project Design: Develop a signage plan within the context of architectural and open space concepts, and coordinate the details with façade design, lighting, and other project features to complement the project as a whole, in addition to the surrounding context.

DC4-C Lighting

DC4-C-1. Functions: Use lighting both to increase site safety in all locations used by pedestrians and to highlight architectural or landscape details and features such as entries, signs, canopies, plantings, and art.

DC4-C-2. Avoiding Glare: Design project lighting based upon the uses on and off site, taking care to provide illumination to serve building needs while avoiding off-site night glare and light pollution.

DC4-D Trees, Landscape, and Hardscape Materials

DC4-D-1. Choice of Plant Materials: Reinforce the overall architectural and open space design concepts through the selection of landscape materials.

DC4-D-2. Hardscape Materials: Use exterior courtyards, plazas, and other hard surfaced areas as an opportunity to add color, texture, and/or pattern and enliven public areas through the use of distinctive and durable paving materials. Use permeable materials wherever possible.

DC4-D-3. Long Range Planning: Select plants that upon maturity will be of appropriate size, scale, and shape to contribute to the site as intended.

DC4-D-4. Place Making: Create a landscape design that helps define spaces with significant elements such as trees.

DC4-E Project Assembly and Lifespan

DC4-E-1. Deconstruction: When possible, design the project so that it may be deconstructed at the end of its useful lifetime, with connections and assembly techniques that will allow reuse of materials.

Capitol Hill Supplemental Guidance:

DC4-I Height, Bulk, and Scale

DC4-I-i. Materials: Masonry and terra cotta are preferred building materials, although other materials may be used in ways that are compatible with these more traditional materials. The Broadway Market is an example of a development that blends well with its surroundings and includes a mixture of materials, including masonry.

DC4-II Exterior Finish Materials

DC4-II-i. Building exteriors: Should be constructed of durable and maintainable materials that are attractive even when viewed up close. Materials that have texture, pattern or lend themselves to a high quality of detailing are encouraged.

1. Use wood shingles or board and batten siding on residential structures.
2. Avoid wood or metal siding materials on commercial structures.
3. Provide operable windows, especially on storefronts.
4. Use materials that are consistent with the existing or intended neighborhood character, including brick, cast stone, architectural stone, terracotta details, and concrete that incorporates texture and color.
5. Consider each building as a high-quality, long-term addition to the neighborhood; exterior design and materials should exhibit permanence and quality appropriate to the Capitol Hill neighborhood.
6. The use of applied foam ornamentation and EIFS (Exterior Insulation & Finish System) is discouraged, especially on ground level locations.

LIGHT RAIL STATION SITES

DC4-I Building Materials

DC4-I-i. High Quality Materials: Consider using high quality materials that support pedestrian use and enjoyment of sidewalks and public spaces, including retail frontages and building façades.

STAFF DIRECTION

At the conclusion of the Administrative Early Design Guidance phase, Staff recommends moving forward to MUP application.