



## Director's Rule

<b>Title</b> Flow Control Requirements for Projects in Identified Public Combined Sewer Basins	<b>Number</b> DWW-430.1	<b>Rev. no.</b> 0
<b>Responsibility</b> Drainage and Wastewater Line of Business	<b>Supersedes</b> N/A	<b>Pages</b> 1
<b>SPU Director's Approval</b>	<b>Effective Date</b>	

### 1. PURPOSE

To identify public combined sewer basins where the Director of SPU has determined that the public combined sewers have sufficient capacity to carry existing and anticipated loads.

### 2. DEFINITIONS

See Seattle Municipal Code (SMC) Chapter 22.801.

### 3. RULE

Under SMC 22.805.050.A.5 and SMC 22.805.060.A.5, the Director of SPU has determined that in the public combined sewer basins identified in the attached Exhibit A as SODO/Waterfront Basin, the public combined sewer has sufficient capacity to carry existing and anticipated loads. Therefore parcel-based or roadway projects discharging into the identified public combined sewer basins are not required to provide peak flow control as stated in SMC 22.805.050.A.5 and SMC 22.805.060.A.5. The Projects shall meet the other minimum requirements for flow control contained in Section 22.805.050.A and Section 22.805.060.A, as applicable.

### 4. AUTHORITY/REFERENCES

- SMC 22.805.050.A.5. Discharges to Public Combined Sewer - Parcel-based projects.
- SMC 22.805.060.A.5. Discharges to Public Combined Sewer - Roadway projects.
- SMC 22.805.080 Minimum Requirements for Flow Control