COBL CRUX Oriented Borehole Logging	Company: Seattle City Light
	Location: Newhalem, WA
	Project: Gorge 2nd Tunnel

Date Logged:	September 13, 2009	Borehole ID: B-2, 120-220
File Name:	B2-120-220-1.wcl	Logged By: F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




130.0
131.0
132.0
133.0
134.0
135.0
136.0
137.0
138.0
139.0
140.0
141.0
142.0
143.0
144.0
145.0
241 39
236 83
233 70
224 65
221 81
224 81
236 68
231 63
243 50
231 57
213 62
192 31
232 81
227 60
233 49
228 53
231 54
232 73
233 54
215 62
228 63


146.0
147.0
148.0
149.0
150.0
151.0
152.0
153.0
154.0
155.0
156.0
157.0
158.0
159.0
160.0
161.0
240 81
237 77
233 67
221 62
213 68
230 61
239 55
222 44
238 64
231 58
228 60
223 73
232 66
223 73
230 75
204 66
245 84
232 59
205 21
223 81
253 46
267 45
221 38
241 13
207 42
229 22
222 30
227 25
215 23
241 45


162.0
163.0
164.0
165.0
166.0
167.0
168.0
169.0
170.0
171.0
172.0
173.0
174.0
175.0
176.0
177.0
178.0
236 56
249 59
199 60
219 73
168 38
228 73
205 60
208 64
218 75
216 73
211 83
220 75
206 23
44 85
220 75
58 40
192 48


179.0
237 83
219 77
180.0
215 87
215 84
181.0
261 44
232 78
182.0
228 79
54 81
183.0
235 76
184.0
185.0
186.0
40 83
187.0
188.0
220 87
230 84
189.0
205 64
229 76
190.0
60 87
232 86
191.0
228 78
192.0
226 80
193.0
208 62
237 90
194.0
230 76
245 66


195.0
196.0
197.0
198.0
199.0
200.0
201.0
202.0
203.0
204.0
205.0
206.0
207.0
208.0
209.0
210.0
247 25
41 15
206 7
38 25
68 30
184 38
222 56
214 45
232 38
231 47
215 55
49 6
233 73
229 65
224 80
242 55
231 57
237 44
247 40
264 40
268 38
196 17
239 38
267 12
273 44
242 46
234 54


211.0
212.0
213.0
214.0
215.0
216.0
217.0
218.0
219.0
220.0
230 11
271 24
139 59
100 28
230 55
209 50
211 43
232 16
214 20
211 26
170 10
235 56
276 52

COBL
CRUX Oriented Borehole Logging

Company:	Seattle City Light
Location:	Newhalem, WA
Project:	Gorge 2nd Tunnel
Date Logged:	September 13, 2009
Borehole ID:	B-2, 225-300
File Name:	B2-255-300-1M.wcl
Logged By:	F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




265.0
266.0
267.0
268.0
269.0
270.0
271.0
272.0
273.0
274.0
275.0
276.0
277.0
278.0
279.0
280.0
184 37
232 70
227 62
66 85
233 72
237 57
250 57
168 20
204 45
185 46
207 53
212 61
211 56
215 18
200 59
209 82
184 40
44 88
49 78


281.0
282.0
283.0
284.0
285.0
286.0
287.0
288.0
289.0
290.0
291.0
292.0
293.0
294.0
295.0
296.0
40 88
219 37
181 43
210 64
46 72
197 66
44 75
57 84
36 88
216 82
211 83
29 88
48 83
196 50
214 67


297.0
298.0
299.0
300.0
197
45
212
75

COBL CRUX Oriented Borehole Logging	Company: Seattle City Light
	Location: Newhalem, WA
	Project: Gorge 2nd Tunnel

Date Logged:	September 13, 2009	Borehole ID: B-2, 380-390
File Name:	B2-380-390-1M.wcl	Logged By: F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




390.0
37
75

COBL CRUX Oriented Borehole Logging	Company: Seattle City Light
	Location: Newhalem, WA
	Project: Gorge 2nd Tunnel

Date Logged:	September 13, 2009	Borehole ID: B2, 525-620
File Name:	B2-525-620-1.wcl	Logged By: F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




535.0
536.0
537.0
538.0
539.0
540.0
541.0
542.0
543.0
544.0
545.0
546.0
547.0
548.0
549.0
550.0
237 33
237 29
261 27
217 50
206 60
200 83
27 83
198 44
201 41
34 21
197 58
195 55
198 83
208 61
204 70
202 46
205 42
206 61
208 61
194 22
202 51
195 61
191 45
215 44
194 8
78 1
203 65
183 48
225 25
214 58
227 47
268 15
238 25
149 4
3 7
73 7
275 7
218 22
357 6
242 14
45 4
218 17
167 17


551.0
552.0
553.0
554.0
555.0
556.0
557.0
558.0
559.0
560.0
561.0
562.0
563.0
564.0
565.0
566.0
211 32
18 31
83 1
247 13
188 10
222 21
238 17
161 5
185 24
168 10
106 12
162 14
169 6
187 9
165 20
162 18
176 20
197 17
148 10
166 18
145 14
215 11
214 23
207 39
229 39
236 9
205 19
193 50
194 39
80 16
169 12
171 29
205 58
198 45
220 23


567.0
568.0
569.0
570.0
571.0
572.0
573.0
574.0
575.0
576.0
577.0
578.0
579.0
580.0
581.0
582.0
583.0
209 46
190 28
181 26
221 29
214 34
203 60
202 46
197 11
163 56
218 36
134 2
206 33
227 18
190 44
207 54
221 41
202 73
207 37
209 52
212 53
201 46
212 47
210 33
196 43
204 47
187 30
173 32
179 35
203 66
201 64
163 37
176 29
190 46
193 35
190 39


584.0
585.0
586.0
587.0
588.0
589.0
590.0
591.0
592.0
593.0
594.0
595.0
596.0
597.0
598.0
599.0
188 37
189 35
184 35
150 33
165 34
34 17
216 28
205 33
183 30
170 30
167 23
188 31
191 32
141 14
87 12
198 14
97 22
224 32
219 38
217 47
220 26
254 11
213 37
221 15
245 14
178 5
152 3
190 7
228 25
205 25
221 34
93 22
121 11
253 18
251 37
248 25
342 12
227 88
218 5
28 7
165 21
77 3
121 15


600.0
601.0
602.0
603.0
604.0
605.0
606.0
607.0
608.0
609.0
610.0
611.0
612.0
613.0
614.0
615.0
178 25
273 14
341 18
247 19
135 4
227 4
227 17
186 24
121 2
127 6
18 12
25 29
62 24
110 4
254 8
191 21
162 44
197 47
218 48
218 49
120 11
202 9
216 20
200 17
194 10
206 14
213 29
204 13
215 48
213 7
224 29
227 26
229 26
219 20
218 24
210 26
224 25
215 26
219 17
210 13
210 45
224 21
208 8
230 17


616.0
617.0
618.0
619.0
620.0
621.0
223 16
179 9
211 19
214 24
218 23
172 15
212 19
227 45
230 65
206 19
149 9
216 26
214 28
218 25

COBL
CRUX Oriented Borehole Logging

Company:	Seattle City Light
Location:	Newhalem, WA
Project:	Gorge 2nd Tunnel
Date Logged:	September 13, 2009
Borehole ID:	B-2, 60-85
File Name:	B2-60-85-1M.wcl
Logged By:	F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




70.0
71.0
72.0
73.0
74.0
75.0
76.0
77.0
78.0
79.0
80.0
81.0
82.0
83.0
84.0
85.0
21 12
152 7
241 88
234 59
238 78
52 89
58 86
62 87
254 57
62 84
54 90
60 9
40 88
40 18
226 76
58 85
56 89
245 66
239 67
241 85
247 78
262 58
312 11
157 25
215 8



COBL CRUX Oriented Borehole Logging	Company: Seattle City Light
	Location: Newhalem, WA
	Project: Gorge 2nd Tunnel

Date Logged:	September 13, 2009	Borehole ID: B2, 660-670
File Name:	B2-660-670-1M.wcl	Logged By: F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




670.0
297
146
138
127
157
19
31
40
27
24

COBL CRUX Oriented Borehole Logging	Company: Seattle City Light
	Location: Newhalem, WA
	Project: Gorge 2nd Tunnel

Date Logged:	September 13, 2009	Borehole ID: B2, 715-800
File Name:	B2-715-800-1M.wcl	Logged By: F G Kruger

Notes:

1) Azimuths reference True North. Magnetic declination of +17 degrees applied.
2) 2.5x Horizontal Exaggeration on Televiewer Images.
3) Dip values presented in degrees from horizontal.
4) Dip direction presented in degrees of azimuth.
5) Simulated Core Image is viewed from north, east on left, west on right.




721.0
722.0
723.0
724.0
725.0
726.0
727.0
728.0
729.0
730.0
731.0
732.0
733.0
734.0
735.0
736.0
179 29
267 64
222 48
209 66
231 22
135 8
181 64
222 20
38 15
219 8
38 20
5 21
270 8
255 28
23 29
26 21
11 89
282 23
16 21
191 65
30 12
277 86
41 78
70 68
69 39
73 40
95 42
221 41
162 56
168 54
72 56
227 32
232 30


737.0
738.0
739.0
740.0
741.0
742.0
743.0
744.0
745.0
746.0
747.0
748.0
749.0
750.0
751.0
752.0
44 36
163 49
74 50
39 36
223 32
63 40
162 45
27 87
56 37
281 85
331 5
309 24
331 11
336 11
237 46
7 78
332 25
179 43
345 36
195 68
205 50
209 59
22 29
114 41


753.0
754.0
755.0
756.0
757.0
758.0
759.0
760.0
761.0
762.0
763.0
764.0
765.0
766.0
767.0
768.0
769.0
191 42
158 44
22 25
287 83
94 19
218 46
354 46
25 24
218 34
215 20
198 40
199 44
220 54
209 53
224 45
210 82
198 29
178 10
52 23
221 42
216 84


770.0
771.0
772.0
773.0
774.0
775.0
776.0
777.0
778.0
779.0
780.0
781.0
782.0
783.0
784.0
785.0
231 84
45 77
46 88
225 29
216 7
256 42
254 36
282 80
60 48
130 69
136 49
93 24
273 85
73 50
244 39
241 22
230 51
223 57
211 67
231 68
237 56
126 66
70 41
225 58
243 57
242 68
247 57
247 25
254 67
261 72
260 61
254 59


786.0
787.0
788.0
789.0
790.0
791.0
792.0
793.0
794.0
795.0
796.0
797.0
69 44
79 55
164 57
99 55
150 57
93 38
247 31
70 45
223 60
109 59
265 69
268 54