


VAULT SERIAL NO.	DATE	MARK	NATURE	MADE	CHK'D	REV'D
XXXXX			REVISIONS			

P:\Electric\TS4415C\TS4415P_CV00_P.dwg
Nov/04/2010 10:32am



VICINITY MAP
NTS



PROJECT LOCATION MAP
SCALE: 1"=800'

SHEET	DRAWING	SHEET DESCRIPTION
1	CV1	COVER
2	NT1	GENERAL NOTES
3	SG1	PARKING DMS PLAN
4-6	DT1-DT3	DETAILS

SHEET INDEX

APPROVED FOR ADVERTISING
FRED PODESTA
DEPARTMENT OF EXECUTIVE ADMINISTRATION
SEATTLE, WASHINGTON _____ 20
BY: _____
DIRECTOR, CONTRACTING SERVICES

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED AND 11/3/10	REVIEWED: _____
CHECKED JAC 11/3/10	PE _____
DRAWN AND 11/3/10	PROJ. MGR. _____
CHECKED JAC 11/3/10	RECEIVED AS BUILT _____



City of Seattle
Seattle Department of Transportation
ORDINANCE NO. _____ APPROVED _____
FUNDS: _____ INSPECTOR'S BOOK _____

ELECTRONIC PARKING GUIDANCE SYSTEM

Vault	Serial No.	Date	Mark	Nature	Made	Chk'd	Rev'd
XXXX				REVISIONS			

GENERAL NOTES:

- FOR REQUIREMENTS REGARDING THE PROTECTION AND RESTORATION OF PUBLIC AND PRIVATE PROPERTY, SEE SECTIONS 1-07.16 AND 1-07.17.
- UNDER NO CIRCUMSTANCES SHALL WORK BE PERFORMED WHICH WOULD REMOVE, ADJUST, DESTROY OR OTHERWISE MAKE A SURVEY MONUMENT NO LONGER VISIBLE OR READILY ACCESSIBLE WITHOUT A PERMIT FROM THE WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES (DNR). SEE SECTION 1-07.16(1).
- TREES, SHRUBS, AND OTHER PLANT MATERIAL NOT DESIGNATED FOR REMOVAL SHALL BE PROTECTED FROM DAMAGE. SEE SECTION 1-07.16(2).
- THE CONTRACTOR SHALL NOTIFY THE UTILITIES FOR UNDERGROUND UTILITY LOCATIONS BEFORE THE COMMENCEMENT OF ANY EXCAVATION. ADVANCE NOTIFICATION IS REQUIRED. SEE SECTION 1-07.28.
- FOR NOTIFICATION AND COORDINATION REQUIREMENTS, INCLUDING COMMUNICATION WITH METRO TRANSIT, CONTACT JOE COUPLES (206-684-5197).
- CALL 48 HOURS (2 BUSINESS DAYS) BEFORE YOU DIG, 1-800-424-5555.

ROADWAY NOTES:

- PAVEMENT, SIDEWALK, AND CURB REMOVAL SHALL EXTEND TO EXISTING JOINTS DETERMINED BY THE ENGINEER. SEE SECTION 2-02.3.
- ALL JOINTS AT THE MEET LINES OF NEW CONSTRUCTION AND EXISTING SURFACES SHALL BE BUTT JOINTS. SEE SECTION 5-04.3(10)B.

SIGNING NOTES:

- COORDINATE SIGN REMOVAL, RELOCATION AND/OR OTHER SIGN WORK WITH SIGNS AND MARKINGS CREW CHIEF.

LEGEND:



ELECTRONIC PARKING GUIDENCE SYSTEM (EPGS) SIGN AND POLE

P:\Electric\TS4415C\TS4415P_NT00_P.dwg
Nov/04/2010 10:32am

CALL 48 HOURS
BEFORE YOU DIG
1-800-424-5555

APPROVED FOR ADVERTISING
FRED PODESTA
DEPARTMENT OF EXECUTIVE ADMINISTRATION
SEATTLE, WASHINGTON 20
BY: DIRECTOR, CONTRACTING SERVICES

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED: AFD, 11/3/10	REVIEWED: PE, 11/3/10
CHECKED: JJC, 11/3/10	PROJ. MGR, CONST.
DRAWN: AFD, 11/3/10	RECEIVED: REVISED AS BUILT
CHECKED: JJC, 11/3/10	

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIAL ORDINANCES AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.




City of Seattle
Seattle Department of Transportation
ORDINANCE NO. APPROVED
FUND: INSPECTOR'S BOOK

ELECTRONIC PARKING GUIDANCE SYSTEM

GENERAL NOTES
NT1

Vault Serial No.	DATE	MARK	NATURE	MADE	CHK'D	REV'D
XXXXX			REVISIONS			

P:\Electric\TS4415C\TS4415P_SG00_P.dwg
Nov/04/2010 10:33am



DMS #6

INSTALLATION NOTES:

- ① INSTALL EPDS 2" DIA. FOUNDATION PER DETAILS ON SHEET DT1.
- ② COORDINATE WITH CITY LIGHT FOR SERVICE CONNECTION.
- ③ INSTALL NEW TYPE 2 HANDHOLE. INTERCEPT EXISTING CONDUIT.
- ④ REMOVE EXISTING POLE.


RUN NO.	SPAN OR CONDUIT SIZE	VEHICLE HEADS	PED HEADS	PPBS	LOOP LEAD-IN	LOOP	INTER-CONNECT	SERVICE	GROUND	REMARKS
1	1-2" ECD 1-2" TRCD	-	-	-	-	-	-	2-#8	1-#8	SPARE

NOTES:
1. EXISTING CONDUCTORS NOT SHOWN.

PAVEMENT RESTORATION:

TO BE PERFORMED BY SDOT PAVING CREW.

SURFACE PAVEMENT RESTORATION FOR ALL PAVEMENT IMPACTS RELATED TO THIS WORK SHALL CONFORM TO CITY OF SEATTLE STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION (2008 EDITION), CITY OF SEATTLE STANDARD PLANS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION (2008 EDITION), AND SDOT DIRECTOR'S RULE 2004-02. IMPACTS TO EXISTING PAVEMENT SURFACES SHALL BE RESTORED IN ACCORDANCE WITH SDOT PAVEMENT RESTORATION GUIDELINES.



DMS #7



**SG1
PARKING DMS PLAN**

APPROVED FOR ADVERTISING
FRED PODESTA
DEPARTMENT OF EXECUTIVE ADMINISTRATION
SEATTLE, WASHINGTON 20

BY: DIRECTOR, CONTRACTING SERVICES



City of Seattle
Seattle Department of Transportation

ORDINANCE NO. APPROVED
FUND: INSPECTOR'S BOOK

NAME OR INITIALS AND DATE
DESIGNED: AFD, 11/3/10
CHECKED: JJC, 11/3/10
DRAWN: AFD, 11/3/10
ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIAL CONDITIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.




INITIALS AND DATE
REVIEWED: PE, 11/3/10
PROJ. MGR. CONST.
RECEIVED: REVISED AS BUILT

PC: TS4415P
R/W: TS4415C
CO: TS4415C
VAULT PLAN NO.: XXX-XXX
SHEET 3 OF 6

CALL 48 HOURS BEFORE YOU DIG
1-800-424-5555

VAULT SERIAL NO.	DATE	MARK	NATURE	MADE	CHK'D	REV'D
XXXXX						

P:\Electric\TS4415C\TS4415P_DT00_P.dwg
Nov/04/2010 10:34am



INCLINED CONDITION

POLE FOUNDATION NOTES

1. CONCRETE STRENGTH SHALL BE CLASS AX AIR ENTRAINED, 3/4" MAX SIZE COARSE AGGREGATE.
2. ANCHOR RODS: ASTM F 1554, GRADE 55 NUTS: ASTM A563 HEAVY HEX GRADE DH, HARDENED STEEL WASHERS: ASTM F436
3. ANCHOR PLATE: ASTM A36, HOT DIP GALVANIZED.
4. ALL REINFORCING BARS SHALL BE DEFORMED BILLET STEEL CONFORMING TO ASTM CLASS A615, GRADE 60.
5. ANCHOR RODS SHALL BE HOT DIP GALVANIZED ASTM A153 INCLUDING NUTS & WASHERS (FULL LENGTH) WITH 6" OF THREADS ON TOP & 12" ON BOTTOM.
6. TAPE THE TOP OF ANCHOR RODS WITH CORROSION PROTECTION TAPE PER STD SPEC SEC 8-32.3(2)A PRIOR TO POURING CONCRETE.

CALL 48 HOURS BEFORE YOU DIG
1-800-424-5555

APPROVED FOR ADVERTISING
FRED PODESTA
DEPARTMENT OF EXECUTIVE ADMINISTRATION
SEATTLE, WASHINGTON

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED AND: JJC 11/3/10	REVIEWED: PE. CONST.
CHECKED: JJC 11/3/10	PROJ. MGR.
DRAWN: AND 11/3/10	RECEIVED: REVISED AS BUILT
CHECKED: JJC 11/3/10	



City of Seattle
Seattle Department of Transportation
ORDINANCE NO. APPROVED
FUNDS: INSPECTOR'S BOOK


ELECTRONIC PARKING GUIDANCE SYSTEM

DT1
DETAILS
SHEET 4 OF 6

Vault Serial No.	Date	Mark	Nature	Made	Chk'd	Rev'd
XXXXX			REVISIONS			

P:\Electric\TS4415C\TS4415P_DT00_P.dwg
Nov/04/2010 10:36am

CALL 48 HOURS
BEFORE YOU DIG
1-800-424-5555



NOTE:
ALL STRUCTURAL STEEL
AND CONNECTIONS TO
BE GALVANIZED (1yp.)

8" Ø STD. PIPE SIGN POST
CURVED 3/16" DOUBLER PL.
4" W. x 6" H. HANDHOLE W/ 1" Ø
ROUNDED CORNERS (W/ cover
by others)
BASE PL. 1 x 14 x 14 W/
(4) 1" Ø (A325) ANCHOR BOLTS
(A307 or F1554) W/ (2) 3" PL.
WASHERS & NUTS EA. BOLT ON 1"
NON-SHRINK LEVELING GROUT.

By others (6" max.)
1'-0"
4"
4"
1/4"
SIGN BY OTHERS
CONT. 3" Ø STD. PIPE
STUB (sched 40) W/
1/4" CAP PLATE
CAP PL. 1/4" W/ HOLE
FOR STUB PIPE TO
PASS
GUIDE PL'S 3/16" x
(I.D. - 1/8") Ø
SIGN POST PER
ELEVATION

Section B
1'-2"
10 1/2"
1'-2"
EQ. EQ.
EQ. EQ.
4" dia. HOLE IN
PLATE FOR CONDUIT
TO PASS

APPROVED FOR ADVERTISING		NAME OR INITIALS AND DATE	
FRED PODESTA	11/3/10	REVIEWED:	CONST.
DEPARTMENT OF EXECUTIVE ADMINISTRATION	JJC 11/3/10	PROJ. MGR.	
SEATTLE, WASHINGTON		RECEIVED AS BUILT	
20		REVISED AS BUILT	
BY: DIRECTOR, CONTRACTING SERVICES			

INITIALS AND DATE	
DESIGNED AND CHECKED: JJC 11/3/10	PE. CONST.
DRAWN AND CHECKED: JJC 11/3/10	RECEIVED AS BUILT

City of Seattle
Seattle Department of Transportation
ORDINANCE NO. APPROVED
FUNDS: INSPECTOR'S BOOK

ELECTRONIC PARKING GUIDANCE SYSTEM

2	PC	TS4415P
5	R/W	TS4415C
00		XXX-XXX
SHEET 5	OF 6	


DT2
DETAILS

FOR REFERENCE ONLY

Vault Serial No.	Date	Mark	Nature	Made	Chk'd	Rev'd
XXXXX			REVISIONS			


P:\Electric\TS4415C\TS4415P_DT00_P.dwg
Nov/04/2010 10:37am

CALL 48 HOURS
BEFORE YOU DIG
1-800-424-5555



METERING SERVICE
120 VOLT

METERING SERVICE DETAILS
NTS



APPROVED FOR ADVERTISING
FRED PODESTA
DEPARTMENT OF EXECUTIVE ADMINISTRATION
SEATTLE, WASHINGTON 20
BY: DIRECTOR, CONTRACTING SERVICES

NAME OR INITIALS AND DATE	INITIALS AND DATE
DESIGNED AND: JJC 11/3/10	REVIEWED: PE CONST.
CHECKED: JJC 11/3/10	PROJ. MGR.
DRAWN AND: JJC 11/3/10	RECEIVED AS BUILT
CHECKED: JJC 11/3/10	REVISIONS

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIAL ORDERS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.



City of Seattle
**Seattle Department
of Transportation**
ORDINANCE NO. APPROVED
FUNDS: INSPECTOR'S BOOK

**ELECTRONIC PARKING
GUIDANCE SYSTEM**

DT3
DETAILS

2	PC	TS4415P
00	R/W	TS4415C
00	Vault Plan No.	XXX-XXX
SHEET 6	OF	6