


**LEGEND**

- HMA PAVEMENT
- CEM. CONC. DRIVEWAY
- CEM. CONC. DRIVEWAY, HES-24 HR
- CEM. CONC. WALK, TYPE 420
- CEM. CONC. WALK, TYPE 420, HES-24
- PAVEMENT REPAIR, CEM CONC CL  
6.5 (1-1/2"), 12" CONC OVER  
MNRL AGG, TYPE 2 6" COMPACTED  
DEPTH PER COS STD PLAN 404g
- SAWCUT, FULL DEPTH
- CURB, TYPE 410C
- CURB, TYPE 410B




**DRAINAGE NOTES:**


- ① TYPE 240D CATCH BASIN PER COS STD PLAN 240
- ② TYPE 250B INLET PER COS STD PLAN 250
- ③ 6" PSD WITH MAX 22° BENDS
- ④ 8" PSD WITH MAX 22° BENDS
- ⑤ ADJUST INLET TO GRADE AND REPLACE GRATE WITH SOLID, LOCKING LID
- ⑥ INSTALL NEW VANED GRATE PER COS STD PLAN 265

**CONSTRUCTION NOTES:**

- ① CONSTRUCT 6' WIDE CEM CONC WITH BRUSH FINISH AND 5' JOINTS SIDEWALK PER COS STD PLAN 420.
- ② CONSTRUCT CEM CONC CURB PER COS STD PLAN 410B.
- ③ CONSTRUCT CEM CONC CURB PER DETAIL 2/D1.
- ④ CONSTRUCT CEM CONC CURB PER COS STD PLAN 410C.
- ⑤ INSTALL ADA RAMP PER COS STD PLAN 422A.
- ⑥ SEE DETAIL 5/D1 FOR SIDEWALK LAYOUT.
- ⑦ INSTALL ADA RAMP PER DETAIL 1/D1.
- ⑧ PROTECT EXISTING POWER POLE.
- ⑨ SAWCUT AND REMOVE EXISTING ACP.
- ⑩ ADJUST EX UTILITY CASTING TO FINISHED GRADE.
- ⑪ RELOCATE AND ADJUST WATER METER BOX TO FINISHED GRADE (BY SPU).
- ⑫ SEE SHEET L1 FOR LANDSCAPE PLAN.
- ⑬ SEE SHEET L1 FOR SIGNING PLAN.
- ⑭ DRIVEWAY PER COS STD PLAN 430A.
- ⑮ DRIVEWAY PER COS STD PLAN 430B EXCEPT WITH ROLLED CURB PER DETAIL 3/D1 AND 4/D1.
- ⑯ SAWCUT, REMOVE, AND REPLACE HMA DRIVEWAY TO MATCH EXISTING.
- ⑰ METRO TO REMOVE AND STORE BENCH AND BUS SHELTER. CONTRACTOR TO COORDINATE WITH METRO 15 DAYS PRIOR TO WORK BEING PERFORMED WITH DREW ROBINSON, 684-2105.
- ⑱ INSTALL TYPE A BUS SHELTER FOOTING PER KC METRO STD PLAN B11.
- ⑲ METRO TO INSTALL SHELTER FRAME PER KCDOT STD PLAN F21.
- ⑳ INSTALL SOLAR GROUNDING FOR BUS SHELTER PER KC METRO STD PLAN D111.
- ㉑ CONTRACTOR TO COORDINATE WITH METRO. METRO TO REMOVE AND STORE TRASH CAN.
- ㉒ PROTECT EX LIGHT.
- ㉓ ADJUST MONITORING WELL TO GRADE.
- ㉔ TEMPORARY CONSTRUCTION EASEMENT.
- ㉕ REMOVE AND REPLACE EXISTING CEMENT CONCRETE PANEL.
- ㉖ NEW POST AND RELOCATION OF EX PUSHBUTTON BY SDOT, PER SPECIAL PROVISION 1-05.14.
- ㉗ ADJUST EX CASTING TO GRADE IN RAMP WING AND INSTALL NON-SKID FRAME AND LID.
- ㉘ 4' X 4' ART PANEL PER DETAIL 1/7.
- ㉙ SPU TO ADJUST FIRE HYDRANT. EXCAVATION AND CONCRETE SHEAR BLOCK TO BE COMPLETED BY CONTRACTOR.  
• STA 6+43: ELEV 17.58, STA 9+13: ELEV 18.27
- ㉚ PROTECT EX ELEC MANHOLE TO REMAIN.
- ㉛ PROTECT EX GATE AND TRACK TO REMAIN.
- ㉜ SIDEWALK GRADE VARIES, SEE GRADING ELEVATIONS TABLE ON SHEET D1



MATCHLINE STA: 7+50



MATCHLINE STA: 7+50

**CALL 2 BUSINESS DAYS BEFORE YOU DIG!**  
1-800-424-5555




**S1**  
**4TH AVE S**  
**SIDEWALK PLAN**

**springline design LLC**  
Civil Engineering | Site Development | Transportation  
3131 Western Avenue, Suite 501 ph 206 957 8311

APPROVED FOR ADVERTISING  
LINNETH RILEY-HALL  
DIRECTOR, CONTRACTING SERVICES DIVISION  
SEATTLE, WASHINGTON . . . . . 20

| NAME OR INITIALS AND DATE           |                  | INITIALS AND DATE   |  |
|-------------------------------------|------------------|---------------------|--|
| DESIGNED G. KISTNER . . . . . 06/11 | REVIEWED:        | PE . . . . . CONST. |  |
| CHECKED C. MIRKIN . . . . . 06/11   | PROJ. MGR.       |                     |  |
| DRAWN T. GEORGE . . . . . 06/11     | RECEIVED:        |                     |  |
| CHECKED C. MIRKIN . . . . . 06/11   | REVISED AS BUILT |                     |  |




City of Seattle  
**Seattle Department of Transportation**  
ORDINANCE NO. 123442 . . . . . APPROVED . . . . .  
FUND: BRIDGING THE GAP . . . . . INSPECTOR'S BOOK . . . . .

**2011 SIDEWALK DEVELOPMENT**

|                           |         |
|---------------------------|---------|
| PC                        | TS4922C |
| R/W                       |         |
| CO                        | TS4922C |
| VAULT PLAN NO.<br>774-759 |         |
| SHEET 51 OF 59            |         |

**LEGEND**

- HMA PAVEMENT
- CEM. CONC. DRIVEWAY
- CEM. CONC. DRIVEWAY, HES-24 HR
- CEM. CONC. WALK, TYPE 420
- CEM. CONC. WALK, TYPE 420, HES-24 HR
- PAVEMENT REPAIR, CEM CONC CL 6.5 (1-1/2"), 12" CONC OVER MNRL AGG, TYPE 2 6" COMPACTED DEPTH PER COS STD PLAN 404g
- SAWCUT, FULL DEPTH
- CURB, TYPE 410C
- CURB, TYPE 410B






**DRAINAGE NOTES:**

- ① TYPE 240D CATCH BASIN PER COS STD PLAN 240
- ② TYPE 250B INLET PER COS STD PLAN 250
- ③ 6" PSD WITH MAX 22° BENDS
- ④ 8" PSD WITH MAX 22° BENDS
- ⑤ ADJUST INLET TO GRADE AND REPLACE GRATE WITH SOLID, LOCKING LID
- ⑥ INSTALL NEW VANED GRATE PER COS STD PLAN 265
- ⑦ REMOVE EX INLET AND CONNECT TO EX 6" WITH SHIELDED FLEX COUPLING
- ⑧ CORE TAP EX 8" PSD BY SPU. CONNECTION BY CONTRACTOR

**CONSTRUCTION NOTES:**

- ① CONSTRUCT 6' WIDE CEM CONC WITH BRUSH FINISH AND 5' JOINTS SIDEWALK PER COS STD PLAN 420.
- ② CONSTRUCT CEM CONC CURB PER COS STD PLAN 410B.
- ③ CONSTRUCT CEM CONC CURB PER DETAIL 2/D1.
- ④ CONSTRUCT CEM CONC CURB PER COS STD PLAN 410C.
- ⑤ INSTALL ADA RAMP PER COS STD PLAN 422A.
- ⑥ SEE DETAIL 5/D1 FOR SIDEWALK LAYOUT.
- ⑦ INSTALL ADA RAMP PER DETAIL 1/D1.
- ⑧ PROTECT EXISTING POWER POLE.
- ⑨ SAWCUT AND REMOVE EXISTING ACP.
- ⑩ ADJUST EX UTILITY CASTING TO FINISHED GRADE.
- ⑪ RELOCATE AND ADJUST WATER METER BOX TO FINISHED GRADE (BY SPU).
- ⑫ SEE SHEET L1 FOR LANDSCAPE PLAN.
- ⑬ SEE SHEET L1 FOR SIGNING PLAN.
- ⑭ DRIVEWAY PER COS STD PLAN 430A.
- ⑮ DRIVEWAY PER COS STD PLAN 430B EXCEPT WITH ROLLED CURB PER DETAIL 3/D1 AND 4/D1.
- ⑯ SAWCUT, REMOVE, AND REPLACE HMA DRIVEWAY TO MATCH EXISTING.
- ⑰ METRO TO REMOVE AND STORE BENCH AND BUS SHELTER. CONTRACTOR TO COORDINATE WITH METRO 15 DAYS PRIOR TO WORK BEING PERFORMED WITH DREW ROBINSON, 684-2105.
- ⑱ INSTALL TYPE A BUS SHELTER FOOTING PER KC METRO STD PLAN B11.
- ⑲ METRO TO INSTALL SHELTER FRAME PER KCDOT STD PLAN F21.
- ⑳ INSTALL SOLAR GROUNDING FOR BUS SHELTER PER KC METRO STD PLAN D111.
- ㉑ CONTRACTOR TO COORDINATE WITH METRO. METRO TO REMOVE AND STORE TRASH CAN.
- ㉒ PROTECT EX LIGHT.
- ㉓ ADJUST MONITORING WELL TO GRADE.
- ㉔ TEMPORARY CONSTRUCTION EASEMENT.
- ㉕ REMOVE AND REPLACE EXISTING CEMENT CONCRETE PANEL.
- ㉖ NEW POST AND RELOCATION OF EX PUSHBUTTON BY SDOT, PER SPECIAL PROVISION 1-05.14.
- ㉗ ADJUST EX CASTING TO GRADE IN RAMP WING AND INSTALL NON-SKID FRAME AND LID.
- ㉘ 4' x 4' ART PANEL PER DETAIL 1/7.
- ㉙ SPU TO ADJUST FIRE HYDRANT. EXCAVATION AND CONCRETE SHEAR BLOCK TO BE COMPLETED BY CONTRACTOR.
  - STA 6+43: ELEV 17.58, STA 9+13: ELEV 18.27
- ㉚ PROTECT EX ELEC MANHOLE TO REMAIN.
- ㉛ PROTECT EX GATE AND TRACK TO REMAIN.
- ㉜ SIDEWALK GRADE VARIES, SEE GRADING ELEVATIONS TABLE ON SHEET D1



CALL 2 BUSINESS DAYS BEFORE YOU DIG! 1-800-424-5555



S2  
4TH AVE S  
SIDEWALK PLAN

springline design LLC  
Civil Engineering | Site Development | Transportation  
3131 Western Avenue, Suite 501 ph 206 957 8311

APPROVED FOR ADVERTISING  
LINNETH RILEY-HALL  
DIRECTOR, CONTRACTING SERVICES DIVISION  
SEATTLE, WASHINGTON . . . . . 20

|                                     |                            |
|-------------------------------------|----------------------------|
| DESIGNED G. KISTNER . . . . . 06/11 | REVIEWED: . . . . .        |
| CHECKED C. MIRKIN . . . . . 06/11   | PE . . . . . CONST.        |
| PROJ. MGR. . . . .                  |                            |
| DRAWN T. GEORGE . . . . . 06/11     | RECEIVED . . . . .         |
| CHECKED C. MIRKIN . . . . . 06/11   | REVISED AS BUILT . . . . . |

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.





City of Seattle  
Seattle Department of Transportation  
ORDINANCE NO. 123442 . . . . . APPROVED . . . . .  
FUND: BRIDGING THE GAP . . . . . INSPECTOR'S BOOK . . . . .

2011 SIDEWALK DEVELOPMENT

PC TS4922C  
R/W  
CO TS4922C  
VAULT PLAN NO.  
774-759  
SHEET 52 OF 59





MATCHLINE STA: 7+50

**GENERAL NOTES:**

- WHERE EXISTING PAVING WITHIN PROJECT LIMITS IS TO REMAIN, EXISTING LANE MARKERS ARE TO BE REMOVED AND EXISTING LANE STRIPING TO BE GROUND OUT AND BE REMOVED PRIOR TO NEW LANE STRIPING WORK.

**CHANNELIZATION LEGEND**

**L-8T** THERMOPLASTIC 8" CROSSWALK PER COS STD PLAN 712

**LANDSCAPING NOTES:**

- ALL TREE LOCATIONS TO BE FIELD STAKED BY THE CONTRACTOR FOR APPROVAL BY THE ENGINEER PRIOR TO PLANTING.
- NO TREES SHALL BE PLANTED WITHIN 5 FT OF EXISTING GAS OR WATER MAINS.

**LEGEND:**

- HYDROSEEDING
- 1 3/4" - 2" CAL. ULMUS PARVIFOLIA 'EMER 1' 'ATHENA ELM'

| SIGN SCHEDULE |             |                           |         |          |           |         |           |           |
|---------------|-------------|---------------------------|---------|----------|-----------|---------|-----------|-----------|
| SIGN NO       | DESIGNATION | COMMON NAME               | STATION | OFFSET   | SIGN SIZE | FACING  | REMARK    | POST TYPE |
| S1            | R-404       | BUS SIGN                  | 3+86.8  | 43.9' LT | -         | N,S     | REINSTALL | --        |
| S2            | D3-1        | STREET NAME SIGN          | 11+51.2 | 45.8' LT | 24" x 12" | N,S,E,W | REINSTALL | TS-10     |
| S3            | R1-1        | STOP                      | 11+56.8 | 50.6' LT | 24" x 18" | E       | REINSTALL | TS-10     |
|               | R7-WI30     | NO PARKING WITHIN 30 FEET |         |          |           | E       |           |           |

| DATE    | MARK | NATURE    | REVISIONS |
|---------|------|-----------|-----------|
| 3/24/13 |      | MADE CHKD | REV'D     |

MATCHLINE STA: 7+50

L1  
4TH AVE S  
LANDSCAPE,  
CHANNELIZATION  
AND SIGNING PLAN


springline design LLC  
Civil Engineering | Site Development | Transportation  
3131 Western Avenue, Suite 501 ph 206 957 8311

APPROVED FOR ADVERTISING  
LINNETH RILEY-HALL  
DIRECTOR, CONTRACTING SERVICES DIVISION  
SEATTLE, WASHINGTON . . . . . 20

BY: \_\_\_\_\_  
PURCHASING AND CONTRACTING SERVICES DIRECTOR

|                                      |                                    |
|--------------------------------------|------------------------------------|
| NAME OR INITIALS AND DATE            | INITIALS AND DATE                  |
| DESIGNED: G. KISTNER . . . . . 06/11 | REVIEWED: . . . . . CONST. . . . . |
| CHECKED: C. MIRKIN . . . . . 06/11   | PROJ. MGR. . . . .                 |
| DRAWN: T. GEORGE . . . . . 06/11     | RECEIVED . . . . .                 |
| CHECKED: C. MIRKIN . . . . . 06/11   | REVISED AS BUILT . . . . .         |

ALL WORK DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 0-02.3 OF THE PROJECT MANUAL.



City of Seattle  
**Seattle Department of Transportation**

ORDINANCE NO. 123442 . . . . . APPROVED . . . . .  
FUND: BRIDGING THE GAP . . . . .  
INSPECTOR'S BOOK . . . . .



2011 SIDEWALK DEVELOPMENT

PC TS4922C  
R/W  
CO TS4922C  
VAULT PLAN NO.  
774-759  
SHEET 55 OF 59