

City of Seattle Department of Construction and Inspections www.seattle.gov/sdci

SCREENING STANDARDS

New Single Family
INDEX 8

Applicant Services Center 700 Fifth Avenue, Suite 2000 P. O. Box 34019 Seattle, WA 98124-4019 Phone: (206) 684-8850

New Single Family - General Responsibilities

Screening Responsibilities: These standards are all required for a complete application and prior to routing for a review, but individually, are not a reason to reject an application. The screener must look at all aspects of a project submittal and determine whether the combination of missing items can be added during the intake time constraints.

"Project stoppers" are corrections that require a substantial redesign.

Applicants are responsible for insuring that their submittal meets this checklist and standards prior to intake. The limited time of intake is not intended for applicants to complete their application materials.

<u>O/S Screener:</u> Responsible for completeness of plans and submittals for building, energy/mechanical reviews, building code items (stories and basements, type of construction, occupancy groups), fees, identifying review locations, O/S IP hours and in coordination with the U Screener the Project Description.

<u>LU Screener</u>: Responsible for completeness of plans and submittals for Zoning Review including easements, No Protest Agreement, etc. Use per Land Use Code, Land Use review locations, Zoning IP hours and in coordination with the O/S Screener the Project Description.

New Single Family - General Requirements

Screening Overview (SCOPING):

Cover Sheet Completed

- Project Address matches the Address assigned by Seattle DCI
- <u>All</u> portions of coversheet completed including contact information, related projects, floor area, grading, page where information is indicated on the plans, Energy/Mechanical Code Compliance information, etc. Check for forms if Target UA or Systems Analysis is used.

Forms - all forms must be completed (Including but not limited to)

- Financial Responsibility Form
- Construction Stormwater Checklist
- Equipment Sizing Form
- Waste Diversion Plan (Projects with an area of work greater than 750 square feet)
- Deconstruction & Salvage Assessment (Projects involving demolition with a work area greater than 750 square feet)
- No Protest Agreement if the street is not developed with curbs, sidewalk, etc.
- Pre-application Site Inspection Report
- Target UA Form or Systems Analysis Calculations if selected on coversheet
- Water Availability Form

Project matches Addressing Review

- Legal description matches legal description reviewed by Addressing
- Plot Plan matches Plot Plan reviewed by Addressing
- Address on all sheets match Seattle DCI Project Address

Plot Plan. Floor Plan and Elevations agree

All Plans and notes indicated in Screening Checklist are included

Plans are Microfilmable

- Good Contrast
- Minimum ¼" inch for all other plans
- Minimum 1/8" lettering (if handwritten)
- Minimum 1/8" or 1:10 for plot plan

Number of Plans Required

- Two identical sets of plans with complete coversheets and stapled
- Two additional Plot Plans

Structural Calculations Included

Note: required for all projects with structures less than 20' in width, of unusual shape or of unusual framing excluding one story accessory structures.

Revised 01/01/2016 Page 2 of 10

Architectural and Structural Notes - unless specified on details or other plans

Req	Prov	
\boxtimes		Identify Building Code Editions (such as year, including amendments)
Desig	gn Loa	ads Notes
		Floor dead load and live load
Ħ	同	Roof dead load and live load
	Ħ	Wind exposure and speed
	Ħ	Seismic zone
	H	Soil bearing pressure
	님	Equivalent fluid pressure
Four	dotio	Notes
	luatioi	
	片	Concrete strength and mix
	님	Reinforcing steel grade placement and protection
		Anchor bolt size, spacing and washer/plate size
	ning N	
	닏	Species and grade of beams, headers, joist, rafters, columns, studs & miscellaneous
\bowtie	닏	Sheathing type, grade and index
×		Manufactured trusses
\boxtimes		Nailing and blocking
\bowtie		Stairway headroom and handrail specifications
\bowtie		Guardrail height, intermediate rail and design strength
Mech	nanica	I & Ventilation Notes
		Source specific fan sizes (if not specified on floor plans)
$\overline{\boxtimes}$	\Box	Duct work gauge between garage and living spaces
$\overline{\boxtimes}$	一	Whole house ventilation method (exhaust only, integrated forced air, etc.) include
	_	size, sone rating and controls
Ener	gy No	
\boxtimes		Identify Code Edition (such as year, including amendments)
Ħ	Ħ	Heated floor area (gross)
	H	Area of exterior doors
	H	Area of glazing in walls
	H	Area of skylights
	片	· ·
		Glazing percent (all glass)
		CODE ANALYSIS AND DOCUMENTATION – may be on page with Plot Plan
Lot	Covera	
	님	Show area calculations of all principal and accessory structures
	님	Identify allowed lot coverage
\boxtimes	Щ	Identify proposed lot coverage
		Identify exceptions used (i.e. 18" overhang including gutter)
Struc	ct <u>ur</u> e l	Height Programme Control of the Cont
\boxtimes		Identify maximum structure height allowed
\boxtimes		Identify proposed structure height
		Identify exceptions used (i.e. pitched roof, rooftop features, sloped lot height bonus)
Slop	ing lot	height bonus documentation (calculate to nearest inch)
		Show calculations for average elevations of low grade wall
$\overline{\boxtimes}$	Ī	Show calculations for average elevation of high grade wall
$\overline{\boxtimes}$	Ħ	Show calculations for difference between average high and average low elevations
Revised 01/0	01/2016	Page 3 of 10

Architectural and Structural Notes - continued

LAND USE CODE ANALYSIS AND DOCUMENTATION - continued

Req	Prov			
Slopi	Sloping lot height bonus - continued			
		Identify distance between average low point and average high point		
\boxtimes		Show calculations for slope on lot (difference in average elevations divided by		
		distance between these points)		
\boxtimes		Show calculations for additional height allowed (slope of lot divided by .06)		
Plot	Plan			
Gene	eral Info	<u>ormation</u>		
		Project site address		
\bowtie		Scale 1" = 10' or 1/8" = 1'		
	同	Legal description(s) (include easement legal description and recording number)		
Ħ	Ħ	Existing and proposed assembnt location and dimensions (side yard ingress &		
		egress, pedestrian access, etc.)		
\boxtimes		King County Assessor's Parcel Number (APN)		
	H	North arrow		
	H	Identify and dimension all property lines. Show their bearings		
Stroc	at and a	llev information		
		Names and right-of-way width(s) of adjacent streets		
	H	Identify elevation at center of developed roadway		
	H	Stroot and allow right of way width		
	Η	Street and alley right-of-way width		
	Ш	Street, alley improvement type and width (asphalt, concrete, gravel, 24' wide or		
		specify "unimproved") Sidewalls type width distance from property line (a) or appoints "pe sidewalls"		
	님	Sidewalk type, width, distance from property line(s) or specify "no sidewalk"		
	님	Curb height and type (concrete, asphalt, rolled, etc. or specify "no curbs")		
	\vdash	Curbcut width and distance from adjacent property lines		
		Label curbcuts as "existing" or "proposed"		
\boxtimes		Sidewalk type and width or specify "no sidewalk"		
\boxtimes		Identify all physical restrictions to site access (utility poles, rockeries, street trees,		
		Metro Bus Stops, etc)		
<u>Utilit</u>	<u>ies – sł</u>	egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings Illey information Names and right-of-way width(s) of adjacent streets Identify elevation at center of developed roadway Street and alley right-of-way width Street, alley improvement type and width (asphalt, concrete, gravel, 24' wide or specify "unimproved") Sidewalk type, width, distance from property line(s) or specify "no sidewalk" Curb height and type (concrete, asphalt, rolled, etc. or specify "no curbs") Curbcut width and distance from adjacent property lines Label curbcuts as "existing" or "proposed" Sidewalk type and width or specify "no sidewalk" Identify all physical restrictions to site access (utility poles, rockeries, street trees, Metro Bus Stops, etc) Now existing and proposed Sewer mains (sanitary only or combination)		
\boxtimes		dewer mains (samilary only of combination)		
\boxtimes		Storm drains and catch basins		
		Water mains, fire hydrants and water meter		
\boxtimes		Utility poles (light, power, streetlight, signals, and transit)		
		Stormwater disposal system or detention not linear term of the system of detention not linear terms of the system of detention not linear terms of the system of detention not linear terms of the system of the sys		
Deve	lopmer	nt Information		
\boxtimes		Dimension distances from all portions of the building to front, side and rear property		
		lines		
		If front yard averaging dimensions distances from all portions of building to front		
		property line on adjacent sites used in averaging calculations		
		Dimension and label all newtons of the atmost up (exterior walls need to also		
		Dimension and label all portions of the structure (exterior walls, porches, decks,		
\bowtie		Dimension and label all portions of the structure (extend) walls, porches, decks,		

Revised 01/01/2016 Page 4 of 10

Plot Req	Plan Prov	- continued
Deve	elopme	nt Information - continued
		Identify accessory structures and dimension distances from other structures and property lines.
		Dimension distances between structures on property
		Label and dimension surface parking space(s) driveways
		Identify existing and finished grade elevation of driveway at property line
		Identify finished grade elevation at garage
	Ш	Label and dimension rockeries, site retaining walls, fences, arbors, trellises, patios, walkways, etc.
\square		Locate and dimension all window wells, fireplaces, chimneys, etc.
	H	Show and identify existing trees
X	ht deta	Caliper and species of exceptional and significant trees
Heig	ht deta	<u>iils</u>
\boxtimes		Identify existing and finished grade at each building corner
\boxtimes		For pitched roofs – identify elevation at top of plate, top of roof peak(s), (top of roof
		decks if applicable)
\boxtimes	Ш	For flat roofs – identify elevation at top of roof structure, top of roof decks if applicable)
Addi	itional	requirements – Sloping lot height bonus details
		Locate and identify the average elevation point on high grade wall
$\overline{\boxtimes}$		Locate and identify the average elevation point on low grade wall
		Show and dimension line between average high point and average low point
\boxtimes		Provide topographic survey with 2' contours (minimum) by licensed surveyor
Floo	or Plar	า
Req	Prov	
Gen	eral Inf	<u>ormation</u>
		North arrow
		Scale $\frac{1}{4}$ " = 1'
		Label floor level (1 st , 2 nd , basement, etc.)
	H	Use of each room If framing is shown, identify which floor level framing (i.e. 1 st floor plans, 2 nd floor
	Ш	framing)
\boxtimes		Reference call outs for cross sections and details
	r plan i	<u>information</u>
		Overall dimensions (exterior wall to exterior wall)
\boxtimes		Dimension location of all interior walls and columns, from each other and from
		outside of exterior walls
\bowtie		Location of interior and exterior doors and windows

Revised 01/01/2016 Page 5 of 10

Dimension exterior door size and specify u-value Show direction of all door swings

Floor plan information - continued				
Req	Prov			
		Identify egress window(s), dimension sill height, net open area, clear open width, clear open height		
\boxtimes		Show details of the fire barrier required between attached garage and dwelling Dimensions for window sizes on plan or provide schedule. Include height, width,		
\boxtimes		type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)		
		Locate all smoke detectors		
\boxtimes		Locate exhaust fans		
\boxtimes	Ш	Attic access location and size		
\boxtimes		Water heater location		
\boxtimes		Furnace location		
\boxtimes		Kitchen sink, refrigerator, cooking appliances location		
X	Н	Toilet, bathing, sink location		
	\square	Fireplace, bay windows, etc. location and dimensions		
	H	Location of rated walls and reference to details		
	H	Show decks, porches, landings, etc. Identify partial height walls		
Stair i	nform			
N /		Locate stairs		
	H	Dimension width and landing size		
	H	Indicate rise and run		
X	H	Handrail information		
X	一	Guardrail information		
Ħ	一	Headroom height		
Ħ	П	Winding stair requirements (if used)		
Ħ		Spiral stair requirements (if used)		
Elevat	tion \	/iews		
General Information				
		Scale 1/4' = 1'		
\boxtimes		Show and label north, south, east, and west elevation views		
\boxtimes		Show and label existing and finished grade lines		
\boxtimes		Show and dimensions exterior architectural features (garden windows, bay		
		windows, etc.)		
\boxtimes		Show window wells		
\boxtimes		Slope of pitched roofs		
		Location of doors and windows		
\bowtie		For pitched roofs – dimension height from existing or finished grade, whichever is		
		lower to top of plate, top of roof, top of roof peak, top of roof decks (if applicable) at		

Revised 01/01/2016 Page 6 of 10

each building corner

Elevation Views

Gene	eral Info	ormation - continued
Req	Prov	For flat roofs – dimension height from existing or finished grade, whichever is lower
\boxtimes		to top of roof structure, top of roof decks (if applicable) at each building corner Height of yard exceptions (decks, porches, stairs) from existing or finished grade whichever is lower
\boxtimes		Height of cantilevered portions of structure from grade Height of chimney above structures within 10' Details of open railings on decks if yard or height exceptions used
Foun	dation	n Plan
Req	Prov	
Gene	eral Info	ormation
		North Arrow
		Scale ¼" = 1' Reference callouts for cross sections and details
Foot	ing and	I foundation information
		Overall dimensions Location and dimensions of columns from each other Dimension and locate spread footings. Specify reinforcement type and quantity
		Dimension continuous footings and foundation walls (width, height) or reference detail Thickness of slab Window wells construction information Crawl space vent size and location Crawl space access (location and size) Show posts below first floor framing Locate and identify all steps in footing and / or foundation Show hold-down location and size Show all first floor framing (size and span of beams and joists, direction of joists) Show all cripple walls Show all shearwall / braced wall panels and indicate construction
	r Fram	ing Plans
Gene	eral Info	ormation_
		North arrow Scale ¼" = 1' Reference call outs for cross sections and details Identify floor (1 st floor, 2 nd floor, etc.) and framing level
Fran	ning inf	ormation Size and spacing of framing members (i.e. joists, beams) Size and span of headers, beams, etc.

Revised 01/01/2016 Page 7 of 10

Req	Prov		INDEX 8	
Frami	ing info	rmation - continued		
		Dimension and size of framing around openings in floors, ceilir horizontal diaphragms Locate all bearing walls and supporting floor framing	ngs, and other	
\boxtimes		Locate all bearing walls and bearing points from above Locate and identify all structural discontinuities, cantilever, offs level changes, etc.	et bearing walls, fl	oor
		Show hold-downs, or straps location and size Show all ledger connections Identify all shearwall and braced wall panels and their schedule	e	
	 Framiı	ng Plans		
Gene	ral Info	rmation		
		North arrow		
		Scale 1/4' = 1'		
		Reference call outs for cross sections and details		
	ng infor	mation onventional framing		
\boxtimes		Specify ridge beam size and span		
\boxtimes		Show location of collar ties (if used)		
\boxtimes		Specify rafter size, spacing, and span		
\bowtie		Specify header sizes and span		
	If usi	ing pre-manufactured trusses		
\boxtimes	\vdash	Location of girder truss, hip master	and ata)	
	For a	Specify truss span, spacing, type (common, scissor, gable all framing types	end, etc.)	
		Show all bearing members below (walls, beams, headers span	, etc.) giving size	and
		Specify size of framing around roof openings		
	닏	Indicate pitch of roof(s)		
		Location of roof openings (skylights, chimneys, etc.) Dimension all eaves		
Buildi	ing Se	ction		
	_	Section" is a cross-sectional view (exterior wall to exterior ridge), intended to illustrate the vertical relationship of significa	, •	•
\boxtimes		Min. 1/4"=1'-0" scale.		
\boxtimes		Reference call-outs to construction details.		
		Dimension distance from floor to floor.		
\boxtimes		Ceiling height dimensions. (When using sloped ceiling pro	vision, provide de	tailed
\square		dimensions)		
	H	Detailed dimensions if collar ties used.		
	H	Specify roof pitch / slope. Illustrate unusual conditions (lofts, raised floor areas, unusual	al ceiling configura	tions
		etc.)	Johning Johningula	,

Revised 01/01/2016 Page 8 of 10

Watch For:

- 1. Floor plans must show the location of the section cut and reference the Building Section.
- When multiple conditions are proposed and clarity is critical in order to show code compliance (such as unusual ceiling conditions), multiple building sections or partial sections may be appropriate.
- 3. Detailed information, such as insulation levels or a stair section, may be on the Building Section as long as the proposal is <u>clear</u>.

Construction Details

A "Construction Detail" is an enlarged view (usually sectional) of a critical construction element, intended to clearly show code conformance.

Req	Prov	
Gener	al Infor	<u>mation</u>
		Minimum $\frac{1}{4}$ " = 1' (3/4" = 1' or larger is commonly used for construction detail so detail is clearly presented)
Stair [<u>Detail</u>	
		Rise and run dimensions (Winders, spirals, or other unusual stairways may require a detail plan as well).
\boxtimes		Dimension headroom height
$\overline{\boxtimes}$		Handrail information (grasp requirements, extensions, and returns)
$\overline{\boxtimes}$		Guardrail information (height and spacing of intermediate rails)
\square		Fire protection under stair (if enclosed)
Typica	I Wall S	ection (extending from roof to foundation/basement wall)
Roof D	etail	
\boxtimes		Dimension eave
\boxtimes		Show gutter, specify type
\boxtimes		Specify roof insulation, R-value, and type
		Show fire protection at eave (if appropriate)
Wall D	etail	
\boxtimes		Size and number of top and bottom plates
\boxtimes		Stud sizing and spacing
\boxtimes		Exterior side: Siding, weather protection, structural sheathing (thickness and material), Veneer type (brick, stone) thickness, and attachment. Fire resistive
		assembly if appropriate.
\boxtimes		Interior side: Insulation R-value and type; Wall covering material and thickness (usually gypsum wall board)
Floor [Detail	(addaily gypodin waii bodid)
		Sheathing material and thickness
	Ħ	Location of framing members
	Ħ	Foundation information or reference to separate detail
X	H	Crawl space heights
	Ħ	Visqueen material and thickness
	H	Perimeter slab and below grade wall insulation and R-value if applicable
	ш	. Similar side and bolon grade training date in value in applicable

Revised 01/01/2016 Page 9 of 10

Construction Details - continued

Req	Prov			
Foun	Foundation/Basement Wall/Retaining Wall Details			
\boxtimes		Fully dimension		
Ħ	Ħ	Detail all differing conditions (reference to detail required on foundation plan)		
Ħ	Ħ	Specify footing depth below grade		
	Ħ	Specify maximum backfill		
Ħ	Ħ	Indicate depth of cut in relationship to property line		
	H	Specify re-bar location and size		
	H	Specify sill plate size and material		
	H	Specify anchor bolt size and spacing and washer size		
	H	Footing drain location, size (at exterior wall)		
M		Spread footing detail(s) – post size, connections to footing, framing above		
	rwall D			
Snea	rwali D			
		Show all Shearwall / Braced wall Panels, show construction and assembly details		
<u>Snea</u>	rwali 5	<u>chedule</u>		
X	닐	Sheathing material, thickness		
\boxtimes	\Box	Required nail size, spacing		
\boxtimes		Top and bottom plate connection to diaphragm		
\boxtimes		Design capacity		
\boxtimes		Floor to floor transfer details (hold down strap details)		
\bowtie		Diaphragm to shearwall connections		
Miscellaneous Details				
\boxtimes		Rockery / ecoblock cross section		
\boxtimes		Collar tie connection details if not provided somewhere else in plan set		
		Rated wall construction details		
$\overline{\boxtimes}$	\Box	Masonry veneer connection detail if not shown on wall details		
Ħ	一	Ledger connection (member size, connection size, spacing) if not provided on		
K		framing plan		
\boxtimes		Greenhouse connection if not included elsewhere in the plans		
	Ш	C. Co. III C.		

Watch For:

- 1. Excavation exceeding 1H:1V from a property line may require a cross-sectional detail. When necessary, bottom of footing elevations may be required on the Foundation Plan.
- 2. If an **elevator** is proposed, a detail section of the elevator shaft is required.
- 3. If a masonry fireplace is proposed, a detail section of the fireplace and chimney is required.

Revised 01/01/2016 Page 10 of 10