

Group 1 Code Change Petitions - 2024 IFC

	Proponent	Contact	Code	Chapter	Section	Subject	Log Number	Petition Revisions	TAG Action	Committee Action	Council Action	NOTES:
1	IFC TAG	Ken Brouillette	IFC	1	105.5.56	Temporary heating or cooking in wildfire risk areas	24-GP1-006		Proponent has withdrawn petition	NA	NA	
2	Carsten Jonas	Carsten Jonas	IBC/IFC	9	202, 902.1 907.4.2.5.1	General Definitions, Definitions, Break-glass covers	24-GP1-121	24-GP1-121-R1	After Discussion @ 10/15 Meeting. Proponent withdrew petition	NA	NA	24-GP1-121_SupportDoc
3	IFC TAG	Ken Brouillette	IFC	40	903.2.9.3 & 4004.4	Group S-1 distilled spirits or wine. Bulk beverage storage areas.	24-GP1-007		Withdrawn by proponent @ 10/22 Meeting	NA	NA	
4	IFC TAG	Ken Brouillette	IFC	40	903.2.9.3 and 4004.4	Group S-1 distilled spirits or wine. Bulk beverage storage areas.	24-GP1-028		Withdrawn by proponent @ 10/22 Meeting	NA	NA	
5	Patrick Hanks	Patrick Hanks	IFC	41	4104.2	Open Flame Cooking Devices	24-GP1-070		Withdrawn by proponent @ 10/22 Meeting	NA	NA	
6	Ken Brouillette	Ken Brouillette	IFC	O	Appendix O	Valet Trash and Recycling Collection in Group R-2 Occupancies	24-GP1-002		Recommended for Not Adopt @ 10/22 Meeting	NA	NA	
7	IFC TAG	Dave Kokot	IFC	1	104.2.3	Alternative Materials, Design, and Methods of Construction and Equipment	24-GP1-008	24-GP1-008-R1	Unanimous: Recommend for Adoption as modified @ Oct 1 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
8	IFC TAG	Ken Brouillette	IFC	1	105.5.56	Temporary heating or cooking in wildfire risk areas	24-GP1-027		Unanimous: Recommend for Adoption @ Oct 1 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
9	Ken Brouillette	Ken Brouillette	IFC	2	202	General Definitions	24-GP1-001		Recommend for Adoption @ Oct 1 Meeting. 1 Opposing Vote	9/13/24 BFRW Committee Recommended For Adoption		Include in Issue Paper delivered to Standing Codes Committee
10	IFC TAG	Dave Kokot	IFC	3	307.4.2	Recreational Fires	24-GP1-012		Unanimous: Recommend for Adoption @ Oct 1 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
11	IFC TAG	Dave Kokot	IFC	4	403.11.3	Crowd Managers	24-GP1-013		Unanimous: Recommend for Adoption @ Oct 1 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
12	IFC TAG	Dave Kokot	IFC	4	406.1	General	24-GP1-014		Unanimous: Recommend for Adoption @ Oct 1 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
13	Ken Brouillette	Ken Brouillette	IFC	3	320.4, 320.4.1 (New), 320.4.1, 320.4.1.2 (New), 320.4.1.3 (New), 320.4.2.3	Storage requirements, Limited indoor storage in containers, Used or unwanted battery collection, Waste storage, Miscellaneous storage, Fire Protection systems	24-GP1-041	24-GP1-041-R1	Unanimous: Recommend for Adoption of modified petition @ Oct 8 Meeting. 1 Abstention	9/13/24 BFRW Committee Recommended For Adoption		
14	Ken Brouillette	Ken Brouillette	IFC	3	320.4.3, 320.4.3.1 (New), 320.4.3.1, 320.4.3.2, 320.4.3.3, 320.4.3.5 (New), 320.4.3.6 (New)	Outdoor Storage, Technical opinion and report, Distance from storage to exposures, Storage area size limits and separation, fire detection, Containers, Weather protection	24-GP1-042	24-GP1-042-R1	Unanimous: Recommend for Adoption of modified petition @ Oct 8 Meeting. 1 Abstention	9/13/24 BFRW Committee Recommended For Adoption		

15	IFC TAG	Ricky Campbell	IFC	5	503	Fire Apparatus access Roads	24-GP1-083	24-GP1-083-R1	Unanimous: Recommend for Adoption of modified petition @ Oct 8 Meeting. 1	9/13/24 BFRW Committee Recommended For Adoption		
16	Ricky Campbell	Ricky Campbell	IFC	9	904	Alternative Automatic Fire-Extinguishing Systems	24-GP1-102	24-GP1-102-R1	Unanimous: Recommend for Adoption modified petition @ Oct 8 Meeting. 2 Abstentions	9/13/24 BFRW Committee Recommended For Adoption		Empire Comment Letter RedHawk Comment Letter
17	BIAW	Patrick Hanks	IFC	1	104.2.4	Modifications	24-GP1-069	24-GP1-069-R1 24-GP1-069-R2	At 10/1 meeting, TAG Requests Proponent Revise Petition. At 10/15 meeting revised petition is further revised, Unanimous: recommended for adoption	9/13/24 BFRW Committee Recommended For Adoption		
18	Ken Brouillette	Ken Brouillette	IFC	6	New 611	Electric Vehicle Charging Stations	24-GP1-046		Unanimous: Recommended for Adoption @ 10/15 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
19	IFC TAG	David Mow	IBC/MC/IFC	9	IFC 909.12.2, IBC 909.12.2, IMC512.12.2	Fire Alarm Wiring within continuous raceways for Smoke Control/Pressurization Systems	24-GP1-074		Unanimous: Recommended for Adoption @ 10/15 Meeting. CorrelationWG on 11/19/24 No revisions	9/13/24 BFRW Committee Recommended For Adoption		Proponent Comment
21	Ken Brouillette	Ken Brouillette	IFC	11	1107, 1107.1, 1107.1.1, 1107.1.2	Lithium-ion technology energy storage systems, Early detection, Corrective action plan	24-GP1-044		Unanimous: Recommended for Adoption @ 10/15 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
22	Ken Brouillette	Ken Brouillette	IFC	11	1107, 1107.1, 1107.1.1, 1107.1.2	Lithium-ion technology energy storage systems, Early detection, Corrective action plan	24-GP1-045		Unanimous: Recommended for Adoption @ 10/15 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
23	WABO	Quyen Thai	IFC	12	1207	Electrical Energy Storage System	24-GP1-048	24-GP1-048-R1	Discussed @ 10/15 Meeting. Unanimous: Recommend for adoption as modified.	9/13/24 BFRW Committee Recommended For Adoption		
24	IFC TAG	Hugo Sotelo	IFC	39	3905.3.1	Extraction processes using Flammable or combustible liquids or gasses	24-GP1-079	24-GP1-079-R1	Discussed @ 10/15 Meeting. Unanimous: Recommend for adoption as modified.	9/13/24 BFRW Committee Recommended For Adoption		
26	Dave Kokot	Dave Kokot	IFC	40	202 and 4004.4	Separate Systems and Bulk beverage storage areas	24-GP1-040	24-GP1-040-R1	Unanimous: Recommended for Adoption as modified @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
27	IFC TAG	Ken Brouillette	IFC	41	319.1 and 4106.1	Mobile food preparation vehicles, General	24-GP1-059		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
2	IFC TAG	Hugo Sotelo	IFC	41	4101.1.1	Use Period	24-GP1-080		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
29	IFC TAG	Hugo Sotelo	IFC	41	4101.8	Refueling of Flammable and Combustible Liquid-Fueled Equipment	24-GP1-081		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
30	IFC TAG	Hugo Sotelo	IFC	41	4106.6	Solid Fuel	24-GP1-082	24-GP1-082-R1	Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
31	IFC TAG	Ken Brouillette	IFC	53	5306.5	Medical gas systems and equipment	24-GP1-029		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
32	IFC TAG	Dave Kokot	IFC	57	5704.2.11	Underground Tanks	24-GP1-020	24-GP1-020-R1	Unanimous: Recommended for Adoption as modified @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		

33	IFC TAG	Dave Kokot	IFC	57	5706.5.4.5	Commercial, industrial, governmental or manufacturing	24-GP1-021		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
34	IFC TAG	Dave Kokot	IFC	57	5707	On-Demand Mobile Fueling Operations	24-GP1-022		Unanimous: Recommended for Adoption @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
35	IFC TAG	Dave Kokot	IFC	80	Chapter 80	Referenced Standards	24-GP1-010	24-GP1-010-R1	Unanimous: Recommended for Adoption as modified @ 10/22 Meeting	9/13/24 BFRW Committee Recommended For Adoption		
38	Spokane Fire Dept.	Dave Kokot	IFC	11	1103.5.7 (New)	Bulk Storage of Tires	24-GP1-039	24-GP1-039-R1	Discussed @ 10/15 Meeting. Referred back to proponent for modification. @ 10/29 meeting, Unanimous: Recommended R1 for Adoption	9/13/24 BFRW Committee Recommended For Adoption		24-GP1-039_LCCA
39	Spokane Fire Dept.	Dave Kokot	IFC	9	909.20.6.4 (New)	Separate Systems	24-GP1-009	24-GP1-009-R1	Discussed at 10/8 meeting referred back to proponent for modification. @ 10/29 meeting, Unanimous: Recommended R1 for Adoption	9/13/24 BFRW Committee Recommended For Adoption		24-GP1-009-Comments 24-GP1-009-Response
40	Amerex Corp.	Jamie Knowles	IFC	9	904.1.1	Certification of Service Personnel for Fire-Extinguisher Equipment	24-GP1-072	24-GP1-072-R1 24-GP1-072-R2	At 10/8 meeting TAG Asked for further work on petition. @ 10/29 meeting, Unanimous: recommended R2 for adoption	9/13/24 BFRW Committee Recommended For Adoption		
36	Ken Brouillette	Ken Brouillette	IBC/IFC	9	903.2.8.4 & 903.2.8.5	Group R-3 Occupancies 4 stories or less above grade plane. Group R-3 Occupancies less than 60 feet in height	24-GP1-091	24-GP1-091-R1 24-GP1-091-R2 24-GP1-091-R3 24-GP1-091-R4 24-GP1-091-R5	Introduced @ 10/15 Meeting. Referred to Correlation Group @ 10/29 Meeting. R2 heard at 11/25 Correlation Meeting R3 Created. 12/3 Meeting R3 Modified, Unanimous: R4 recommended for adoption. At 12/12 IBC meeting Editorial Changes Made and R5 Created.	9/13/24 BFRW Committee Recommended For Adoption		
20	Ken Brouillette	Ken Brouillette	IBC/IFC	9	IFC 202, 915, 1103.9 IBC 915	General Definitions, Carbon Monoxide Detection	24-GP1-071	24-GP1-071-R1 24-GP1-071-R2 24-GP1-071-R3 24-GP1-071-R4	Recommended for Adoption @ 10/15 Meeting. 11/19 Correlation Meeting Created R-2. 12/3 Meeting, Unanimous: Recommend Adoption of R2. At 12/12 IBC Meeting Created R3.	9/13/24 BFRW Committee Recommended For Adoption 12/20/24 BFRW Committee Revision 4 Recommended for Adoption		
25	Ken Brouillette	Ken Brouillette	IBC/IFC	12	1207, 1203, & 907.2.23	Electrical Energy Storage System	24-GP1-117	24-GP1-117-R1 24-GP1-117-R2	Unanimous: Recommended for adoption @ 10/22 meeting. Heard again after correlation meeting on 11/25. R2 created at 12/3 meeting. Unanimous: recommended for adoption.	9/13/24 BFRW Committee Recommended For Adoption		

37	Carsten Jonas	Carsten Jonas	IBC/IFC	10	1013.7	International-Standardized Pictogram for Exit Signs	24-GP1-119	24-GP1-119-R1 24-GP1-119-R2 24-GP1-119-R3	Discussed @ 10/15 Meeting and referred back to proponent for modification. Discussed @ 10/29 meeting, Unanimous: R3 Recommended for Adoption. After 11/19 Correlation meeting no changes made and motion from 10/29 stands.	9/13/24 BFRW Committee Recommended For Adoption		24-GP1-119_SupportDoc
42	WABO	Jenifer Gililand	IBC/IFC	10	1008.2.1	Measurement of illumination on stairways	24-GP1-062	24-GP1-062-R1	tabled until after Correlation Meeting. 11/19 Correlation Meeting recommend R1 Back to TAGs. R1 Heard at 12/3 meeting and recommended for adoption	9/13/24 BFRW Committee Recommended For Adoption		
41	IFC TAG	Ricky Campbell	IFC	5	510	Emergency Responder Communications Enhancement Systems	24-GP1-084	24-GP1-084-R1 24-GP1-084-R2	10/8 Convenework Group to further review petition sections identified in Section 5. Heard R2 at 12/3 Meeting and recommended for adoption.	9/13/24 BFRW Committee Recommended For Adoption		