

**INDEX**

**Note: Bold/Italicized Sections**

Selected sections are bold/italicized where they may be particularly helpful for understanding the use of the term.

**Section Key**

For each section number, the initial letter indicates the relevant code or chapter as follows:

- C: 2021 Seattle Commercial Energy Code.
- R: 2021 Seattle Residential Energy Code.
- A, B, D, or E: Washington State Energy Code Appendix Chapters

**A**

**ABOVE-GRADE WALL** ..... C202

**ACCESS (TO)** ..... C202

**ACCESSIBLE**

Controls ..... C402.2.3, C404.6, C404.8.1, C405.2.4.1

Defined ..... C202

**ADDITION** ..... C202

**ADDITIONAL EFFICIENCY PACKAGE** ..... C406

**ADDITIONS**

Defined ..... C202

Historic buildings ..... C501.5

Requirements ..... C502

**ADMINISTRATION**

**AIR BARRIER** ..... C402.5.1

Access openings ..... C402.5.6

Assemblies ..... C402.5.2.1.4

Compliance options ..... C402.5.1.2

Construction ..... C402.5.1.1

Dampers ..... C403.7.7

Doors other than fenestration ..... C402.5.6

Fenestration ..... C402.5.4, Table C402.5.4

Materials ..... C402.5.1.3

Penetrations ..... C402.5.1.1

Recessed lighting ..... C402.5.10

Rooms with fuel burning appliances ..... C402.5.5

Testing ..... C402.5

Vestibules ..... C402.5.9

**AIR CONDITIONERS** ..... C403.3.2, C403.4.4

Efficiency requirements ..... Table C403.3.2(1), Table C403.3.2(3),  
Table C403.3.2(4), Table C403.3.2(8),  
Table C403.3.2(10), Table C403.3.2(16)

**AIR CURTAIN**

Defined ..... C202

Vestibules ..... C402.5.9

**AIR ECONOMIZERS**

Defined ..... C202

Requirements ..... C403.5, C403.5.1, C403.5.2, C403.5.3, C403.5.4

<b>AIR INTAKES AND EXHAUSTS</b> .....	C402.5.7, C403.7.7
<b>AIR SYSTEM BALANCING</b> .....	C408.2.2.1, C408.2.2.2, C408.2.5.1
<b>ALTERATION</b> .....	C104.4, C202, C401.2.1, C501.1, C501.2, C501.5, C503, C503.2, C503.3, C503.4, C503.5
<b>ALTERNATIVE MATERIALS</b> .....	C102
<b>APPROVED</b>	
Defined .....	C202
<b>APPROVED AGENCY</b>	
Defined .....	C202
Inspections .....	C104.4
<b>AREA-WEIGHTED U-FACTOR</b> .....	C402.4.3.4
<b>AUTOMATIC</b>	
Defined .....	C202
<b>B</b>	
<b>BASEMENT WALLS (see also WALL, BELOW GRADE)</b> .....	C401.3
<b>BELOW-GRADE WALL (see WALL, BELOW GRADE)</b>	
<b>BOARD OF APPEALS</b> .....	C110
Limitations on authority .....	C110.2
Qualifications of members .....	C110.3
<b>BOILER, MODULATING</b> .....	C202
<b>BOILER SYSTEM</b> .....	C202
<b>BOILERS</b>	
Defined .....	C202
Requirements .....	Table C403.3.2(6), C403.3.4, C403.4.3, C404.2, Table C404.2
Setback controls .....	C403.4.1.5
Turndown controls .....	C403.3.4
<b>BUBBLE POINT</b> .....	C202
<b>BUILDING</b>	
Defined .....	C202
<b>BUILDING COMMISSIONING</b>	
Defined .....	C202
Requirements .....	C408
<b>BUILDING ENTRANCE</b>	
Defined .....	C202
Exterior lighting .....	Table C405.5.2(2)
Vestibules .....	C402.5.9
<b>BUILDING ENVELOPE</b>	
Compliance documentation .....	C103.2, C103.2.1
Defined .....	C202
Exemptions .....	C402.1.1, C402.1.2
Insulation .....	C303.1.1
Insulation and fenestration criteria .....	C402.1.3, Table C402.1.3, C402.1.4, Table C402.1.4
Performance method .....	C407.2
Requirements .....	C402
<b>BUILDING SITE</b> .....	C202

**BUILDING THERMAL ENVELOPE**

Air leakage and barriers . . . . . C402.5  
 Defined . . . . . C202  
 Doors . . . . . C402.4.5  
 Low-energy buildings . . . . . C402.1.1  
 Performance . . . . . C402.1, C402.1.3, C402.1.4, C402.1.5  
 Rooms with fuel-burning appliances . . . . . C402.5.5  
 Specific insulation . . . . . C402.2

**C**

**CAULKING AND WEATHERSTRIPPING** . . . . . C402.5.1.1, C402.5.6, C402.5.8, C402.5.10

**CAVITY INSULATION** . . . . . C202

**C-FACTOR**

Assembly *U*-, *C*- or *F*-factor method . . . . . Table C402.1.4, C402.1.4  
 Defined . . . . . C202

**CHANGE OF OCCUPANCY** . . . . . C501.2, C505

**CHILLERS** . . . . . Table C403.3.2(3), Table C407.4.1(3)

Positive displacement chilling packages . . . . . C403.3.2.2  
 Water-cooled centrifugal chiller packages . . . . . Table C403.3.2(3), Table C407.4.1(5)

**CIRCULATING HOT WATER SYSTEM**

Defined . . . . . C202  
 Requirements . . . . . C404.6.1, C404.6.3

**CIRCULATING PUMPS** . . . . . C403.4.3.3

**CIRCULATING SYSTEMS** . . . . . C403.4.3.3, C404.6

**CLIMATE TYPES**

Defined . . . . . Table C301.3

**CLIMATE ZONES** . . . . . Figure C301.1, Table C301.1, C301.3, Table C301.3

International climate zones . . . . . Table C301.3

**CODE OFFICIAL**

Approval of alternate methods . . . . . C102.1  
 Defined . . . . . C202  
 Examination of construction documents . . . . . C103.3  
 Inspections . . . . . C105

**COEFFICIENT OF PERFORMANCE (COP)**

Requirements . . . . . Table C403.3.2(2), Table C403.3.2(3)

**COEFFICIENT OF PERFORMANCE (COP) – COOLING** . . . . . C202

**COEFFICIENT OF PERFORMANCE (COP) – HEATING** . . . . . C202

**COMMERCIAL BUILDINGS**

Compliance . . . . . Chapter 5, C101.2, C101.4.1, C101.5, C401.1, C401.2  
 Defined . . . . . C202  
 Total building performance . . . . . C407

**COMMISSIONING** . . . . . C408

**COMPLIANCE AND ENFORCEMENT**

Existing buildings . . . . . C501.2  
 General . . . . . C101.5

**COMPONENT PERFORMANCE APPROACH** . . . . . C402.1.5

**COMPRESSOR (REFRIGERATION) SYSTEMS** . . . . . C403.11.3.2

**COMPUTER ROOM**

Air conditioning . . . . . Table C403.3.2(10)

Defined . . . . . C202

**CONDENSING UNITS**

Defined . . . . . C202

Efficiency requirements . . . . . Table C403.3.2(1), Table C403.3.2(10)

**CONDITIONED FLOOR AREA**

Defined . . . . . C202

Renewable energy . . . . . C406.5

**CONDITIONED SPACE**

Change from nonconditioned or low energy . . . . . C502.2

Defined . . . . . C202

Roof solar reflectance . . . . . C402.3

Rooms containing fuel-burning appliances . . . . . C402.5.5

**CONSTRUCTION DOCUMENTS** . . . . . C103

Amended . . . . . C103.4

Approval . . . . . C103.3.1

Examination . . . . . C103.3

Information required . . . . . C103.2

Phased approvals . . . . . C103.3.3

Previous approvals . . . . . C103.3.2

Retention . . . . . C103.5

Revocation . . . . . C106.2

**CONTINUOUS AIR BARRIER**

Defined . . . . . C202

Required . . . . . C402.5.1

**CONTINUOUS INSULATION (ci)**

Defined . . . . . C202

Requirements . . . . . C303.2.2, C402.1.3,  
Table C402.1.3, C402.2.2, C402.2.3

**CONTROLS**

Capabilities . . . . . C404.6.3, C403.3.1, C403.4.1,  
C403.4.1.2, C403.4.2.1, C403.4.2.2,  
C403.4.3.3.1, C403.4.5, C403.7.1, C404.6

Chilled water plants . . . . . C403.4.5

Economizers . . . . . C403.5, C403.5.1, C403.5.3.2,  
C403.5.3.3, Table C403.5.3.3

Energy recovery systems . . . . . C403.7.4

Fan speed . . . . . C403.8, C403.8.6,  
C403.8.6.1, C403.10

Freeze protection system . . . . . C403.13.3

Glazing . . . . . C402.4.3.3

Heat pump . . . . . C403.4.1.1, C403.4.3.3.1

Heating and cooling . . . . . C403.3.1, C403.4, C403.5.1

Hot water system . . . . . C404.6

Humidity . . . . . C403.4.1, C403.5.1, C403.7.4.2

HVAC . . . . . C403.4, C408.2.3.2

Hydronic systems . . . . . C403.4.3

Lighting . . . . . C402.4, C402.4.1.1, C402.4.1.2,  
C402.4.2.1, C402.4.3.1, C405.2, C405.5.1

Lighting, digital . . . . . C406.4

Off hour . . . . . C403.4.2

Service water heating . . . . . C404.6

Shutoff dampers . . . . . C403.7.7

Snow melt system . . . . . C403.13.2

Temperature . . . . . C403.4.1, C403.4.2, C403.4.2.1, C403.4.2.2, C403.4.2.3, C403.7.7

Three-pipe system . . . . . C403.4.3.1

Two-pipe changeover system . . . . . C403.4.3.2

Variable air volume systems . . . . . C403.5.2, C403.6

Ventilation . . . . . C403.2.2

**COOLING SYSTEMS**

Hot gas bypass limitation . . . . . C403.3.3

**COOLING TOWER** . . . . . C403.10.3, C403.10.4

**COOLING WITH OUTDOOR AIR** . . . . . C403.5.1

**CRAWL SPACE WALLS**

Defined . . . . . C202

Requirements . . . . . C303.2.1

**CURTAIN WALL**

Air leakage of fenestration . . . . . Table C402.5.4

Defined . . . . . C202

**D**

**DAMPERS** . . . . . C402.5.7, C403.7.7

**DAYLIGHT RESPONSIVE CONTROL**

Defined . . . . . C202

Required . . . . . C402.4.1.1, C402.4.1.2, C402.4.2.1, C402.4.3.1, C402.4.3.2, C405.2.4.1

**DAYLIGHT ZONE** . . . . . C402.4.1.1, C402.4.2, C405.2.4

Defined . . . . . C202

**DAYLIGHT ZONE CONTROL** . . . . . C405.2.4

**DEADBAND** . . . . . C403.4.1.2, C403.4.1.3, C403.4.3.3.1

**DEGREE DAY COOLING (CDD)** . . . . . Table C301.3

**DEGREE DAY HEATING (HDD)** . . . . . Table C301.3

**DEMAND CONTROL VENTILATION (DCV)**

Defined . . . . . C202

Requirements . . . . . C403.7.1

**DEMAND RECIRCULATION WATER SYSTEM**

Defined . . . . . C202

Requirements . . . . . C404.6.1.1

**DESIGN CONDITIONS** . . . . . C302

**DIRECT EXPANSION (DX)** . . . . . C403.8.6.1

**DOORS**

Default *U*-factors . . . . . Table C303.1.3(2)

Garage doors . . . . . C303.1.3

Loading docks . . . . . C402.5.8

Opaque . . . . . C303.1.3

Performance requirements . . . . . C402.5.4, Table C402.1.3, Table C402.1.4, C402.4, C402.4.5

Vestibules . . . . . C402.5.9

**DRAIN WATER HEAT RECOVERY** ..... C404.7

**DUAL DUCT VAV** ..... C403.6.3, C403.6.4

**DUCT SYSTEM**

    Defined ..... C202

    Requirements ..... C403.12.2

**DUCTS**

    Defined ..... C202

    Insulation ..... C103.2, C403.12.1, C403.12.2, C403.12.2.1, C403.12.2.2, C403.12.2.3

    Sealing ..... C103.2, C403.12.1, C403.12.2.1, C403.12.2.2, C403.12.2.3

**DWELLING UNIT**

    Defined ..... C202

    Electrical Meter ..... C405.6

    Lighting ..... C405.1

    Testing ..... C402.5.2

    Vestibules ..... C402.5.9

**DYNAMIC GLAZING**

    Defined ..... C202

    Requirements ..... C402.4.3.3

**E**

**ECONOMIZER**

    Air ..... Table C403.5(1), C403.5.3

    Controls ..... C403.5.1, C403.6.8, C403.6.9

    Defined ..... C202

    Fault detection and diagnostics (FDD) ..... C403.2.3

    High-limit shutoff control ..... C403.5.3.3, Table C403.5.3.3

    Requirements ..... C403.5.3, C403.5.4

    Water ..... C403.5.4

**ECONOMIZER, AIR** ..... C202

**ECONOMIZER, WATER** ..... C202

**EFFICIENCY, ADDITIONAL** ..... C406

**ELECTRICAL METERS** ..... C405.6

**ELECTRICAL MOTORS** ..... C405.8

**ELECTRICAL POWER AND LIGHTING** ..... C405

**ELECTRICAL TRANSFORMERS** ..... C405.7

**ELEVATOR POWER** ..... C405.9.1, C405.9.2

**ELEVATOR SHAFTS** ..... C402.5.6, C402.5.7

**ENCLOSED SPACE**

    Defined ..... C202

    Under skylights ..... C402.4.2

**ENERGY ANALYSIS** ..... C202, C407

**ENERGY COST**

    Compliance performance ..... C401.2

    Defined ..... C202

    Performance basis ..... C407.2

**ENERGY EFFICIENCY RATIO (EER)** ..... C403.3.2, Table C403.3.2(1)

**ENERGY MONITORING** . . . . . C405.12, C406.1, Table C406.1(1),  
Table C406.1(2), Table C406.1(3),  
Table C406.1(4), Table C406.1(5),  
C406.10

**ENERGY RECOVERY VENTILATION SYSTEM**  
Defined . . . . . C202  
Requirements . . . . . C403.1.1, C403.7.4.2

**ENERGY SIMULATION TOOL**  
Defined . . . . . C202  
Requirements/use . . . . . C101.5.1, C407,  
C407.2, C407.5

**ENTRANCE DOOR**  
Air leakage . . . . . Table C402.5.4  
Defined . . . . . C202  
Thermal performance . . . . . Table 402.4

**ENVELOPE, BUILDING THERMAL**  
Defined . . . . . C202

**ENVELOPE DESIGN METHODS** . . . . . C402.1.3, C402.1.4, C402.1.5

**EQUIPMENT BUILDINGS** . . . . . C402.1.2

**EQUIPMENT EFFICIENCIES** . . . . . C103.2, C403.3.2, C403.5.1,  
C403.8.6, C404.2

**EQUIPMENT PERFORMANCE REQUIREMENTS** . . . . . C403.3.2  
Boilers . . . . . Table C403.3.2(6)  
Condensing units . . . . . Table C403.3.2(10)  
Economizer exception . . . . . Table C403.5(2)  
Heat rejection equipment . . . . . Table C403.3.2(7)  
Packaged terminal air conditioners and heat pump . . . . . Table C403.3.2(4)  
Unitary air conditioners and condensing units . . . . . Table C403.3.2(1)  
Unitary and applied heat pumps . . . . . Table C403.3.2(2)  
Warm air duct furnaces and unit heaters . . . . . Table C403.3.2(5)  
Warm air furnaces . . . . . Table C403.3.2(5)  
Warm air furnaces/air-conditioning units . . . . . Table C403.3.2(5)  
Water chilling packages, standard . . . . . Table C403.3.2(3)  
Water heating . . . . . C404.2.1, Table C404.2

**EQUIPMENT ROOM** . . . . . C202, Table C405.3.2(2)

**ESCALATORS** . . . . . C405.9.2

**EXEMPT BUILDINGS** . . . . . C402.1.1, C402.1.2

**EXHAUSTS** . . . . . C402.5.7

**EXISTING BUILDINGS** . . . . . Chapter 5

**EXIT SIGNS** . . . . . C405.3.1

**EXTERIOR LIGHTING** . . . . . C405.2.7, C405.5

**EXTERIOR WALL** . . . . . C202  
Thermal performance . . . . . C402, C402.2.2

**EXTERNAL SHADING** . . . . . Table C407.4.1(1)

**F**

**FAN BRAKE HORSEPOWER (BHP)**  
Defined . . . . . C202

**FAN ENERGY INDEX (FEI)** . . . . . C202, C403.8.3

**FAN FLOOR HORSEPOWER** . . . . . C403.8.1

**FAN POWER LIMITATION** . . . . . Table C403.8.1(1), Table C403.8.1(2)

**FAN SYSTEM BHP**

Allowable . . . . . C403.8.1  
 Defined . . . . . C202

**FAN SYSTEM DESIGN CONDITIONS**

Allowable . . . . . C403.8.1  
 Defined . . . . . C202

**FAN SYSTEM MOTOR NAMEPLATE HP**

Defined . . . . . C202

**FAULT DETECTION & DIAGNOSTICS (FDD)**

Economizers . . . . . C403.5.5

**FEES**

Refunds . . . . . C104.5  
 Related fees . . . . . C104.4  
 Schedule of permit fees . . . . . C104.2

**FENESTRATION (see also DOORS)**

Air leakage (infiltration) rate . . . . . C402.5.4, Table C402.5.4  
 Defined . . . . . C202  
 Maximum area . . . . . C402.4.1, C402.4.1.2  
 Rating and labeling . . . . . C303.1.3, C402.1.3  
 Skylights . . . . . C402.4.1.2, C402.4.2, C402.4.2.1, C402.4.2.2, C402.4.3, C502.3.2, C503.2.3  
 Solar heat gain (SHGC) . . . . . Table C402.4, C402.4.3  
 Vertical . . . . . C402.1, Table C402.4, C402.4.1.1, C402.4.3, C502.3.1, C503.2.2

**FENESTRATION PRODUCT, FIELD-FABRICATED**

Air leakage . . . . . C402.5.4

**FENESTRATION PRODUCT, SITE-BUILT**

Defined . . . . . C202

**F-FACTOR**

Assembly *U*-, *C*- or *F*-factor method . . . . . C402.1.4, Table C402.1.4  
 Defined . . . . . C202

**FLOOR AREA, NET**

Defined . . . . . C202  
 Fenestration increase . . . . . C402.4.1.1

**FLOORS**

Slab on grade . . . . . C402.2.4  
 Thermal properties . . . . . C402.2.3

**FREEZE PROTECTION SYSTEMS**

Table C403.3.2(5)

**FURNACE EFFICIENCY**

**G**

**GENERAL LIGHTING**

Additional lighting . . . . . C405.3.2.2.1  
 Daylight controls . . . . . C405.2.4  
 Defined . . . . . C202  
 Interior lighting power . . . . . C405.3.1

**GENERAL PURPOSE ELECTRIC MOTORS**

Defined . . . . . C202

**GLAZING AREA**

Default fenestration *U*-factors . . . . . Table C303.1.3(1)



Dynamic . . . . . C402.4.3.3

**GREENHOUSE**

  Building envelope . . . . . C402.1.1

  Defined . . . . . C202

**GROUP R** . . . . . C202

**GUESTROOM** . . . . . C403.7.6

**H**

**HAZE FACTOR** . . . . . C402.4.2.2

**HEAT PUMP** . . . . . C403.4.1.1, C403.4.3.3

**HEAT RECOVERY**

  Drain water . . . . . C404.7, C406.7.2

  Economizer exemption . . . . . C403.5

  Kitchen exhaust . . . . . C403.7.5

  Service water . . . . . C403.10.5

**HEAT REJECTION EQUIPMENT** . . . . . Table C403.3.2(7), C403.10

**HEAT TRACE SYSTEMS** . . . . . C404.6.2

**HEAT TRAP**

  Defined . . . . . C202

  Required . . . . . C404.3, C404.4

**HEATED SLAB**

  Defined . . . . . C202

  Insulation . . . . . Table C402.1.3, Table C402.1.4, C402.2.6

**HEATING AND COOLING LOADS** . . . . . C302.1, C403.1.1, C403.3.1, C403.3.2, C403.4.1.1, C403.5

**HEATING OUTSIDE A BUILDING** . . . . . C403.13.1

**HIGH-SPEED DOOR**

  Air leakage . . . . . Table C402.5.4

  Defined . . . . . C202

**HISTORIC BUILDING**

  Compliance . . . . . C501.5

  Defined . . . . . C202

**HOT GAS BYPASS** . . . . . C403.3.3, Table C403.3.3

**HOT WATER** . . . . . C404.2, C404.6

  Efficient delivery . . . . . C404.5

  Piping insulation . . . . . C403.12.3, C404.4

  System controls . . . . . C403.10.5, C404.6

**HUMIDISTAT**

  Defined . . . . . C202

  Requirements . . . . . C403.4.1, C403.7.4.2

**HVAC EQUIPMENT**

  Automatic setback and shutdown . . . . . C403.4.2.2

  Automatic start and stop capabilities . . . . . C403.4.2.3

  Increased efficiency . . . . . C406.2

  Performance requirements . . . . . C403.3.2

  Supply-air temperature reset . . . . . C403.6.5

  System map zones . . . . . Table C407.4.1(2), C407.4.2.1

**HVAC SYSTEMS** . . . . . C402.3, C403, C403.7.6, C403.8, Table C407.4.1(1), Table C407.4.1(2), C408.2.2

**INDEX**

Manuals . . . . . C408.3.2.2  
Plan . . . . . C408.2.1  
Report . . . . . C408.2.4, C408.2.5  
**HYDRONIC HEAT PUMP SYSTEMS** . . . . . C403.4.3.3

**I**

**ICE MELT SYSTEMS** . . . . . C403.13.2  
**IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM)** . . . . . C303.1  
**IEC DESIGN H MOTOR** . . . . . C202  
**IEC DESIGN N MOTOR** . . . . . C202  
**INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)**  
**INFILTRATION (see AIR BARRIER)**  
    Defined . . . . . C202  
**INSPECTIONS** . . . . . C105  
    Inspection agencies . . . . . C105.4  
**INSULATED SIDING** . . . . . C303.1.4.1  
**INSULATION**  
    Continuous insulation . . . . . C303.2.2, C402.1.3,  
        Table C402.1.3, C402.2.1  
    Duct . . . . . C403.12.1  
    Identification . . . . . C303.1, C303.1.2  
    Installation . . . . . C303.1.1, C303.1.1.1,  
        C303.1.2, C303.2  
    Mechanical system piping . . . . . C403.12.3  
    Piping . . . . . C404.4  
    Plenum . . . . . C403.12.1  
    Product rating . . . . . C303.1.4  
    Protection of exposed foundation . . . . . C303.2.1  
    Protection of piping insulation . . . . . C403.12.3.1  
    Radiant heating systems . . . . . C402.2.6  
    Requirements . . . . . C402.1.3, Table C402.1.3,  
        C402.2, C402.2.6

**INTEGRATED PART LOAD VALUE (IPLV)**  
    Defined . . . . . C202  
    Requirements . . . . . Table C403.3.2(3), Table C403.3.2(15),  
        C403.3.2.1  
**INTERIOR LIGHTING POWER** . . . . . C405.3, C405.3.2  
**ISOLATION DEVICES** . . . . . C202

**K**

**KITCHEN EXHAUST** . . . . . C403.7.5, Table C403.7.5

**L**

**LABELED**  
    Dampers . . . . . C403.7.7  
    Defined . . . . . C202  
    Fans . . . . . C403.8.3  
    Glazing, skylights . . . . . C402.2.1.5, C402.4.2.2, C402.5.5  
    HVAC equipment . . . . . Table C403.3.2(3)

Lighting . . . . . C402.5.11, C405.3.1  
 Requirements . . . . . C303.1.3, Table C403.3.2(3)

**LIGHTING POWER**

Additional lighting . . . . . C405.3.2.2.1, C405.5.1  
 Design procedures . . . . . C405.3.2, C405.3.2.1, C405.3.2.2  
 Exterior connected . . . . . C405.5, C405.5.1, Table C405.5.2(1),  
 Table C405.5.2(2)  
 Interior connected . . . . . C405.3, C405.3.1, C405.3.2,  
 Table C405.5.2(1),  
 Table C405.5.2(2), C406.3  
 Reduced lighting power density . . . . . C406.3

**LIGHTING SYSTEMS** . . . . . C405, C406.3

Controls, exterior . . . . . C405.2.6, C405.5.1, Table C405.5.2(1),  
 Table C405.5.2(2)  
 Controls, interior . . . . . C405.2.2, C405.3, C405.3.1,  
 C405.3.2, Table C405.3.2(1),  
 Table C405.3.2(2), C406.4  
 Daylight responsive . . . . . C405.2.4, C405.2.4.1  
 Dwelling and sleeping units . . . . . C405.1, C405.2.2, C405.2.4,  
 C405.2.5, C405.3.1  
 Existing buildings . . . . . C502.1, C502.3.6, C504.1  
 C503.1, C503.5  
 Light reduction . . . . . C405.2.3.1  
 Occupant sensor controls . . . . . C405.2.1, C405.2.1.1, C405.2.1.2  
 Recessed . . . . . C402.5.10  
 Retail display . . . . . C405.3.2.2.1  
 Specific applications . . . . . C405.2.5  
 Time switch controls . . . . . C405.2.2, C405.2.2.1

**LINER SYSTEM (Ls)**

Defined . . . . . C202  
 Insulation . . . . . Table C402.1.3

**LISTED**

Defined . . . . . C202  
 Kitchen exhaust hoods . . . . . C403.7.5  
 Skylights . . . . . C402.2.1.5

**LOADING DOCK WEATHERSEALS** . . . . . C402.5.8

**LOW-ENERGY BUILDINGS** . . . . . C402.1.1

**LOW-SLOPED ROOF**

Defined . . . . . C202  
 Roof solar reflectance . . . . . C402.3

**LOW-VOLTAGE DRY-TYPE DISTRIBUTION TRANSFORMER** . . . . . C202

**LUMINAIRE**

Controls . . . . . C405.2, C405.2.1, C405.2.2,  
 C405.2.4, C405.2.5  
 Sealed . . . . . C402.5.10  
 Wattage . . . . . C405.3.1, C405.5.1

**LUMINAIRE-LEVEL LIGHTING CONTROLS** . . . . . C202

**M**

**MAINTENANCE**

General . . . . . C501.1.1, C501.3  
 Owner responsibility . . . . . C501.3

**MANUAL** ..... C202

**MANUALS** ..... C101.5.1

**MASS**

    Floor ..... Table C402.1.3, Table C402.1.4

    Wall ..... C402.2.2

**MATERIALS AND EQUIPMENT** ..... C303

**MECHANICAL SYSTEMS AND EQUIPMENT** ..... C403

    Existing buildings ..... C501.4, C502.1, C502.3.3, C503.3, C504

**MECHANICAL VENTILATION** ..... C403.1, C403.2.2

**METERS, ELECTRICAL** ..... C405.6

**MOTOR NAMEPLATE HORSEPOWER** ..... C403.8.2

    Efficiency ..... C405.8

**MOVING WALKWAYS** ..... C405.9.2

**MULTIFAMILY RESIDENTIAL BUILDINGS** ..... C407.4.2.3

**MULTIPLE-ZONE SYSTEMS** ..... C403.6, C403.6.5

**N**

**NAMEPLATE HORSEPOWER**

    Defined ..... C202

**NEMA DESIGN A MOTOR** ..... C202

**NEMA DESIGN B MOTOR** ..... C202

**NEMA DESIGN C MOTOR** ..... C202

**NET FLOOR AREA (see FLOOR AREA, NET)**

**NETWORKED GUESTROOM CONTROL SYSTEM** ..... C202

**NONCONDITIONED SPACE**

    Alterations ..... C502.2

**NONSTANDARD PART LOAD VALUE (NPLV)** ..... C202

**O**

**OCCUPANCY**

    Complex HVAC systems ..... C403.6

    Compliance ..... C101.4, C101.5

    Lighting power allowances ..... C405.2.2, C405.3.2, Table C405.3.2(1), Table C405.3.2(2), C405.3.2.1

    Mixed occupancies ..... C101.4.1

**OCCUPANT SENSOR CONTROL**

    Commissioning ..... C408.3.1.1

    Defined ..... C202

    Lighting ..... C406.4

    Outdoor heating ..... C403.13.1

    Required ..... C405.2.1, C405.2.1.1, C405.2.1.2

**OFF-HOUR, CONTROLS** ..... C403.4.2, C403.7.7, C405.2.2.1

**ON-SITE RENEWABLE ENERGY**

    Defined ..... C202

    Efficiency package ..... C406.5

**OPAQUE AREAS** ..... C402.1, Table C402.1.3, Table C402.1.4

**OPAQUE DOOR** ..... C202

**OPAQUE DOORS**

Defined . . . . . C202  
 Regulated . . . . . Table C402.1.3, C402.1.4, C402.4.5

**OPERATING AND MAINTENANCE MANUAL**

C408.3.2.2

**ORIENTATION**

Daylight Responsive controls . . . . . C405.2.4.1  
 Fenestration . . . . . Table C402.4  
 Thermostatic controls . . . . . C403.4.1, C403.4.2

**P**

**PACKAGED TERMINAL AIR CONDITIONER (PTAC)**

Requirements . . . . . Table C403.3.2(4)

**PACKAGED TERMINAL HEAT PUMP**

Requirements . . . . . Table C403.3.2(4)

**PARKING GARAGE LIGHTING CONTROL**

C405.2.8

**PARKING GARAGE VENTILATION**

C403.7.2

**PERFORMANCE ANALYSIS**

C407

**PERMIT (see FEES)**

C104.3

**PIPE INSULATION**

C403.12.3, C404.4

**PLANS AND SPECIFICATIONS**

C103

**PLENUMS**

Insulation and sealing . . . . . C403.12.1

**POOLS**

C404.8

Controls . . . . . C404.8.1, C404.8.2

Covers . . . . . C404.8.3

Existing buildings . . . . . C502.3.5

**POWER DENSITY**

C406.3

**POWERED ROOF/WALL VENTILATORS**

Defined . . . . . C202

Fan efficiency exemption . . . . . C403.8.3

**PROPOSED DESIGN**

Defined . . . . . C202

Requirements . . . . . C407

**PUBLIC LAVATORY**

C404.5.1

**PUMPING SYSTEMS**

C403.4.3.3, C404.6, C408.2.2.2

**R**

**RADIANT HEATING SYSTEM**

Defined . . . . . C202

Insulation . . . . . C402.2.6

**READILY ACCESSIBLE**

Defined . . . . . C202

**READY ACCESS (TO)**

C202

**RECOOLING**

C403.6

**REFERENCED STANDARDS**

Chapter 6, C109

**REFRIGERANT DEW POINT**

C202

**REFRIGERATED WAREHOUSE COOLER**

Defined . . . . . C202

Requirements . . . . . C403.11.1

**REFRIGERATED WAREHOUSE FREEZER**

Defined . . . . . C202  
 Requirements . . . . . C403.11.1

**REFRIGERATION EQUIPMENT**

Performance . . . . . C403.11, Table C403.11.1

**REFRIGERATION SYSTEM, LOW TEMPERATURE . . . . . C202**

**REFRIGERATION SYSTEM, MEDIUM TEMPERATURE . . . . . C202**

**REGISTERED DESIGN PROFESSIONAL**

Commissioning . . . . . C408  
 Defined . . . . . C202

**REHEATING . . . . . C403.6.5, C403.10.5**

**RENEWABLE ENERGY RESOURCES . . . . . C202**

**RENEWABLE/NONDEPLETABLE ENERGY SOURCES . . . . . C406.5**

**REPAIR**

Defined . . . . . C202  
 Historic buildings . . . . . C501.5  
 Requirements . . . . . C501.4, C504

**REPLACEMENT MATERIALS . . . . . C501.4**

Replacement fenestration . . . . . C503.2.2.1

**REROOFING**

Defined . . . . . C202

**RESET CONTROL . . . . . C403.6.5**

**RESIDENTIAL BUILDING**

Compliance . . . . . C101.2, C101.4.1, C101.5  
 Defined . . . . . C202

**ROOF ASSEMBLY**

Air barriers . . . . . C402.5.1.4  
 Defined . . . . . C202  
 Fenestration . . . . . C402.4.1, C402.4.1.2, C402.4.2, C405.2.4.3  
 Recover . . . . . C503.1  
 Reflectance and emittance options . . . . . Table C402.3  
 Repairs . . . . . C504.1  
 Replacement . . . . . C503.2.1  
 Requirements . . . . . C303.1.1.1, C402.2.1  
 Solar reflectance and thermal emittance . . . . . C402.3

**ROOF RECOVER**

Defined . . . . . C202  
 Exemption . . . . . C503.1

**ROOF REPAIR**

Defined . . . . . C202  
 Exemption . . . . . C504.1

**ROOF REPLACEMENT**

Defined . . . . . C202  
 Requirements . . . . . C503.2.1

**ROOF VENTILATORS (see POWERED ROOF/WALL VENTILATORS)**

**ROOFTOP MONITOR**

Daylight zones . . . . . C405.2.4.2  
 Defined . . . . . C202  
 Skylights required . . . . . C402.4.2

**ROOMS WITH FUEL-BURNING APPLIANCES** ..... C402.5.6  
**R-VALUE (THERMAL RESISTANCE)** ..... C202

**S**

**SATURATED CONDENSING TEMPERATURE**

Defined ..... C202  
 Refrigeration systems ..... C403.11.3.1

**SCOPE OF CODE** ..... C101.2

**SEASONAL ENERGY EFFICIENCY RATIO (SEER)** ..... Table C403.3.2(1), Table C403.3.2(2),  
 Table C403.3.2(8), Table C403.3.2(9)

**SERVICE WATER HEATING**

Defined ..... C202  
 Drain water heat recovery ..... C404.7  
 Efficiency ..... C404.2.1, C404.5  
 Existing buildings ..... C502.3.4, C503.4, C504.1  
 Reduced use ..... C406.7  
 Requirements ..... C403.10.5, C404, C404.2, C404.2.1,  
 C404.5, C404.6, C404.7

**SETBACK THERMOSTAT** ..... C403.4.2, C403.4.2.1, C403.4.2.2

**SHADING** ..... C402.3, C402.4.3

**SHGC (see SOLAR HEAT GAIN COEFFICIENT)**

**SHUTOFF DAMPERS** ..... C402.5.7, C403.7.7

**SIMULATED PERFORMANCE ALTERNATIVE** ..... C407

**SIMULATION TOOL (see ENERGY SIMULATION TOOL)**

**SINGLE ZONE** ..... C403.5

**SIZING**

Equipment and system ..... C403.3.1

**SKYLIGHTS** ..... C402.1.5, C402.3, Table C402.4,  
 C402.4.3.1, C402.4.3.2

Additions ..... C502.3.2

Air leakage (infiltration) ..... Table C402.5.4

Alterations ..... C503.2.3

Curb insulation ..... C402.2.1.5

Defined (see Fenestration) ..... C202

Haze factor ..... C402.4.2.2

Lighting controls ..... C402.4.2.1

Maximum area ..... C402.4.1, C402.4.1.2

Minimum area ..... C402.4.2

**SLAB-EDGE INSULATION** ..... C303.2.1, C402.2.4

**SLEEPING UNIT**

Defined ..... C202

Lighting ..... C405.1, C405.2.2, C405.2.4, C405.2.5

**SMALL ELECTRIC MOTOR**

Defined ..... C202

Minimum efficiency ..... C405.8

**SNOW MELT AND ICE SYSTEM CONTROLS** ..... C403.13.2

**SOLAR HEAT GAIN COEFFICIENT (SHGC)** ..... C103.2, Table C303.1.3(3),  
 Table C402.4, C402.4.1.1,  
 C402.4.3, C402.4.3.1

Defined ..... C202

Dynamic glazing ..... C402.4.3.3

**INDEX**

Replacement products ..... C503.2.2.1

**SPAS** ..... C404.8, C404.9

**STAIRWAYS** ..... C402.5.7, C403.7.7, C405.2,  
C405.2.1.1, Table C405.3.2(2)

**STANDARD REFERENCE DESIGN**

Defined ..... C202

Requirements ..... C407, Table C407.4.1(1),  
Table C407.4.1(3)

**STANDARDS, REFERENCED** ..... Chapter 6, C109

**STEEL FRAMING** ..... Table C402.1.3, C402.1.4.2,  
Table C402.1.4.2

**STOP WORK ORDER** ..... C109

Authority ..... C109.1

Emergencies ..... C109.3

Failure to comply ..... C109.4

Issuance ..... C109.2

**STOREFRONT**

Defined ..... C202

Glazing ..... Table C402.5.4

**SUPPLY AIR TEMPERATURE RESET CONTROLS** ..... C403.6.5

**SUSPENDED CEILINGS** ..... C402.1.4.1.2, C402.2.1.3

**SWIMMING POOLS** ..... C404.8

**T**

**TEMPERATURE DEADBAND** ..... C403.4.3.3.1

**TENANT SPACES** ..... C406.1.1

**THERMAL CONDUCTANCE (see C-FACTOR)**

**THERMAL MASS (see MASS)**

**THERMAL RESISTANCE (see R-VALUE)**

**THERMAL TRANSMITTANCE (see U-FACTOR)**

**THERMOSTAT**

Defined ..... C202

Pools and spa heaters ..... C404.8.1

Requirements ..... C403.4, C403.4.1, C403.4.1.2,  
C403.4.1.3, C403.4.2, C403.6

Setback capabilities ..... C403.4.2

**TIME SWITCH CONTROL**

Defined ..... C202

Requirements ..... C405.2.2, C405.2.2.1

**TOTAL BUILDING PERFORMANCE** ..... C407

**TOWNHOUSE (see RESIDENTIAL BUILDINGS)**

**TRANSFORMERS, ELECTRIC** ..... C405.7

**U**

**U-FACTOR (THERMAL TRANSMITTANCE)** ..... C202



**V**

**VARIABLE AIR VOLUME SYSTEMS (VAV)** . . . . . C403.5.2, C403.6.1, C403.6.2, C403.6.3, C403.6.4, C403.6.6, C403.6.7, C403.6.9, Table C407.4.1(3)

**VARIABLE REFRIGERANT FLOW SYSTEM**

    Defined . . . . . C202

    Increased efficiencies . . . . . C406.2

**VENTILATION** . . . . . C403.2.2

    Defined . . . . . C202

    Demand control ventilation (DCV) . . . . . C403.7.1

    Energy recovery system . . . . . C403.7.4.2, C406.6

    Parking garages . . . . . C403.7.2

**VENTILATION AIR**

    Defined . . . . . C202

    Energy recovery . . . . . C403.7.4.2

    Fan controls . . . . . C403.8.6.1

    Kitchen exhaust . . . . . C403.7.5

**VERTICAL FENESTRATION (see FENESTRATION)**

**VESTIBULES** . . . . . C402.5.9, C403.4.1.4

**VISIBLE TRANSMITTANCE (VT)**

    Default glazed fenestration . . . . . Table C303.1.3(3)

    Defined . . . . . C202

    Dynamic glazing . . . . . C402.4.3.3

    Increased fenestration . . . . . C402.4.1.1

    Skylights . . . . . C402.4.2, C405.2.4.3

**VOLTAGE DROP** . . . . . C202

**W**

**WALK-IN COOLER**

    Defined . . . . . C202

    Requirements . . . . . C403.11, Table C403.11.2.1(1), Table C403.11.2.1(2), Table C403.11.2.1(3)

**WALK-IN FREEZER**

    Defined . . . . . C202

    Requirements . . . . . C403.11

**WALL**

    Above-grade wall, defined . . . . . C202

    Below-grade wall, defined . . . . . C202

    Crawl space wall, defined . . . . . C202

    Exterior wall, defined . . . . . C202

    Steel framed . . . . . C402.1.4.2, Table C402.1.4.2

    Thermal resistance . . . . . Table C402.1.3, Table C402.1.4, C402.2.2

**WALL, ABOVE-GRADE** . . . . . C202

**WALL, BELOW-GRADE** . . . . . C202

**WALL VENTILATORS (see POWERED ROOF/WALL VENTILATORS)**

**WALLS (see EXTERIOR WALLS and ENVELOPE, BUILDING THERMAL)**

**WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)**

**WATER ECONOMIZER** . . . . . C403.5, C403.5.4, C403.5.4.1, C403.5.4.2

**INDEX**

**WATER HEATER**

Defined ..... C202  
Efficiency ..... Table C404.2, C404.2.1

**WATER HEATING** ..... C404, Table C404.2

**WINDOW AREA (see FENESTRATION and GLAZING AREA)**

**Z**

**ZONE (see also CLIMATE ZONES)**

Defined ..... C202  
Requirements ..... C403.4, C403.5, C407.4.2.1,  
C407.4.2.2