

INDEX

A

ABSORPTION COOLING EQUIPMENT M1412

ACCESS

To appliances M1305

To attic R807

To crawl space R408.4

To equipment M1401.2

To floor furnace M1408.4

ACCESSIBLE

Definition R202

Readily accessible, definition R202

ACCESSORY STRUCTURE

Definition R202

ADDRESS (SITE) R319

ADMINISTRATIVE Chapter 1

Authority R104

Entry R104.3

Inspections R106

Permits R105

Scope & Purpose R101

Unsafe structures R102

Violations R103

AIR

Combustion Chapter 17, G2407

Combustion air, definition R202

Return M1602

ALLOWABLE SPANS

Of floor joists R502.3, R505.3.2

Of headers R602.7, R603.6, R610.10

Of rafters and ceiling joists R802.4, R802.5, R804.3.1, R804.3.2

ALTERNATIVE MATERIALS (see MATERIALS) R104.5

ANCHOR BOLTS R403.1.6

APPEAL

Construction Code Advisory Board R103.11

APPLIANCE

Access to M1305

Attic M1305.1.3

Clearance for M1306

Connectors, fuel-gas Chapter 24

Definition R202

Equipment (general) Chapter 14

Floor furnace M1408

Flue area R1003.14

Heating and cooling Chapter 14

Installation M1307

Labeling M1303

Open-top broiler units M1505.1

Outdoor G2454

Ranges M1901

Room heaters M1410

Special fuel-burning equipment Chapter 19

Vented (decorative) Chapter 24

Wall furnace M1409

Warm-air furnace M1402

Water heaters Chapter 20, Chapter 24

APPLICATION

Plywood R703.3

APPROVAL

Mechanical M1302

APPROVED

Definition R202

AREA

Flue (appliances) R1003.14

Flue masonry R1003.15

ASPHALT SHINGLES R905.2

ATTIC

Access R807

AUTOMATIC FIRE SPRINKLER SYSTEMS R313

B

BASEMENT WALL

Definition R202

BATH AND SHOWER SPACES R307

BATHROOM

Exhaust M1507.4

Group R202, Table AP103.3(2)

BATHTUB

Load value Table AP103.3(2)

Sanitation R306

Space requirements R307.2

BEAM SUPPORTS R606.6.3

BEARING

Of joists R502.6

BOILER

Definition R202

Requirements M2001.1

BORED HOLES (see NOTCHING)

BUILDING

Definition R202

Drain, definition R202

Existing, definition R202

Sewer, definition R202

BUILDING OFFICIAL

- Definition R202
- Organization & Duties R104

BUILDING PLANNING

- Automatic fire sprinkler systems R313
- Carbon monoxide alarms. R315
- Ceiling height R305
- Decay protection R317
- Design criteria R301
- Emergency escape R310
- Exterior wall R302.1
- Fire-resistant construction R302
- Foam plastic R316
- Garages and carports R309
- Glazing R308
- Guardrails R312
- Handrails R311.7.8, R311.8.3
- Insulation R302.10.1
- Landing R311.3, R311.3.1, R311.3.2, R311.5.1
- Light, ventilation and heating R303
- Means of egress R311
- Minimum room area. R304
- Planning. Chapter 3
- Plumbing fixture clearances. R307
- Ramps R311.8
- Sanitation. R306
- Site address. R319
- Smoke alarms R314
- Solar energy systems R324
- Stairways R311.7
- Storm shelters R323
- Termite protection R318

BUILDING THERMAL ENVELOPE

- Definition R202

BUILT-UP GIRDERS (see GIRDERS)

BUILT-UP ROOFING (see ROOFING)

C

CARBON MONOXIDE ALARMS R315

CARPORT R309.42

CEILING

- Finishes R702, R805
- Height R305

CHASES R606.8

CHIMNEYS

- And fireplaces Chapter 10
- Caps R1003.9.1
- Clearance R1003.18
- Corbeling R1003.5
- Crickets R1003.20

- Design (masonry). R1003.1
- Factory-built R1005
- Fireblocking R1003.19
- Flue area R1003.14, R1003.15
- Flue lining. R1003.11
- Load R1003.8
- Masonry and factory built, size. M1805
- Multiple flue R1003.14
- Rain caps. 1003.9.3
- Spark arrestors. R1003.9.2
- Termination R1003.9
- Wall thickness R1003.10

CLAY

- Roofing tiles R905.3

CLEANOUT

- Definition R202
- Masonry chimney. R1003.17

CLEARANCE

- Above cooking top M1901.1
- For appliances M1306.1
- For chimneys R1003.18
- Reduction methods M1306.2
- Vent connector. M1803.3.4

CLOTHES DRYERS M1502, Chapter 24

COLUMNS R407

COMBUSTIBLE

- Materials. R202

COMBUSTION AIR

- Air. Chapter 17
- Definition R202

COMMON VENT

- Definition R202
- Requirements. M1801.11

CONCRETE

- Compressive Strength R402.2
- Floors (on ground) R506
- Tile (roof) R905.3
- Weathering. Figure R301.2(3), R402.2

CONNECTION

- For fuel-burning appliances Chapter 24
- For fuel-oil piping M2202

CONNECTOR

- Chimney and vent M1803
- Vent, definition R202

CONSTRUCTION

- Cavity wall masonry R606.13
- Flood-resistant R322
- Floors Chapter 5
- Footings R403
- Foundation material R402
- Foundation walls R404

F

FACTORY BUILT

- Chimneys R1005, M1805
- Fireplace stoves R1005.3
- Fireplaces R1004

FASTENING Table R602.3(1)**FENESTRATION**

- Definition R202

FINISHES

- Flame spread and smoke density R302.9
- For ceilings R805
- Interior R302.9, R702

FIRE-RESISTANT CONSTRUCTION R302**FIRE SPRINKLER SYSTEM**

- Inspections of P2904.8
- Sizing of P2904.6
- Sprinkler location P2904.1.1

FIREBLOCKING

- Barrier between stories R302.11, R602.8
- Chimney R1003.19
- Fireplace R1001.12

FIREPLACES Chapter 10

- Clearance R1001.11
- Corbeling R1003.5
- Factory-built R1004
- Fireblocking R1001.12
- Walls R1001.5

FIXTURE UNIT

- Drainage, definition R202
- Water supply, definition R202

FIXTURES

- Plumbing fixture, definition R202

FLAME SPREAD INDEX R302.9, R302.10**FLASHING** R703.8.5, R703.4, R903.2, R905**FLOATING HOME**

- Construction requirements R329
- Definition R202

FLOOD HAZARD AREA

- Construction R322
- Location R105.6.6, Table 301.2(1)

FLOOR FURNACE M1408**FLOORS**

- Concrete (on ground) R506
- Steel framing R505
- Treated-wood (on ground) R504
- Wood framing R502

FLUE

- Area R1003.14, R1003.15
- Lining R1003.11, R1003.12
- Multiple R1003.13

FOAM PLASTICS R316**FOOTINGS**

- Requirements R403

FOUNDATIONS Chapter 4

- Cripple walls R602.9, R602.10.9, R602.11.2
- Frost protection R403.1.4.1
- Inspection R106.8.2
- Walls R404

FRAME

- Inspection R106.8.5

FUEL-BURNING APPLIANCES(see **APPLIANCE, definition**)

- Identification Chapter 24

FUEL GAS Chapter 24**FUEL OIL**

- Oil tanks M2201
- Piping, fittings and connections M2202
- Pumps and valves M2204

FURNACES

- Clearance of warm-air furnaces M1402.2
- Exterior M1401.4
- Floor (see Floor Furnace)
- Wall (see Wall Furnace)
- Warm-air M1402, Chapter 24

G

GARAGES R309**GAS**

- Appliance labeling Chapter 24

GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING

- ELECTRODE** Chapter 24

GIRDERS R502.5**GLAZING** R308

- Aggregate R303.1
- Protection of openings R301.2.1.2

GRADE

- Definition R202
- Of lumber R502.1.1, R602.1.1, R802.1.1
- Plane, definition R202
- Slope of piping, definition R202

GROUND

- Floors (on ground) R504, R506

GROUND SOURCE HEAT PUMP M2105**GUARDS** R312

- Definition R202

GYPSUM

- Wallboard R702.3

H

HABITABLE SPACE
 Definition R202

HALLWAYS R311.6

HANDRAILS R311.7.8, R311.8.3
 Definition R202

HAND SHOWER (see SHOWER)

HEADERS
 SIP R610.10
 Steel R603.6
 Wood R602.7

HEARTH R1001.9
 Extension R1001.9, R1001.10

HEATERS
 Baseboard M1405
 Central furnaces M1402
 Duct M1407
 Heat pumps M1403
 Masonry R1002
 Pool M2006, Chapter 24
 Radiant M1406
 Sauna Chapter 24
 Unvented G2445
 Vented room M1410, Chapter 24
 Water Chapter 20, Chapter 28

HEATING R303.10

HEATING EQUIPMENT Chapter 14

HEIGHT
 Ceiling R305

HOLLOW-UNIT MASONRY (see MASONRY) R606.3.2.2, 606.13.1.2

HORIZONTAL
 Pipe, definition R202
 Vent length M1803.3.2

HOT WATER
 Definition R202
 Heaters M2005, Chapter 24

HYDROGEN GENERATING AND REFUELING M1307.4

HYDRONIC HEATING SYSTEMS
 Baseboard convectors M2102
 Boilers M2001
 Floor heating systems M2103
 Piping systems installation M2101

I

INDIVIDUAL
 Sewage disposal systems R202, P2602

INLET
 To masonry chimneys R1003.16

INSPECTION

Card AE305.3
 Fuel-supply system Chapter 24
 On site R109.1

INSTALLATION

Of appliances M1307
 Of cooling and heating equipment M1401.1
 Of ducts M1601.4
 Of flue liners R1003.12
 Of wall furnaces M1409.3

INSULATION R302.10.1

INTERIOR

Lath R702.2.3
 Other finishes R702.5
 Plaster R702.2
 Wall covering Chapter 7

J

JOIST

Bearing R502.6, R606.6.3.1

K

KITCHEN

Definition R202

L

L VENT TERMINATION M1804.2.4

LABELED

Definition R202

LABELING

Appliances M1303
 Definition R202

LANDINGS R311.3, R311.3.1, R311.7.6, R311.8.2

LATERAL SUPPORT R502.7, R606.6.4, R607.5.2

LATH

Exterior R703.7.1
 Interior R702.2.3

LAVATORIES

Clearances R307
 Sanitation R306

LIABILITY R104.8

LIGHT, VENTILATION AND HEATING R303

LINING

Flue R1003.11, R1003.12

LINTEL R606.10, R608.8, R703.8.3, R1001.7

LISTED AND LISTING

Definition applied to building and mechanical provisions R202

INDEX

Mechanical appliances M1302.1
LIVE/WORK UNIT R101.2

LOAD

Additional R1003.8
Roof R301.6
Seismic risk map Figure R301.2(2)
Snow load map Figure R301.2(5)
Wind speed map Figure R301.2(4)A

LOADS

Horizontal load-pier construction AE602.1

LOADS, LIVE AND DEAD

Dead load R301.4
Definition R202
Live load R301.5

LOCATION

Of furnaces M1408.3, M1409.2

LUMBER

Grade R502.1.1, R602.1.1, R802.1.1

M

MAKEUP AIR M1503.4

MANUFACTURED HOME

Definition R202

MASONRY

Anchorage R606.11
Cavity wall R606.13
Chases R606.8
General R606
Hollow unit R202, R606.3.2.2, R606.13.1.2
Inspection R109.1.4
Seismic requirements R606.12
Solid, definition R202
Veneer R703.8
Veneer attachment R703.3

MATERIALS

Alternative R104.5
Combustible R202, R1001.11, R1001.12,
R1003.18, R1003.19
For ducts M1601
For flue liners R1003.11
For fuel-supply systems Chapter 24
For hearth extension R1001.9
For siding R703.5
Hydronic pipe M2101, M2103, M2104

MECHANICAL

Inspection R109.1.2
System requirements Chapter 13

MEDIUM PRESSURE FUEL-GAS

PIPING SYSTEM Chapter 24

MEMBRANE

Penetration R302.4.2

Polyethylene R504.2.2, R506.2.3
Water-resistive R703.2
Waterproofing R406.2

METAL

Ducts Chapter 16
Roof panels R905.10
Roof shingles R905.4

MODIFICATIONS R104.4

MOISTURE CONTROL R702.7

MORTAR

Joints R606.3.1

MULTIPLE

Appliance venting systems M1801.11
Flues R1003.13

N

NONCOMBUSTIBLE MATERIAL

Definition R202

NOTCHING

For mechanical systems M1308
Steel joists R505.3.5, R804.2.5, R804.3.3
Steel studs R603.2.6, R603.3.4
Wood joists R502.8, R802.7.1
Wood studs R602.6
Wood top plates R602.6.1

O

OCCUPIED SPACE

Definition R202

OIL

Piping and connections M2202
Supply pumps and valves M2204
Tanks M2201

OPEN-TOP GAS BROILER UNITS M1505.1

OPENING

Requirements,
combustion air Chapter 17, Chapter 24

OUTLET

Definition Chapter 24

P

PARALLEL PATH

CONNECTION N1102.2.6 (R402.2.6)

PARAPETS R302.2.2, R606.4.4

PARTICLEBOARD

Floor R503.3
Walls R605

PERMITS R105

PIERS R606.7

Masonry R404.1.9

PIPE
 Materials listing Table M2101.1

PIPING
 Connections and materials Table M2101.1
 Fuel-gas size determination Chapter 24
 Support M2101.9, Chapter 24

PLANNING
 Building Chapter 3

PLANS R105.6

PLASTER
 Exterior R703.7
 Interior R702.2

PLENUM
 Definition R202

PLUMBING
 Fixture clearances R307
 Inspection R106.8.3, R106.10
 Requirements and definitions R202
 System, definition R202

PLYWOOD
 Application R703.5
 Materials, walls R604

POTABLE WATER
 Definition R202

PRECAST CONCRETE
 Footings R403.4
 Foundation material R402.3.1
 Foundation walls R404.5

PROHIBITED
 Return air sources M1602.2

PROTECTION
 Against decay and termites R317, R318
 Of ferrous gas piping Chapter 24

PURLINS R802.5.1

PURPOSE R101.4

R

R-VALUE
 Definition R202

RAFTERS
 Grade of lumber R802.1
 Spans R802.1.1,
 Tables R802.5.1(1) – R802.5.1(8)

RAMPS R311.8

RANGES AND OVENS
 Vertical clearance above cooking top M1901.1

READILY ACCESSIBLE
 Definition R202

REQUIREMENTS
 Connections for fuel-burning
 appliances Chapter 24

Return air M1602

RESISTANT SIDING MATERIAL (see MATERIALS)

RETURN-AIR M1602

RIDGE BOARD R802.3

ROOF
 Coverings R905
 Drainage R903.4
 Flashing R703.4, R903.2, R905
 Steel framing R804
 Wood framing R802

ROOF-CEILING CONSTRUCTION
(see CONSTRUCTION) Chapter 8
 Wind uplift R802.11, R804.3.8

ROOFING
 Built-up R905.9
 Liquid-applied coating R905.15
 Modified bitumen R905.11
 Sprayed polyurethane foam R905.14
 Thermoplastic single-ply R905.13
 Thermoset single-ply R905.12

ROOM
 Heaters, vented M1410, Chapter 24
 Minimum Sizes R304

S

SANITATION R306

SEISMIC RISK MAP Figure R301.2(2)

SEPTIC TANK
 Definition R202

SEWER, BUILDING
 Definition R202

SHAKES
 Wood R702.6, R703.6, R905.8

SHINGLE
 Asphalt shingles R905.2
 Metal R905.4
 Slate R905.6
 Wood R905.7

SHOWER
 Compartment R307.2
 Sanitation R306
 Space requirements R307

SHUTOFF VALVE (see VALVES)

SIDING
 Exterior coverings R703

SITE
 Address R319
 Preparation R408.5, R504.2, R506.2

SIZE
 Of combustion air openings Chapter 17

INDEX

Of rooms R304
SKYLIGHTS R308.6
SLATE SHINGLES R905.6
SMOKE ALARMS R314
SMOKE-DEVELOPED INDEX R302.9, R302.10
SNOW LOAD MAP Figure R301.2(5)
SOLAR ENERGY SYSTEMS
Photovoltaic systems R324.3
Thermal systems R324.2, M2301
SPANS
Steel (allowable) R505.3.2, R804.3.2.1
Wood (allowable) R502.3, R802.5
SPRINKLER (see FIRE SPRINKLER SYSTEMS)
STAIRWAYS R311.7
STANDARDS Chapter 44
STEEL
Fireplace units R1001.5.1
Floor construction R505
Roof-ceiling construction R804
Walls R603
STORM SHELTERS R323
STORY
Definition R202
STOVES
Factory-built fireplace M1414
STRUCTURAL INSULATED PANEL (SIP) R610
STUDS
Wood R602.2, R602.3
Spacing R602.3.1
Steel R603.2, R603.3
SUPPLY
Combustion air Chapter 17, Chapter 24
Fuel systems Chapter 24
Oil supply pumps and valves M2204
Required gas Chapter 24
Return air M1602
SUPPORT
Of decks R507.2.2.1
Of ducts M1601.4.4
Of floor joists R502.6, R505.3.2
Of masonry chimneys R1003.2,
R1003.3, R1003.4
Of pipe M2101.9, Chapter 24
SWIMMING POOLS R326
SYSTEMS
Mechanical venting Chapter 18, Chapter 24

T

TANK
For fuel oil-burning appliances M2201

Septic, definition R202
TEMPERATURE ISOLINES Figure R301.2(1)
TERMINATION
Of chimneys R1003.9
Of vents (general) M1804.2
TERMITES
Infestation probability map Figure R301.2(6)
Protection R318
TEST
For leaks in supply piping Chapter 24
THICKNESS
Of chimney walls R1003.10
TIES
Veneer R703.8.4
TILE
Shingles (clay and concrete) R905.3
TOWNHOUSE
Definition R202
Scope R101.2
Separation R302.2
TRUSSES
Steel R505.1.3, R804.3.6
Wood R502.11, R802.10
TYPE OF VENTING
SYSTEMS REQUIRED Chapter 18, Chapter 24

U

U-FACTOR
Definition R202
UNDER FLOOR
Access to furnaces M1305.1.4
Plenums M1601.5
Space R408
UNDERGROUND INSTALLATION
REQUIREMENTS
Duct systems M1601.1.2
UNVENTED ATTIC ASSEMBLIES R806.5

V

VALVES
Meter Chapter 24
Oil-supply M2204
Shutoff, fuel-gas Chapter 24
Shutoff, fuel-oil M2204.2
VAPOR RETARDERS R702.7
Definition R202
VENEER
Masonry R703.7
VENT
B or BW vent Chapter 24

Definition Chapter 24
 L vent M1804.2.4, Chapter 24
 Plumbing system, definition R202
 Termination M1804.2,
 M2203.5, P3103.5

VENTED

Decorative appliances Chapter 24
 Floor furnaces M1408
 Room heaters M1410
 Wall furnaces M1409

VENTILATION

Bathroom and kitchen M1507
 For hydrogen systems M1307.4
 Roof R806
 Under floor R408.1
 Whole house M1507.3

VENTING (MECHANICAL)

Chimney and vent connectors . . . M1803, Chapter 24
 Components M1802, Chapter 24
 General M1801, Chapter 24
 Required M1801, M2203.4, Chapter 24
 Systems Chapter 18, Chapter 24

VERTICAL

Clearances above cooking top M1901.1
 Pipe, definition R202

VIOLATIONS

And penalties R103

W

WALL FURNACE (see APPLIANCE)

General M1409.1
 Installation M1409.3
 Location M1409.2

WALLBOARD

Gypsum R702.3

WALLS

Bracing, steel R603.9
 Bracing, wood R602.10
 Construction Chapter 6
 Covering Chapter 7
 Cripple R602.9
 Deflection R301.7
 Exterior covering R703
 Finishes R302.9, R702
 Fireplace R1001.5
 Foundation R404
 Insulating concrete form R608.3, R608.4,
 R608.5.3
 Steel framing R603
 Structural insulated panels (SIP) R610

Thickness, masonry chimneys R1003.10
 Wood framing R602
WARM-AIR FURNACES M1402
 Access to M1401.2
 Clearance from M1402.2

WASTE

Continuous, definition R202

WATER

Distribution system, definition R202
 Heater, definition R202
 Heaters Chapter 20, Chapter 24
 Supply system, definition R202

WATER CLOSET

Clearances for R307

WATERPROOFING

And dampproofing R406

WHOLE-HOUSE VENTILATION M1507.3

WIND SPEED MAP Figure R301.2(4)A

WINDOW R609

Fall prevention R312.2
 Opening limiting devices R312.2.2

WOOD

Floor construction R502
 Foundation walls R404.2
 Roof-ceiling construction R802
 Shakes R905.8
 Shingles R905.7
 Trusses R502.11, R802.10
 Walls R602

Y

YARD

Definition R202

