INDEX

A

ABSORPTION COOLING EQUIPMENT M1412
ACCESS
To appliances M1305
To attic R807
To crawl space R408.4
To equipment M1401.2
To floor furnace M1408.4
ACCESSIBLE
Definition R202
Readily accessible, definition R202
ACCESSORY STRUCTURE
Definition R202
ADDRESS (SITE) R319
ADMINISTRATIVE . . . . . Chapter 1
Authority R104
Entry R104.3
Inspections R106
Permits R105
Scope & Purpose R101
Unsafe structures R102
Violations R103
AIR
Combustion . . . . . Chapter 17, G2407
Combustion air, definition R202
Return M1602
ALLOWABLE SPANS
Of floor joists R502.3, R505.3.2
Of headers R602.7, R603.6, R610.10
Of rafters and ceiling joists R802.4, R802.5, R804.3.1, R804.3.2
ALTERNATIVE MATERIALS (see MATERIALS) R104.5
ANCHOR BOLTS R403.1.6
APPEAL
Construction Code Advisory Board R103.11
APPLIANCE
Access to M1305
Attic M1305.1.3
Clearance for M1306
Connectors, fuel-gas . . . . . Chapter 24
Definition R202
Equipment (general) . . . . . Chapter 14
Floor furnace M1408
Flue area R1003.14
Heating and cooling . . . . . Chapter 14
Installation M1307
Labeling M1303
Open-top broiler units M1505.1
Outdoor G2454
Ranges M1901
Room heaters M1410
Special fuel-burning equipment . . . . . Chapter 19
Vented (decorative) . . . . . Chapter 24
Wall furnace M1409
Warm-air furnace M1402
Water heaters . . . . . Chapter 20, Chapter 24
APPLICATION
Plywood R703.3
APPROVAL
Mechanical M1302
APPROVED
Definition R202
AREA
Flue (appliances) R1003.14
Flue masonry R1003.15
ASPHALT SHINGLES R905.2
ATTIC
Access R807
AUTOMATIC FIRE SPRINKLER SYSTEMS . . . R313

B

BASEMENT WALL
Definition R202
BATH AND SHOWER SPACES R307
BATHROOM
Exhaust M1507.4
Group . . . . . R202, Table AP103.3(2)
BATHTUB
Load value . . . . . Table AP103.3(2)
Sanitation R306
Space requirements R307.2
BEAM SUPPORTS R606.6.3
BEARING
Of joists R502.6
BOILER
Definition R202
Requirements M2001.1
BORED HOLES (see NOTCHING)
BUILDING
Definition R202
Drain, definition R202
Existing, definition R202
Sewer, definition R202

BUILDING OFFICIAL
Definition R202
Organization & Duties R104
BUILDING PLANNING
Automatic fire sprinkler systems R313
Carbon monoxide alarms. R315
Ceiling height R305
Decay protection R317
Design criteria R301
Emergency escape R310
Exterior wall R302.1
Fire-resistant construction R302
Foam plastic R316
Garages and carports R309
Glazing. R308
Guardrails R312
Handrails R311.7.8, R311.8.3
Insulation R302.10.1
Landing R311.3, R311.3.1, R311.3.2, R311.5.1
Light, ventilation and heating R303
Means of egress R311
Minimum room area. R304
Planning. . . . . Chapter 3
Plumbing fixture clearances. R307
Ramps R311.8
Sanitation. R306
Site address. R319
Smoke alarms R314
Solar energy systems R324
Stairways R311.7
Storm shelters R323
Termite protection R318
BUILDING THERMAL ENVELOPE
Definition R202
BUILT-UP GIRDERS (see GIRDERS)
BUILT-UP ROOFING (see ROOFING)

C

CARBON MONOXIDE ALARMS R315
CARPORT R309.42
CEILING
Finishes R702, R805
Height R305
CHASES R606.8
CHIMNEYS
And fireplaces . . . . . Chapter 10
Caps R1003.9.1
Clearance R1003.18
Corbeling R1003.5
Crickets R1003.20
Design (masonry). R1003.1
Factory-built R1005
Fireblocking R1003.19
Flue area R1003.14, R1003.15
Flue lining. R100311
Load R1003.8
Masonry and factory built, size. M1805
Multiple flue R1003.14
Rain caps 1003.9.3
Spark arrestors. R1003.9.2
Termination R1003.9
Wall thickness R1003.10
CLAY
Roofing tiles R905.3
CLEANOUT
Definition R202
Masonry chimney. R1003.17
CLEARANCE
Above cooking top M1901.1
For appliances M1306.1
For chimneys R1003.18
Reduction methods M1306.2
Vent connector. M1803.3.4
CLOTHES DRYERS . . . . . .M1502, Chapter 24
COLUMNS R407
COMBUSTIBLE
Materials. R202
COMBUSTION AIR
Air. . . . . Chapter 17
Definition R202
COMMON VENT
Definition R202
Requirements. M1801.11
CONCRETE
Compressive Strength R402.2
Floors (on ground) R506
Tile (roof) R905.3
Weathering. . . . . .Figure R301.2(3), R402.2
CONNECTION
For fuel-burning appliances . . . . . Chapter 24
For fuel-oil piping M2202
CONNECTOR
Chimney and vent M1803
Vent, definition R202
CONSTRUCTION
Cavity wall masonry R606.13
Flood-resistant R322
Floors . . . . . Chapter 5
Footings R403
Foundation material R402
Foundation walls R404

Foundations . . . . . Chapter 4
Masonry R606, R607, R608, R610
Roofs . . . . . Chapter 8
Steel framing R505, R603, R804
Wood framing R502, R602, R802
Walls . . . . . Chapter 6
CONTINUOUS WASTE
Definition R202
CONTROL
Devices . . . . . Chapter 24
CONTROLS
For forced-air furnaces . . . . . Chapter 24
COOLING
Absorption cooling equipment M1412
Access to equipment M1401.2
Evaporative cooling equipment M1413
Installation M1401.1
Refrigeration cooling equipment M1404
Return air-supply source M1602
COURT
Definition R202
COVERING
Exterior R703
Interior R702
Roof . . . . . Chapter 9
Wall . . . . . Chapter 7
CRAWL SPACE R408
CRITERIA
Design R301
CROSS CONNECTION
Definition R202

D

DAMPER, VOLUME
Definition R202
DECAY
Protection against R317
DECK
Supported by exterior wall R507
Wood/plastic composite boards R507.3
DECORATIVE APPLIANCES
Outdoor G2454
Vented . . . . . Chapter 24
DEFINITIONS
Building R202
Mechanical system R202
Plumbing R202
DESIGN
Criteria R301
DOORS
Egress R311.2
Exterior R311.3.2, R609
DRAFT HOOD
Definition R202
DRAFTSTOPPING R302.12, R502.12
DRAIN
Floor P2719
Shower receptors P2709
DRAINAGE
Foundation R405
DRILLING AND NOTCHING (see NOTCHING)
DRYERS
Domestic clothes M1502
DUCTS . . . . . Chapter 16
Installation M1601.4
Insulation N1103.2, M1601.3
Material M1601
System, definition R202
DWELLING
Definition R202
DWELLING UNIT
Definition R202
Separation R302.2, R302.3

E

ELECTRICAL
Appliance (labeling) M1303
ELECTRICAL RESISTANCE HEATERS
Baseboard convectors M1405
Duct heaters M1407
Radiant heating M1406
EMERGENCY ESCAPE R202, R310
ENERGY CONSERVATION . . . . . Chapter 11
ENTRY R104.6
EQUIPMENT
General, mechanical . . . . . Chapter 14
Heating and cooling . . . . . Chapter 14
EXCAVATIONS
For appliance installation M1305.1.4.2
EXTERIOR
Covering R703
Insulation finish systems R703.9
Lath R703.7.1
Plaster R703.7
EXTERIOR WALL
Construction R302.1
Definition R202
Fire-resistance rating R302.1

F

FACTORY BUILT
Chimneys R1005, M1805
Fireplace stoves R1005.3
Fireplaces R1004
FASTENING . . . . . Table R602.3(1)
FENESTRATION
Definition R202
FINISHES
Flame spread and smoke density R302.9
For ceilings R805
Interior R302.9, R702
FIRE-RESISTANT CONSTRUCTION R302
FIRE SPRINKLER SYSTEM
Inspections of P2904.8
Sizing of P2904.6
Sprinkler location P2904.1.1
FIREBLOCKING
Barrier between stories R302.11, R602.8
Chimney R1003.19
Fireplace R1001.12
FIREPLACES . . . . . Chapter 10
Clearance R1001.11
Corbeling R1003.5
Factory-built R1004
Fireblocking R1001.12
Walls R1001.5
FIXTURE UNIT
Drainage, definition R202
Water supply, definition R202
FIXTURES
Plumbing fixture, definition R202
FLAME SPREAD INDEX R302.9, R302.10
FLASHING R703.8.5, R703.4, R903.2, R905
FLOATING HOME
Construction requirements R329
Definition R202
FLOOD HAZARD AREA
Construction R322
Location . . . . . R105.6.6, Table 301.2(1)
FLOOR FURNACE M1408
FLOORS
Concrete (on ground) R506
Steel framing R505
Treated-wood (on ground) R504
Wood framing R502
FLUE
Area R1003.14, R1003.15
Lining R1003.11, R1003.12
Multiple R1003.13
FOAM PLASTICS R316
FOOTINGS
Requirements R403
FOUNDATIONS . . . . . Chapter 4
Cripple walls R602.9, R602.10.9, R602.11.2
Frost protection R403.1.4.1
Inspection R106.8.2
Walls R404
FRAME
Inspection R106.8.5
FUEL-BURNING APPLIANCES (see APPLIANCE, definition)
Identification . . . . . Chapter 24
FUEL GAS . . . . . Chapter 24
FUEL OIL
Oil tanks M2201
Piping, fittings and connections M2202
Pumps and valves M2204
FURNACES
Clearance of warm-air furnaces M1402.2
Exterior M1401.4
Floor (see Floor Furnace)
Wall (see Wall Furnace)
Warm-air . . . . . M1402, Chapter 24

G

GARAGES R309
GAS
Appliance labeling . . . . . Chapter 24
GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING ELECTRODE . . . . . Chapter 24
GIRDERS R502.5
GLAZING R308
Aggregate R303.1
Protection of openings R301.2.1.2
GRADE
Definition R202
Of lumber R502.1.1, R602.1.1, R802.1.1
Plane, definition R202
Slope of piping, definition R202
GROUND
Floors (on ground) R504, R506
GROUND SOURCE HEAT PUMP M2105
GUARDS R312
Definition R202
GYPSUM
Wallboard R702.3

H

HABITABLE SPACE
Definition R202
HALLWAYS R311.6
HANDRAILS R311.7.8, R311.8.3
Definition R202
HAND SHOWER (see SHOWER)
HEADERS
SIP R610.10
Steel R603.6
Wood R602.7
HEARTH R1001.9
Extension R1001.9, R1001.10
HEATERS
Baseboard M1405
Central furnaces M1402
Duct M1407
Heat pumps M1403
Masonry R1002
Pool . . . . . M2006, Chapter 24
Radiant M1406
Sauna . . . . . Chapter 24
Unvented G2445
Vented room . . . . . M1410, Chapter 24
Water . . . . . Chapter 20, Chapter 28
HEATING R303.10
HEATING EQUIPMENT . . . . . Chapter 14
HEIGHT
Ceiling R305
HOLLOW-UNIT MASONRY (see MASONRY) R606.3.2.2, 606.13.1.2
HORIZONTAL
Pipe, definition R202
Vent length M1803.3.2
HOT WATER
Definition R202
Heaters . . . . . M2005, Chapter 24
HYDROGEN GENERATING AND REFUELING M1307.4
HYDRONIC HEATING SYSTEMS
Baseboard convectors M2102
Boilers M2001
Floor heating systems M2103
Piping systems installation M2101

I

INDIVIDUAL
Sewage disposal systems R202, P2602
INLET
To masonry chimneys R1003.16
INSPECTION
Card AE305.3
Fuel-supply system . . . . . Chapter 24
On site R109.1
INSTALLATION
Of appliances M1307
Of cooling and heating equipment M1401.1
Of ducts M1601.4
Of flue liners R1003.12
Of wall furnaces M1409.3
INSULATION R302.10.1
INTERIOR
Lath R702.2.3
Other finishes R702.5
Plaster R702.2
Wall covering . . . . . Chapter 7

J

JOIST
Bearing R502.6, R606.6.3.1

K

KITCHEN
Definition R202

L

L VENT TERMINATION M1804.2.4
LABELED
Definition R202
LABELING
Appliances M1303
Definition R202
LANDINGS R311.3, R311.3.1, R311.7.6, R311.8.2
LATERAL SUPPORT . . . R502.7, R606.6.4, R607.5.2
LATH
Exterior R703.7.1
Interior R702.2.3
LAVATORIES
Clearances R307
Sanitation R306
LIABILITY R104.8
LIGHT, VENTILATION AND HEATING R303
LINING
Flue R1003.11, R1003.12
LINTEL R606.10, R608.8, R703.8.3, R1001.7
LISTED AND LISTING
Definition applied to building and mechanical provisions R202

Mechanical appliances M1302.1
LIVE/WORK UNIT R101.2
LOAD
Additional R1003.8
Roof R301.6
Seismic risk map . . . . . .Figure R301.2(2)
Snow load map . . . . . .Figure R301.2(5)
Wind speed map . . . . . .Figure R301.2(4)A
LOADS
Horizontal load-pier construction AE602.1
LOADS, LIVE AND DEAD
Dead load R301.4
Definition R202
Live load R301.5
LOCATION
Of furnaces M1408.3, M1409.2
LUMBER
Grade R502.1.1, R602.1.1, R802.1.1

M

MAKEUP AIR M1503.4
MANUFACTURED HOME
Definition R202
MASONRY
Anchorage R606.11
Cavity wall R606.13
Chases R606.8
General R606
Hollow unit R202, R606.3.2.2, R606.13.1.2
Inspection R109.1.4
Seismic requirements R606.12
Solid, definition R202
Veneer R703.8
Veneer attachment R703.3
MATERIALS
Alternative R104.5
Combustible R202, R1001.11, R1001.12, R1003.18, R1003.19
For ducts M1601
For flue liners R1003.11
For fuel-supply systems . . . . . Chapter 24
For hearth extension R1001.9
For siding R703.5
Hydronic pipe M2101, M2103, M2104
MECHANICAL
Inspection R109.1.2
System requirements . . . . . Chapter 13
MEDIUM PRESSURE FUEL-GAS PIPING SYSTEM . . . . . Chapter 24
MEMBRANE
Penetration R302.4.2
Polyethylene R504.2.2, R506.2.3
Water-resistive R703.2
Waterproofing R406.2
METAL
Ducts . . . . . Chapter 16
Roof panels R905.10
Roof shingles R905.4
MODIFICATIONS R104.4
MOISTURE CONTROL R702.7
MORTAR
Joints R606.3.1
MULTIPLE
Appliance venting systems M1801.11
Flues R1003.13

N

NONCOMBUSTIBLE MATERIAL
Definition R202
NOTCHING
For mechanical systems M1308
Steel joists R505.3.5, R804.2.5, R804.3.3
Steel studs R603.2.6, R603.3.4
Wood joists R502.8, R802.7.1
Wood studs R602.6
Wood top plates R602.6.1

O

OCCUPIED SPACE
Definition R202
OIL
Piping and connections M2202
Supply pumps and valves M2204
Tanks M2201
OPEN-TOP GAS BROILER UNITS M1505.1
OPENING
Requirements, combustion air . . . . . Chapter 17, Chapter 24
OUTLET
Definition . . . . . Chapter 24

P

PARALLEL PATH CONNECTION N1102.2.6 (R402.2.6)
PARAPETS R302.2.2, R606.4.4
PARTICLEBOARD
Floor R503.3
Walls R605
PERMITS R105
PIERS R606.7
Masonry R404.1.9

PIPE
Materials listing . . . . . Table M2101.1
PIPING
Connections and materials . . . . . Table M2101.1
Fuel-gas size determination . . . . . Chapter 24
Support . . . . . M2101.9, Chapter 24
PLANNING
Building . . . . . Chapter 3
PLANS R105.6
PLASTER
Exterior R703.7
Interior R702.2
PLENUM
Definition R202
PLUMBING
Fixture clearances R307
Inspection R106.8.3, R106.10
Requirements and definitions R202
System, definition R202
PLYWOOD
Application R703.5
Materials, walls R604
POTABLE WATER
Definition R202
PRECAST CONCRETE
Footings R403.4
Foundation material R402.3.1
Foundation walls R404.5
PROHIBITED
Return air sources M1602.2
PROTECTION
Against decay and termites R317, R318
Of ferrous gas piping . . . . . Chapter 24
PURLINS R802.5.1
PURPOSE R101.4

R

***R*-VALUE**
Definition R202
RAFTERS
Grade of lumber R802.1
Spans . . . . . R802.1.1, Tables R802.5.1(1) – R802.5.1(8)
RAMPS R311.8
RANGES AND OVENS
Vertical clearance above cooking top M1901.1
READILY ACCESSIBLE
Definition R202
REQUIREMENTS
Connections for fuel-burning appliances . . . . . Chapter 24
Return air M1602
RESISTANT SIDING MATERIAL (see MATERIALS)
RETURN-AIR M1602
RIDGE BOARD R802.3
ROOF
Coverings R905
Drainage R903.4
Flashing R703.4, R903.2, R905
Steel framing R804
Wood framing R802
ROOF-CEILING CONSTRUCTION (see CONSTRUCTION) . . . . . Chapter 8
Wind uplift R802.11, R804.3.8
ROOFING
Built-up R905.9
Liquid-applied coating R905.15
Modified bitumen R905.11
Sprayed polyurethane foam R905.14
Thermoplastic single-ply R905.13
Thermoset single-ply R905.12
ROOM
Heaters, vented . . . . . M1410, Chapter 24
Minimum Sizes R304

S

SANITATION R306
SEISMIC RISK MAP . . . . . Figure R301.2(2)
SEPTIC TANK
Definition R202
SEWER, BUILDING
Definition R202
SHAKES
Wood R702.6, R703.6, R905.8
SHINGLE
Asphalt shingles R905.2
Metal R905.4
Slate R905.6
Wood R905.7
SHOWER
Compartment R307.2
Sanitation R306
Space requirements R307
SHUTOFF VALVE (see VALVES)
SIDING
Exterior coverings R703
SITE
Address R319
Preparation R408.5, R504.2, R506.2
SIZE
Of combustion air openings . . . . . Chapter 17

Of rooms R304
SKYLIGHTS R308.6
SLATE SHINGLES R905.6
SMOKE ALARMS R314
SMOKE-DEVELOPED INDEX R302.9, R302.10
SNOW LOAD MAP . . . . . Figure R301.2(5)
SOLAR ENERGY SYSTEMS
Photovoltaic systems R324.3
Thermal systems R324.2, M2301
SPANS
Steel (allowable) R505.3.2, R804.3.2.1
Wood (allowable) R502.3, R802.5
SPRINKLER (see FIRE SPRINKLER SYSTEMS)
STAIRWAYS R311.7
STANDARDS . . . . . Chapter 44
STEEL
Fireplace units R1001.5.1
Floor construction R505
Roof-ceiling construction R804
Walls R603
STORM SHELTERS R323
STORY
Definition R202
STOVES
Factory-built fireplace M1414
STRUCTURAL INSULATED PANEL (SIP) R610
STUDS
Wood R602.2, R602.3
Spacing R602.3.1
Steel R603.2, R603.3
SUPPLY
Combustion air . . . . . .Chapter 17, Chapter 24
Fuel systems . . . . . Chapter 24
Oil supply pumps and valves M2204
Required gas . . . . . Chapter 24
Return air M1602
SUPPORT
Of decks R507.2.2.1
Of ducts M1601.4.4
Of floor joists R502.6, R505.3.2
Of masonry chimneys R1003.2, R1003.3, R1003.4
Of pipe . . . . . M2101.9, Chapter 24
SWIMMING POOLS R326
SYSTEMS
Mechanical venting . . . . . .Chapter 18, Chapter 24

T

TANK
For fuel oil-burning appliances M2201
Septic, definition R202
TEMPERATURE ISOLINES . . . . . .Figure R301.2(1)
TERMINATION
Of chimneys R1003.9
Of vents (general) M1804.2
TERMITES
Infestation probability map . . . . . .Figure R301.2(6)
Protection R318
TEST
For leaks in supply piping . . . . . Chapter 24
THICKNESS
Of chimney walls R1003.10
TIES
Veneer R703.8.4
TILE
Shingles (clay and concrete) R905.3
TOWNHOUSE
Definition R202
Scope R101.2
Separation R302.2
TRUSSES
Steel R505.1.3, R804.3.6
Wood R502.11, R802.10
TYPE OF VENTING SYSTEMS REQUIRED . . . . Chapter 18, Chapter 24

U

***U*-FACTOR**
Definition R202
UNDER FLOOR
Access to furnaces M1305.1.4
Plenums M1601.5
Space R408
UNDERGROUND INSTALLATION REQUIREMENTS
Duct systems M1601.1.2
UNVENTED ATTIC ASSEMBLIES R806.5

V

VALVES
Meter . . . . . Chapter 24
Oil-supply M2204
Shutoff, fuel-gas . . . . . Chapter 24
Shutoff, fuel-oil M2204.2
VAPOR RETARDERS R702.7
Definition R202
VENEER
Masonry R703.7
VENT
B or BW vent . . . . . Chapter 24

Definition. . . . . Chapter 24
L vent . . . . . .M1804.2.4, Chapter 24
Plumbing system, definition R202
Termination. M1804.2, M2203.5, P3103.5
VENTED
Decorative appliances . . . . . Chapter 24
Floor furnaces. M1408
Room heaters M1410
Wall furnaces M1409
VENTILATION
Bathroom and kitchen. M1507
For hydrogen systems M1307.4
Roof R806
Under floor R408.1
Whole house. M1507.3
VENTING (MECHANICAL)
Chimney and vent connectors . . .M1803, Chapter 24
Components . . . . . .M1802, Chapter 24
General. . . . . .M1801, Chapter 24
Required . . . . . .M1801, M2203.4, Chapter 24
Systems . . . . . Chapter 18, Chapter 24
VERTICAL
Clearances above cooking top M1901.1
Pipe, definition R202
VIOLATIONS
And penalties R103

W

WALL FURNACE (see APPLIANCE)
General. M1409.1
Installation M1409.3
Location M1409.2
WALLBOARD
Gypsum R702.3
WALLS
Bracing, steel R603.9
Bracing, wood. R602.10
Construction . . . . . Chapter 6
Covering . . . . . Chapter 7
Cripple R602.9
Deflection R301.7
Exterior covering. R703
Finishes R302.9, R702
Fireplace. R1001.5
Foundation R404
Insulating concrete form R608.3, R608.4, R608.5.3
Steel framing R603
Structural insulated panels (SIP) R610
Thickness, masonry chimneys R1003.10
Wood framing R602
WARM-AIR FURNACES M1402
Access to M1401.2
Clearance from M1402.2
WASTE
Continuous, definition R202
WATER
Distribution system, definition R202
Heater, definition. R202
Heaters . . . . . Chapter 20, Chapter 24
Supply system, definition R202
WATER CLOSET
Clearances for. R307
WATERPROOFING
And dampproofing. R406
WHOLE-HOUSE VENTILATION. M1507.3
WIND SPEED MAP . . . . . Figure R301.2(4)A
WINDOW R609
Fall prevention R312.2
Opening limiting devices. R312.2.2
WOOD
Floor construction R502
Foundation walls. R404.2
Roof-ceiling construction. R802
Shakes R905.8
Shingles R905.7
Trusses R502.11, R802.10
Walls. R602

Y

YARD
Definition. R202