

Cedar

Samples Collected: 12/15/2020

Tolt

CLT-5	M-1A	Parameter	Units	Method	MCL	TPT-3	B-2
		<b>MRDL</b>					
1.73	1.05	Chlorine, Free	mg/L	SM-4500 Cl G	4	1.52	0.73
		<b>Primary MCL</b>					
0.2U	0.2U	Antimony	ug/L	EPA 200.8	6	0.2U	0.2U
0.428	0.411	Arsenic	ug/L	EPA 200.8	10	0.308	0.404
1.70	1.87	Barium	ug/L	EPA 200.8	2000	1.27	1.86
0.2U	0.2U	Beryllium	ug/L	EPA 200.8	4	0.2U	0.2U
0.2U	0.2U	Cadmium	ug/L	EPA 200.8	5	0.2U	0.2U
0.5U	0.5U	Chromium	ug/L	EPA 200.8	100	0.5U	0.5U
0.64	0.68	Fluoride	mg/L	ASTM D1179-93B	4	0.68	0.69
0.2U	0.2U	Mercury	ug/L	EPA 200.8	2	0.2U	0.2U
0.2U	0.2U	Nickel	ug/L	EPA 200.8	100	0.2U	0.2U
0.5U	0.5U	Selenium	ug/L	EPA 200.8	50	0.5U	0.5U
18.0	37.5	THAA5	ug/L	EPA 552.3	60	14.6	31.2
0.2U	0.2U	Thallium	ug/L	EPA 200.8	2	0.2U	0.2U
11.3	28.8	Total THMs	ug/L	EPA 524.2	80	11.2	35.5
0.2U	0.2U	Uranium	ug/L	EPA 200.8	30.0	0.2U	0.2U
		<b>Secondary MCL</b>					
9.47	9.19	Aluminum	ug/L	EPA 200.8	50 to 200	20.7	15.3
3.9	3.4	Chloride	mg/L	SM-4500 Cl E	250	2.7	3.9
5U	5U	Color, Apparent	PCU	SM-2120 B	15	5U	5U
80.0	74.3	Conductivity	umho/cm	ASTM D1125-92A	700	62.9	73.9
61.5	59.3	Iron	ug/L	EPA 200.8	300	25.8	36.6
6.38	7.64	Manganese	ug/L	EPA 200.8	50	0.945	4.01
8.31	8.40	pH	pH Unit	ASTM D1293-95B	6.5 - 8.5	8.42	8.91
2400	2470	Sodium	ug/L	EPA 200.8	20000	1080	2190
43.5	47.0	Solids, Total Dissolved	mg/L	SM-2540 C	500	37.7	44.0
0.608	0.5U	Zinc	ug/L	EPA 200.8	5000	0.5U	0.5U
		<b>Action Level</b>					
7.44	0.991	Copper	ug/L	EPA 200.8	1300	2.88	0.744
0.5U	0.5U	Lead	ug/L	EPA 200.8	15	0.5U	0.5U
		<b>Non Regulated</b>					
24.9	25.0	Alkalinity, Total	mg/L	ASTM D1067-92B		20.2	24.6
1U	1U	Bromochloroacetic Acid	ug/L	EPA 552.3		1U	1U
1U	1.26	Bromodichloroacetic Acid	ug/L	EPA 552.3		1U	1.33
1.06	1.87	Bromodichloromethane	ug/L	EPA 524.2		0.778	1.92
0.5U	0.5U	Bromoform	ug/L	EPA 524.2		0.5U	0.5U
9280	9480	Calcium	ug/L	EPA 200.8		9560	10300
23.2	23.7	Calcium Hardness	mg CaCO3/L	SM-2340 B		23.9	25.8
0.75	0.71	Carbon, Total Organic	mg/L	SM-5310 C		0.85	0.70
1.73	1.05	Chlorine, Free	mg/L	SM-4500 Cl G		1.52	0.73
2.5U	2.5U	Chlorodibromoacetic Acid	ug/L	EPA 552.3		2.5U	2.5U
10.2	26.9	Chloroform	ug/L	EPA 524.2		10.4	33.6
0.2	0.3	CO2, Calc	mg/L	SM-4500 CO2 B4		0.3	0.2U
0.5U	0.5U	Dibromoacetic Acid	ug/L	EPA 552.3		0.5U	0.5U
0.5U	0.5U	Dibromochloromethane	ug/L	EPA 524.2		0.5U	0.5U
7.59	16.1	Dichloroacetic Acid	ug/L	EPA 552.3		6.96	10.3
96.1	98.1	Dissolved Oxygen Saturation	%	SM-4500 O G		160	110

CLT-5 = Cedar Treatment Plant Outlet, M-1A = Cedar Distribution @ S. Stacy St. & Utah Ave. S.; TPT-3 = Tolt Filtration Plant Outlet, Treated; B-2 = Tolt Distribution @ NW 122nd St. & 1st Ave. NW MCL = Maximum Contaminant Level, 1000 ug/L = 1.0 mg/L

"U" indicates that the test result for the analyte is less than the stated minimum value preceding the "U".

"J" indicates that the result is estimated due to possible matrix issue or lab uncertainty.

CLT-5	M-1A	Parameter	Units	Method	MCL	TPT-3	B-2
1.60	1.62	Hardness, Grains	Grains/gallon			1.51	1.68
1080	1080	Magnesium	ug/L	EPA 200.8		542	785
0.5U	0.5U	Molybdenum	ug/L	EPA 200.8		0.5U	0.5U
1U	1U	Monobromoacetic Acid	ug/L	EPA 552.3		1U	1U
2.91	1.70	Monochloroacetic Acid	ug/L	EPA 552.3		2.12	1.5U
54.8	61.7	Nitrogen, Nitrite + Nitrate	ug/L	EPA 353.2	10000	148	77.7
128	127	Nitrogen, Total	ug/L	SM-4500 N C		338	122
11.4	10.9	Oxygen, Dissolved	mg/L	SM-4500 O G		19.3	12.1
7.60	5.60	Phosphorus, Dissolved Reactive	ug/L	SM-4500 P F		2.10	4.50
9.50	7.60	Phosphorus, Total	ug/L	SM-4500 P F		4U	6.00
266	271	Potassium	ug/L	EPA 200.8		121	214
9.69	9.69	Silica, Reactive	mg/L	SM-4500 SiO2 C		6.01	8.29
23.0	24.1	Strontium	ug/L	EPA 200.8		26.8	26.0
7.5	10.2	Temperature, Water	Deg C	SM-2550		6.8	10.4
18.0	38.8	THAA9	ug/L	EPA 552.3		14.6	32.6
0.5U	0.5U	Thorium	ug/L	EPA 200.8		0.5U	0.5U
5U	5U	Tribromoacetic Acid	ug/L	EPA 552.3		5U	5U
7.49	19.7	Trichloroacetic Acid	ug/L	EPA 552.3		5.48	20.9
0.29	0.28	Turbidity	NTU	SM-2130 B		0.11	0.20
0.065	0.059	UVA	abs/5cm	SPU TEST		0.048	0.050
0.5U	0.5U	Vanadium	ug/L	EPA 200.8		0.652	0.543

CLT-5 = Cedar Treatment Plant Outlet, M-1A = Cedar Distribution @ S. Stacy St. & Utah Ave. S.; TPT-3 = Tolt Filtration Plant Outlet, Treated; B-2 = Tolt Distribution @ NW 122nd St. & 1st Ave. NW MCL = Maximum Contaminant Level, 1000 ug/L = 1.0 mg/L

"U" indicates that the test result for the analyte is less than the stated minimum value preceding the "U".

"J" indicates that the result is estimated due to possible matrix issue or lab uncertainty.