

The City of Seattle

Pioneer Square Preservation Board

Mailing Address: PO Box 94649, Seattle WA 98124-4649 Street Address: 600 4th Avenue, 4th Floor

PSB 312/22

Staff REPORT

for Board meeting January 4, 2023

Board Members Please Note: The citations from the District Ordinance, Rules for the Pioneer Square Preservation District, and Secretary of the Interior's Standards listed below are for your consideration in addition to any other citations you find relevant in considering each application.

010423.32 <u>Libby Building</u> Evergreens 106 1st Ave S

Installation of a pick up window and awning over the window with signage

Staff report: The Department of Neighborhood records indicate that the storefront system was replaced during a 1980's remodel so though the storefronts are compatible, they are not original. The Board might want to consider some condition such as that the existing window be salvaged and stored for replacement of the pick up window and that if the pick up window is no longer in use or that if the tenant leaves that the window be reinstalled. This would not preclude a new tenant from applying to keep the window installed. If the Board thinks the pick up window is acceptable for a permanent condition regardless of the use in the space then a condition is not necessary.

Draft Motion: I move to recommend granting a Certificate of Approval for: Installation of a pick up window (as proposed or if amended specify how amended) and installation of an awning above the pick up window with signage "pick up."

The Board directs staff to prepare a written recommendation of approval based on considering the application submittal and Board discussion at the *January 4, 2023* public meeting and forward this written recommendation to the Department of Neighborhoods Director.

Code Citations:

SMC 23.66.030 Certificates of Approval required

Administered by The Historic Preservation Program The Seattle Department of Neighborhoods

"Printed on Recycled Paper"

A. Certificate of approval required. No person shall alter, demolish, construct, reconstruct, restore, remodel, make any visible change to the exterior appearance of any structure, or to the public rights-of-way or other public spaces in a special review district, and no one shall remove or substantially alter any existing sign or erect or place any new sign or change the principal use of any building, or any portion of a building, structure or lot in a special review district, and no permit for such activity shall be issued unless a certificate of approval has been issued by the Department of Neighborhoods Director.

SMC 23.66.180 - Exterior building design.

C. Awnings. Awnings shall be functional, serving as weather protection for pedestrians at street level, and shall overhang the sidewalk a minimum of five feet (5'). Awnings may be permitted on upper floors for the purpose of climate control. All awnings shall be of a design compatible with the architecture of buildings in the area.

Pioneer Square Preservation District Rules

III. GENERAL GUIDELINES FOR REHABILITATION AND NEW CONSTRUCTION

In addition to the Pioneer Square Preservation District Ordinance and Rules, The Secretary of the Interior's Standards for Rehabilitation with Guidelines for Rehabilitating_Historic Buildings, and the complete series of Historic Buildings Preservation Briefs developed by the National Park Service shall serve as guidelines for proposed exterior alterations and treatments, rehabilitation projects, and new construction. (7/99)

Rehabilitation is defined as the act or process of making possible a compatible use for a property through repair, alterations, and additions while preserving those portions or features which convey its historical, cultural, or architectural values. (7/99) In considering rehabilitation projects, what is critical is the stabilization of significant historical detailing, respect for the original architectural style, and compatibility of scale and materials.

XX. RULES FOR TRANSPARENCY, SIGNS, AWNINGS AND CANOPIES

The Pioneer Square Preservation Ordinance reflects a policy to focus on structures, individually and collectively, so that they can be seen and appreciated. Sign proliferation or inconsistent paint colors, for example, are incompatible with this focus, and are expressly to be avoided. (8/93)

B. General Signage Regulations

All signs on or hanging from buildings, in windows, or applied to windows, are subject to review and approval by the Pioneer Square Preservation Board.

(8/93) Locations for signs shall be in accordance with all other regulations for signage. (12/94)

The intent of sign regulations is to ensure that signs relate physically and visually to their location; that signs not hide, damage or obscure the architectural elements of the building; that signs be oriented toward and promote a pedestrian environment; and that the products or services offered be the focus, rather than signs. (8/93)

C. Specific Signage Regulations

1. Letter Size. Letter size in windows, awnings and hanging signs shall be consistent with the scale of the architectural elements of the building (as per SMC 23.66.160), but shall not exceed a maximum height of 10 inches unless an exception has been approved as set forth in this paragraph. Exceptions to the 10-inch height limitation will be considered for individual letters in the business name (subject to a limit of no more than three letters) only if both of the following conditions are satisfied: a) the exception is sought as part of a reduced overall sign package or plan for the business; and b) the size of the letters for which an exception is requested is consistent with the scale and character of the building, the frontage of the business, the transparency requirements of the regulations, and all other conditions under SMC 23.66.160. An overall sign package or plan will be considered reduced for purposes of the exception if it calls for approval of signage that is substantially less than what would otherwise be allowable under the regulations. (12/94)

E. AWNINGS AND CANOPIES

Awnings and canopies are structures attached to buildings above storefront windows and entrances to provide weather protection. Awnings are light-weight structures constructed of metal framing with fabric or vinyl covering. Canopies are heavier, more permanent structures constructed of rigid materials such as metal or metal framing with glass. (7/99) Those buildings wishing to use awnings or canopies shall adhere to the following requirements:

- 1. Awnings shall be sloped, rather than bubble type. No writing may be placed on the sloping portion of the awning. (12/94) Scalloped or cut-out valances are not acceptable, nor are side panels. (8/93) Return of valances on awnings shall be permitted, but no signage of any kind shall be permitted on valance returns.
- 2. Shiny, high-gloss awning materials are not permitted. Retractable awnings of a through color are preferred, i.e., the underside is the same color as the exposed face. Awning colors shall be subdued to ensure compatibility with the character of the District. (7/03)

Secretary of Interior's Standards

- 6. Deteriorated historic features will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.
- 9. New additions, exterior alterations or related new construction will not destroy historic materials, features and spatial relationships that characterize the property. The new work will be differentiated from the old and will be compatible with the historic materials, features, size, scale and proportion, and massing to protect the integrity of the property and its environment.
- 10. New additions and adjacent or related new construction will be taken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Issued: December 28, 2022

Genna Nashem
Pioneer Square Preservation Board Coordinator