

MAIN CORRIDOR SOUTH OF UNION AGENDA

- 1 CITY INTRODUCTION AND UPDATE ON WATERFRONT PROGRAM, BUDGET + SCHEDULE;
- 2 SOUTH OF UNION 60% DESIGN;
- ③ KIOSKS 30% DESIGN.


TOPICS FOR FUTURE SDC MEETINGS:

- · Approach to Sustainability
- Approach to Tribal + Cultural Engagement
- Approach to Wayfinding
- Approach to ADA (Universal Access)
- Update on Public Art

CITY INTRODUCTION

PHASING APPROACH

SEPTEMBER 2014




- Alaskan Way + Cycle Track (south of Union)
- Alaskan Way/Elliott Way + Cycle Track (north of Union)
- 2. Promenade
- Overlook Walk 3.
- Marion Street Ped Bridge (Alaskan ROW to Western)
- Columbia Streetscape
- Seneca Restoration (WSDOT only) 6.
- Blanchard ROW
- Lenora Street Bridge Improvement 8.
- Waterfront Park
- Lower Union + Western Intersection
- 11. Pike Pine Improvements
- Main + Washington Streets

- Floating Dock
- 3. Middle Union
- Seneca Streetscape
- Blanchard Overlook
- Marion Street Ped Bridge (Western to First)
- Pool Barge 7.

- · Seawall Related Elements
- · Aquarium Expansion
- PC-1 / PPM Entrance
- · Bell Street Improvements
- · North Portal Site Park
- · Pike Street Hill Climb Improvements
- · Blanchard Opportunity Site


MAIN CORRIDOR SOUTH OF UNION 60% DESIGN

PROJECT LIMITS



LEGEND

MAIN CORRIDOR SOUTH OF UNION








SCHEMATIC SITE PLAN

NOVEMBER 2013



LEGEND











MAIN CORRIDOR NORTH OF UNION SUMMARY OF SDC COMMENTS MARCH 2014


ACTION ITEMS Street

- Design guidelines for east side re: activities & preservation.
- Depth of planting beds & tree pits.
- Sightlines for vehicles, cyclists and pedestrians.
- Define sustainability issues present opportunities.


Promenade


- Relationship of kiosks to overall character family, location, closed.
- · Views looking west from higher points.
- Expression of the character of the waterfront.
- Extend richness of paving into the above-grade elements.
- Unique juncture of salt & freshwater.

CURRENT SITE PLAN OCTOBER 2014



LEGEND










MAIN CORRIDOR SOUTH OF UNION **60% DESIGN UPDATE**









































PIONEER SQUARE NEAR-SHORE PALETTE

Plane Tree Platanus x acerifolia 'Yarwood'

Height: 35' Spread: 20'



Shore Pine

Pinus contorta var. contorta

Height: 35' Spread: 15'

Soil: dry Sun: Full



Excelsa Cedar Thuja plicata 'Excelsa'

Height: 35' Spread: 10'

Soil: moist to wet tolerant Sun: full to partial



Incense Cedar

Calocedrus decurrens

Height: 25' Spread: 6'

Soil: dry to moist, well drained Sun: full to partial

Marina Strawberry Tree Arbutus marina

Height: 15' Spread: 20'

Soil: dry to very dry Sun: full to partial






STREET TREE























WEST SIDE EAST SIDE
































1 BEACH HABITAT


As part of the original intent and scope of my commission for a habitat artwork, I have modified the root wad and anchor approach and placement on the beach and rock arms. I am proposing the use of natural stone anchors to conform to the requirements of the shoreline permitting agency.

2 CONTAINMENT BARRIER

In order to protect the habitat investment, a containment barrier should be located in the beach offshore area for rapid deployment. The rolled up barrier has visual appeal, kinetically interacting with wave action. When deployed the containment boom form responds to the tidal movements including an inboard and outboard floating catenary.

3 ANTHROPOCENE THRESHOLD

The edge of the promenade where city meets beach will consist of a highly conglomerated cast concrete threshold. The matrix (aggregate) would consist of inert architectural and cultural rubble reconstituted in blocks to be sliced (by wire or diamond blade) into paver threshold units.



4 SEAWALL SEATING

The alignment of seating made of stone or cast concrete suggests a seawall of sandbags or an inviting sittable wall of offloaded cargo by stevedores.


6 ANTHROPOMORPHIC PODS

Anthropomorphic Pods are intended as both a metaphor of human intervention and, as intended, an engineered solution for shoreline armor and anchors to secure the rood wads.

6 ALASKAN WAY VIADUCT RELIC

The saving of selected columns of the Alaskan Way Viaduct presents a totemic welcoming figure of scale while providing a historic anomaly.







Historic beach with Salish canoes



Salish canoe anchors



Typical Puget Sound biomass infusion



Olympic Sculpture Park Beach



Skagit River Delta biomass



Volunteer Madrona landscape



Containment barrier

Elliott Bay Seawall ANTHROPOCENE BEACH // ZONE 1 60% DESIGN DEVELOPMENT PA-03 2014-10-14







poking north Installation looking northwest



1 2 1 2 11 11 11 11 11

Elevation view of Anthropoid installation and Limestone/Marble "Sand Bags"



Plan view of Anthropoid installation and Limestone/Marble "Sand Bags"



Dolos as shoreline armor



Secured Embrace, Frye Art Museum



Seating appropriate



Military foxholes using concrete bags



2014-10-14

Study of Seawall Seating

Elliott Bay Sawall ANTHROPOCENE BEACH // ZONE 1 60% DESIGN DEVELOPMENT PA-04








Columns 3 & 4 looking northwest





Plan view of site showing columns







Column 3

Column 4


Elliott Bay Seawall	ANTHROPOCENE BEACH // ZONE 1	60% DESIGN DEVELOPMENT	PA-05	2014-10-14
---------------------	------------------------------	------------------------	-------	------------

MAIN CORRIDOR SOUTH OF UNION

PLANTING BEACH PALETTE

Plane Tree Platanus x acerifolia 'Yarwood'

Height: 35' Spread: 20'



Shore Pine Pinus contorta var. contorta

Height: 35' Spread: 15'

Soil: dry Sun: Full



Marina Strawberry Tree Arbutus marina

Height: 20' Spread: 25'

Soil: dry to very dry Sun: full to partial



STREET TREE





BEACH TREES

































MAIN CORRIDOR SOUTH OF UNION

TRANSIT HUB PRONTO! BIKE SHARE STATION



station render & decal mock up




MAIN CORRIDOR SOUTH OF UNION

PLANTING FORMAL PALETTE

Common Zelkova Zelkova serrata 'Green Vase' Height: 35' Spread: 15'





STREET TREE

TRANSIT HUB ALLÉE





































WEST SIDE


EAST SIDE





















MAIN CORRIDOR SOUTH OF UNION

MAIN CORRIDOR STREET TREES TECHNICAL CONFLICTS + CITY REQUIREMENTS

- 1. UTILITY CONFLICTS
- 2. VEHICLE SIGHT TRIANGLES
- 3. CYCLE TRACK SIGHT TRIANGLES
- 4. PEDESTRIAN SIGHT TRIANGLES
- 5. SPACING REQUIREMENTS
- 6. CURB OFFSET REQUIREMENTS
- 7. EAST AND WEST-SIDE ACCESS AND SERVICE DRIVES
- 8. BUS/TRANSIT LOADING






MAIN CORRIDOR SOUTH OF UNION

SIGHT LINES

TREE SPACING, HEIGHT TO BRANCHING + SPREAD
































MAIN CORRIDOR SOUTH OF UNION

HISTORIC BALUSTRADE TYPICAL DIMENSIONS










MAIN CORRIDOR SOUTH OF UNION HISTORIC BALUSTRADE

SOCIAL INTERSECTION



MAIN CORRIDOR SOUTH OF UNION WATERFRONT RAILING TYPICAL DIMENSIONS






ELEVATION

MAIN CORRIDOR SOUTH OF UNION WATERFRONT RAILING


FRAME + INFILL




DETAIL - CABLE MESH INFILL











MAIN CORRIDOR SOUTH OF UNION WATERFRONT RAILING MATERIALS






STEEL FRAME
TNEMIC-COATED STEEL, DARK GRAY COLOR


INFILLSTAINLESS STEEL CABLE MESH IN FRAME

WOOD HANDRAILSALVAGED EKKI FROM SEAWALL OR OTHER



MAIN CORRIDOR SOUTH OF UNION

WATERFRONT RAILING HANDRAIL





OLYMPIC SCULPTURE PARK ightarrow 20 mins $lap{R}$ union street stairs and elevator are behind you

45

←5


is some that each the third probability of the pro


 $N \rightarrow$


OLYMPIC SCULPTURE PARK → 20 MINS 🖈 UNION STREET STAIRS AND ELEVATOR ARE BEHIND YOU 🛗


andre en experiencia (Company) de la company (Company)

N ->


























MAIN CORRIDOR SOUTH OF UNION

HISTORIC PIERS SOCIAL INTERSECTION: WIDE BENCH




MAIN CORRIDOR SOUTH OF UNION HISTORIC PIERS SOCIAL INTERSECTION: BENCHES







WIDE BENCH

BLEACHER












MAIN CORRIDOR SOUTH OF UNION FIREHOUSE SLIP SWINGS






TOP VIEW






HISTORIC PIERS SECTION: MADISON + SPRING




WEST SIDE


EAST SIDE


MAIN CORRIDOR SOUTH OF UNION LIGHTING FAMILY OF FIXTURES




MAIN CORRIDOR SOUTH OF UNION LIGHTING FAMILY OF FIXTURES















MAIN CORRIDOR SOUTH OF UNION

HISTORIC PIERS TERRACE STEEL EDGING




MAIN CORRIDOR SOUTH OF UNION HISTORIC PIERS





HISTORIC PIERS BOARDWALK



HISTORIC PIERS GARDEN PALETTE

Common Zelkova Zelkova serrata 'Green Vase' Height: 35' Spread: 15'

STREET TREE

Eastern Redbud

Cercis canadensis Height: 20' Spread: 15'

Japanese stewartia Stewartia pseudocamellia Height: 25' Spread: 15'

Japanese snowbell Styrax japonica

Height: 25' Spread: 15'













HISTORIC PIERS GARDEN PALETTE

Yoshino cherry Prunus x Yedoensis Height: 20' Spread: 15'

Eddies White Wonder Dogwood Cornus nuttallii x florida "Eddies White Wonder" Height: 20' Spread: 15'

Western Redbud

Cercis occidentalis Height: 25' Spread: 15'

Japanese Maple Acer palmatum Height: 8' Spread: 10'
















GARDEN TERRACES





















KIOSKS 30% DESIGN












WATERFRONT SEATTLE KIOSKS NARCHITECTS **30% DESIGN (100% SD)** October 16, 2014 CONNECTING TO LARGER CONTEXT: URBAN PERISCOPE




GLIMPSES OF KIOSKS FROM CITY STREETS

































REFRIGERATED STORAGE

DRY STORAGE

EQUIPMENT + APPLIANCES


COUNTER + POINT OF SALE


SIGNAGE

KIOSK FRONT

KIOSK INTERIOR

KIOSK COUNTER





15







REFRIGERATED STORAGE

DRY STORAGE

EQUIPMENT + APPLIANCES


COUNTER + POINT OF SALE


SIGNAGE


KIOSK FRONT


KIOSK INTERIOR


KIOSK COUNTER











KITCHEN EQUIPMENT:



UNDER-COUNTER REFRIGERATOR (X 2)



REFRIGERATED DISPLAY (X 2)



MICROWAVE




ESPRESSO MACHINE



COFFEE




COFFEE



KITCHEN EQUIPMENT:



ICE CREAM DIPPING CABINET (X 3)



KITCHEN EQUIPMENT:




MICROWAVE





UNDER-COUNTER REFRIGERATED DISPLAY




PANINI PRESS

























KIOSK WITH MAXIMUM SUN AND RAIN SHELTER





KIOSK WITH INTERIOR SHELTER

FULLY CLOSED KIOSK









WHITE TRANSLUCENT GLASS



STAINLESS STEEL W/ REFLECTIVE FINISH














DOT PATTERN1" diameter dot frit + 1 1/4" spacing o.c.

HORIZONTAL LINE PATTERN
1" line + 1/4" spacing, horizontal stripes

VERTICAL LINE PATTERN1" line + 1/4" spacing, vertical stripes







JOINTS PARALLEL TO THE EDGE OF THE VOLUME

JOINTS PARALLEL TO THE GROUND PLANE

STAGGERED JOINTS



JOINTS PARALLEL TO THE EDGE OF THE VOLUME



JOINTS PERPENDICULAR TO THE GROUND PLANE







OPT. A: HIGH DENSITY LAMINATE TIMBER PANELS

OPT. B: RESIN-IMPREGNATED WOOD PLANKS







OPT. A: FULL HEIGHT OPEN STORAGE NICHES WITH GRAY LINING


OPT. B: FULL HEIGHT OPEN STORAGE NICHES WITH BLUE LINING




WATERFRONT SEATTLE KIOSKS NARCHITECTS **30% DESIGN (100% SD)** October 16, 2014
















400'






800'

MAIN CORRIDOR SOUTH OF UNION

CURRENT SITE PLAN



END