The Medium Roast

A 750 SF Craftsman style ADU

Designed By:

Drafting Cafe Architects 925 4th Ave Seattle, WA 98104 425-655-6200 info@draftingcafe.com

Project Description

At 750 square feet, The Medium Roast leaves a lot of yard while maximizing investment. 2 bedrooms and one bath are a perfect match for most renters. The craftsman details make this little backyard bungalow seem like it has always been there. Inside, the modern kitchen and vaulted ceilings throughout the living areas open up the space. Privacy is important inside an outside an ADU. A small hallway hides the bedroom and bathroom doors inside, and a small porch recesses the front door for privacy outside.

Drafting Cafe Architects has developed this ADU (and our other two submissions) in partnership with Seattle-based construction company Pro.com. Our partnership, along with the City of Seattle's pre-approved plans program, will provide homeowners with the simplest turn-key approach to developing an ADU. Pricing, timeline, and all interior and exterior specifications will be professionally managed from start to finish.

Project Narrative

If we had to choose one word to describe The Medium Roast, it would be *Comfortable*. We used very prevalent dimensions for the interior spaces that feel very normal and not tight. The exterior materials are horizontal siding with wood shingle details that will feel comfortable to most owners. If going green is a priority, the bungalow has the ability to go fully electric – the water heater, mini split heating/cooling system, and kitchen range can all be specified as electric. No gas means no gas line plumbed from the house, thereby reducing overall cost as well. If built on a flat lot, the slab-on-grade construction will allow access for anyone with mobility constraints.

Privacy is critical for an ADU and this design has one side with (almost) no windows in consideration of property line privacy. The Medium Roast will most likely be placed on site with the front door facing the main house to maximize privacy, and the blank wall along a neighboring property line.

In terms of style, Drafting Cafe Architects will provide 2 additional exterior finish options to choose from - Modern and Farmhouse. For a sample of these styles please see "The Macchiato"

and "The Latte" ADU submissions. As a bonus, Drafting Cafe Architects will include 3 "on-trend" interior finish palettes for homeowners to select materials for the kitchen, bathroom, flooring etc. at no additional cost.

Estimate of Cost

The cost of construction for The Medium Roast starts at \$213,000. If selected for the preapproved plans program, our partnership with Seattle-based construction company Pro.com will allow us to fine-tune the construction cost of the ADU further and provide a streamlined delivery process. Pro.com is currently working with their vendors to negotiate reduced costs across the board, and we expect to have very competitive pricing for The Medium Roast.

Drafting Cafe Architects will charge \$995 for the plans. The plan set will include structural framing and the homeowner's choice from one of three interior finish material packages. Foundation design will be handled per project at a discounted rate through Drafting Cafe. Any changes to the design will be billed at \$95/hr.

The Medium Roast A 750 SF Craftsman style ADU

Designed By:

Drafting Cafe Architects 925 4th Ave Seattle, WA 98104 425-655-6200 info@draftingcafe.com

Project Description

At 750 square feet, The Medium Roast leaves a lot of yard while maximizing investment. 2 bedrooms and one bath are a perfect match for most renters. The craftsman details make this little backyard bungalow seem like it has always been there. Inside, the modern kitchen and vaulted ceilings throughout the living areas open up the space. Privacy is important inside an outside an ADU. A small hallway hides the bedroom and bathroom doors inside, and a small porch recesses the front door for privacy outside.

Drafting Cafe Architects has developed this ADU (and our other two submissions) in partnership with Seattle-based construction company Pro.com. Our partnership, along with the City of Seattle's pre-approved plans program, will provide homeowners with the simplest turn-key approach to developing an ADU. Pricing, timeline, and all interior and exterior specifications will be professionally managed from start to finish.

Project Narrative

If we had to choose one word to describe The Medium Roast, it would be *Comfortable*. We used very prevalent dimensions for the interior spaces that feel very normal and not tight. The exterior materials are horizontal siding with wood shingle details that will feel comfortable to most owners. If going green is a priority, the bungalow has the ability to go fully electric – the water heater, mini split heating/cooling system, and kitchen range can all be specified as electric. No gas means no gas line plumbed from the house, thereby reducing overall cost as well. If built on a flat lot, the slab-on-grade construction will allow access for anyone with mobility constraints.

Privacy is critical for an ADU and this design has one side with (almost) no windows in consideration of property line privacy. The Medium Roast will most likely be placed on site with the front door facing the main house to maximize privacy, and the blank wall along a neighboring property line.

In terms of style, Drafting Cafe Architects will provide 2 additional exterior finish options to choose from - Modern and Farmhouse. For a sample of these styles please see "The Macchiato" and "The Latte" ADU submissions. As a bonus, Drafting Cafe Architects will include 3 "on-trend" interior finish palettes for homeowners to select materials for the kitchen, bathroom, flooring etc. at no additional cost.

Estimate of Cost

The cost of construction for The Medium Roast starts at \$213,000. If selected for the pre-approved plans program, our partnership with Seattle-based construction company Pro.com will allow us to fine-tune the construction cost of the ADU further and provide a streamlined delivery process. Pro.com is currently working with their vendors to negotiate reduced costs across the board, and we expect to have very competitive pricing for The Medium Roast.

Drafting Cafe Architects will charge \$995 for the plans. The plan set will include structural framing and the homeowner's choice from one of three interior finish material packages. Foundation design will be handled per project at a discounted rate through Drafting Cafe. Any changes to the design will be billed at \$95/hr.



PROPOSED DOOR SCHEDULE								
ID Label	Qty.	Width	Height	Туре	Material	Finish	Notes	
1	1	3'0"	6'8"	Swing Simple	wood			
2	1	2'4"	6'8"	Swing Simple	wood			
3	1	3'6"	6'8"	Swing Bi-part	wood			
4	1	6'0"	6'8"	Swing Bi-part	wood			
5	3	2'6"	6'8"	Swing Simple	wood			
6	1	6'0"	6'8"	Slider	wood			


PROPOSED WINDOW SCHEDULE


ld Label	Qty.	Operation	Width	Height	Material	Notes
1	2	Bi-parting Casement	5'0"	4'0"	wood	
2	1	Bi-parting Casement	4'0"	4'0"	wood	
3	2	Casement	3'0"	4'0"	wood	
4	1	Bi-parting Casement	3'0"	3'0"	wood	
5	1	Casement	2'0"	2'0"	wood	


- domestic hot water


- be electric.

+12'-6" _____ Building Height 🕓 4 +8'-0" Ceiling Height 🕓 <u>Living</u> <u>Bedroom 2</u> 0'-0" F.F. -0'-6" Grade Proposed Building Section









FOUNDATION PLAN

1/4"=1'-0"

SYMBOL DESCRIPTIONS



SW1 (8'-0")

DESCRIPTIONS

INDICATES SIDE OF WOOD SHEAR WALL SHEATHING TO BE NAILED
INDICATES WOOD SHEAR WALL MARK SEE 4/S1.01 FOR SHEARWALL SCHEDULE
INDICATES MINIMUM LENGTH OF SHEAR WALI
INDICATES POST MARK

INDICATES SHEAR WALL

INDICATES WOOD BEAM

INDICATES CEILING JOIST OR ROOF RAFTER

FOR EXTENT.SEE DETAIL 6/S1.04 FOR TYPICAL SLAB ON GRADE DETAILS.


INDICATES 6" THICK STRUCTURAL SLAB ON GRADE WITH #4@ 12" O.C. REINFORCING STEEL EACH WAY OVER 2" SAND


/10MIL BARRIER /4" DRAIN ROCK WITH NO FINES PER SOIL REPORT RECOMMENDATION. SEE ARCHITECTURAL

INDICATE HOLD DOWN TYPE HDU5, SEE DETAIL 1/S1.04

INDICATES TYP. CONCRETE WALL FOUNDATION

4x4 DF. NO. 1 4x6 DF. NO. 1 6x6 DF. NO. 1







1/4"=1'-0"

STRUCTURAL PLAN NOTES

1. FOR GENERAL NOTES AND TYPICAL SYMBOLS DESCRIPTIONS, SEE S0 SERIES SHEETS.

2. FOR TYPICAL DETAILS SEE S1 SERIES SHEETS. DETAILS AND SCHEDULES INDICATED AS 'TYPICAL' MAY NOT BE SPECIFICALLY REFERENCED ON DRAWINGS. DETERMINE WHERE EACH TYPICAL DETAIL OR SCHEDULE APPLIES BEFORE PROCEEDING WITH WORK. 3. SEE ARCHITECTURAL DRAWINGS FOR CONCRETE SLAB ELEVATIONS, DEPRESSIONS, SLOPES, OPENINGS, CURBS, DRAINS, TRENCHES, SLAB EDGE LOCATIONS, ETC., AND FOR WALL

OVERALL DIMENSIONS, LOCATIONS OF OPENINGS, ETC., NOT INDICATED ON STRUCTURAL DRAWINGS.

4. VERIFY ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS PRIOR TO START OF WORK.

5. HOLDDOWN HARDWARE MUST BE SECURED IN PLACE PRIOR TO CALLING FOR FOUNDATION INSPECTION. WE SETTING ANCHORS IS PROHIBITED.

6. HOLDDOWN CONNECTOR BOLTS INTO WOOD FRAMING REQUIRE APPROVED PLATE WASHERS, AND HOLDDOWNS SHALL BE FINGER TIGHT AND 1/2 WRENCH TURN JUST PRIOR TO COVERING WALL FRAMING.

7. NO PENETRATIONS ARE ALLOWED THROUGH SHEAR WALL UNLESS SPECIFICALLY DETAILED ON THESE NOTES

8. FOR FOUNDATION/SOIL/DRAINAGE SPECIFICATION REFER TO SOIL GEOTECHNICAL REPORT PROVIDED.

9. FOUNDATION PLANS AND PERTINENT DETAILS SHALL BE REVIEWED AND APPROVED BY THE SOILS ENGINEER PRIOR TO ANY FOUNDATION WORK. SOIL REPORT SHALL BE TAKEN PRECEDENCE OVER STRUCTURAL NOTES AND DETAILS. SITE GRADING, SUBGRADE PREPARATION, EXCAVATION, AND PLACEMENT OF ENGINEERED FILL MATERIAL SHALL BE PERFORMED IN ACCORDANCE WITH

THE SOIL REPORT AND GRADING PLANS. ALL EXCAVATION AND PLACEMENT OF ENGINEERED FILL SHOULD BE OBSERVED AND APPROVED BY THE SOILS ENGINEER BEFORE PLACEMENT OF REBAR.

10. FLOOR SHEATHING SHALL BE 23/32" APA RATED STRUCT-I-FLOOR T&G WITH MIN. SPAN RATING 24, BLOCKED UNDER ALL EDGES. PROVIDE 10d COMMON NAILS @ 6"o.c. EDGE NAILING

(ALSO ON FLOOR BEAMS), 10d COMMON NAILS @ 4"o.c. BOUNDARY NAILING, AND 10d COMMON NAILS @ 10"o.c. FIELD NAILING. GLUE TO FLOOR JOISTS. INSTALL WITH FACE GRAIN PERPENDICULAR TO JOISTS. 11. SURFACE OUTSIDE THE HOUSE NEEDS TO HAVE 5% SLOPE (UNPAVED SURFACE) & 2% SLOPE (PAVED SURFACE) AWAY FROM THE STRUCTURE.

12. PRESSURE TREATED WOOD AND HOT DIPPED GALVANIZED CONNECTORS SHALL BE USED FOR THE MEMBER EXPOSED TO WETHER CONDITIONS.

HOT DIPPED GALVANIZED SHALL BE USED FOR ALL METAL CONNECTORS IN CONTACT WITH PRESSURE TREATED WOOD.

13. SHEATH ALL EXTERIOR WALLS w/ 15/32" STRUCT-I-4 PLYWOOD OR 5-PLY MINIMUM UNLESS NOTED OTHERWISE PER SHEAR WALL SCHEDULE. PLYWOOD NAILING SHALL BE AS FOLLOWS: A. ALL EDGE NAILING (E.N) 10d@6"o.c.

B. FIELD NAILING (F.N.) 10d@12" o.c.

C. BLOCK ALL EDGES

14. REFERENCE ELEVATION TOP OF FLOOR BEAMS AND JOISTS SHALL BE PER ARCH'L U.N.O.

15. ALL POST TO BEAM AND BEAM TO POST SHALL BE CONNECT W/ PCZ/ EPCZ UNLESS NOTED OTHERWISE ON PLAN.

16. ALL OF THE BEAMS ARE FLUSH BEAM (NO DROPPED BEAM) UNLESS NOTED ON PLAN.

17. ROOF SHEATHING SHALL BE 15/32" WITH A SPAN RATING OF 24/0, UNBLOCKED, w/ 10d COMMON NAILS @ 6"o.c. EDGE & BOUNDARY NAILING

AND 10d COMMON NAILS @ 12"o.c. FIELD NAILING. INSTALL WITH FACE GRAIN PERPENDICULAR TO RAFTERS.

ROOF FRAMING

1/4"=1'-0"

TYPIC	CAL JOIST SO	
MARK	JOIST SIZE	HANGER
CJ1	2x6 @ 24" o.c.	LSU26
CJ2	2x8 @ 24" o.c.	LSU28

STUD WALL SCHEDULE

MAX HEIGHT	EXTERIOR WALL
10'-0''	2x4@12"o.c.
12'-0"	2x6@12"o.c.
MAX HEIGHT	INTERIOR WALL
13'-0"	2x4@16"o.c.

	R SCHEDULE
BEAM SIZE	HANGER
4X	OHU HANGER
6X	OHU HANGER
3 1/2"x PSL	HGU3.63-SDS
5 1/2"x PSL	HGU5.5-SDS
7"x PSL	HGU7.25-SDS

The Medium Roast						
DRA A R C T: 510-251 F: 510-738 E: info@dra	FT -25 ⁻ 5-979	 11 97 gcaf		ΕC		
www.draft						
		DATE				
		DATE				
		DATE				
	S	RIPTION				
	REVISIONS	RIPTION				
Structu		NO. DESCRIPTION	lar	ns		
DATE	Iral	D NO. DESCRIPTION		7, 2	020	
DATE Fe	Iral	D NO. DESCRIPTION			020	