ORDINANCE _____

AN ORDINANCE related to land use, zoning and environmental review, amending Sections 23.40.006, 23.42.040, 23.42.050, 23.44.014, 23.44.041, 23.45.504, 23.45.510, 23.45.512, 23.45.514, 23.45.518, 23.45.526, 23.45.527, 23.45.529, 23.45.532, 23.45.545, 23.47A.005, 23.47A.008, 23.54.015, 23.54.016, 23.54.020, 23.55.022, 23.76.004, 23.76.006, 23.84A.032, 23.91.002, 25.05.800 and Chapter 23.52 of the Seattle Municipal Code, and adding new Sections 23.40.035 and 23.52.008 to carry out proposals for regulatory reform.

BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:

Section 1. Section 23.40.006 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.40.006 Demolition of housing

No demolition permit for a structure containing a dwelling unit shall be issued unless one of the following conditions is satisfied, and provided that no permit for demolition of a structure containing a dwelling unit may be issued if the new use is for non-required parking:

- A. The structure is a residential use in a single family zone ((that was last occupied as rental housing and has been unoccupied)) and was not occupied as rental housing ((for at least)) during the prior 12 ((consecutive)) months, unless such demolition aids expansion of ((a)) an adjacent non-residential use; or
- B. A permit or approval has been issued by the Director according to the procedures set forth in Chapter 23.76, Procedures for Master Use Permits and Council Land Use Decisions, to change the use of the structure or the premises; or
- C. A permit or approval has been issued by the Director to relocate the structure containing a dwelling unit to another lot, whether within the City limits or outside the City limits, to be used, on the new lot, as a dwelling unit; or

* * *

1 2

3

4 5

7

6

8

10

1112

13

14

15

16 17

18

19 20

21

2223

24

25

2627

28

Form Last Revised: December 6, 2011

Section 2. A new Section 23.40.035 of the Seattle Municipal Code is adopted to read as follows:

23.40.035 Location of accessory dwelling units on through lots

On a through lot, when yards cannot be determined pursuant to Section 23.40.030, the Director shall designate a rear yard for the purpose of allowing a detached accessory dwelling. In designating a rear yard, the Director shall consider factors including but not limited to the location of existing structures, vehicular and pedestrian access, platting patterns in the vicinity and topography.

Section 3. Section 23.42.040 of the Seattle Municipal Code, which section was last amended by Ordinance 123565, is amended as follows:

23.42.040 Intermittent, temporary and interim uses

The Director may grant, deny or condition applications for the following intermittent, temporary or interim uses not otherwise permitted or not meeting development standards in the zone.

A. Intermittent Uses.

- 1. A Master Use Permit for a time period of up to one year may be authorized for any use that occurs no more than two days per week and does not involve the erection of a permanent structure, provided that:
 - a. The use ((shall)) is not ((be)) materially detrimental to the public
- welfare; and
- b. The use ((shall)) does not result in substantial injury to the property in
- the vicinity; and
- c. The use $((\frac{\text{shall be}}{}))$ is consistent with the spirit and purpose of the Land
- Use Code.

1 2

3

4

6 7

8

10

11

12

13

14

1516

17

18

19

21

20

22

2324

25

2627

28

Form Las

B. ((Temporary Four Week Use. A Master Use Permit for a time period of up to four weeks may be authorized for any use that does not involve the erection of a permanent structure and that meets the requirements of subsections 23.42.040.A.1.a – 23.42.040.A.1.e.)) Reserved.

C. Temporary Uses for Up to ((Six)) <u>Eighteen Months</u>. A Master Use Permit for a time period of up to ((six)) <u>18</u> months may be authorized for any use that does not involve the erection of any permanent structure and that meets the requirements of subsections 23.42.040.A.1.a – 23.42.040.A.1.c.

Section 4. Section 23.42.050 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.42.050 Home occupations

A home occupation of a person residing in a dwelling unit is permitted outright ((in that dwelling unit)) in all zones as an accessory use to any residential use permitted outright or to a permitted residential conditional use, ((in each case)) subject to the following requirements: ((standards of this section.))

- A. The occupation ((shall be)) is clearly incidental to the use of the dwelling unit as a dwelling.
- B. Commercial deliveries and pickups to the dwelling unit ((shall be)) are limited to one per day Monday through Friday. No commercial deliveries or pickups ((shall be)) are permitted on Saturday, Sunday or federal holidays.
- ((C. To discourage drop-in traffic, the address of the home occupation shall not be given in any advertisement, including but not limited to commercial telephone directories, newspapers, magazines, signs, flyers, radio, television or other media. Addresses may be listed on business eards, but a statement must be included to the effect that business is by appointment only.))
 - C. Customer visits are by appointment only.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

D. The occupation ((shall)) may be conducted ((only)) within ((the principal)) any legal
principal or accessory dwelling unit or structure, ((or in an accessory dwelling unit)) provided
that licensed child care may be conducted only in the principal structure or in an accessory
dwelling unit. Home occupations may be conducted by residents of a principal dwelling unit
and/or an accessory dwelling unit. The presence of one home occupation does not preclude a
resident of another legally established dwelling unit on the property from also conducting a home
occupation.

E. Parking of vehicles associated with the home occupation ((shall be)) is permitted anywhere that parking is permitted on the lot.

((E.))F. To preserve the residential appearance of the dwelling unit, there shall be no evidence of the <u>home</u> occupation <u>visible</u> from the exterior of the structure((;)), provided that:

1.((θ))Outdoor play areas for licensed child care programs and outdoor activities customarily incidental to the residential use ((shall be)) are permitted((-));

- 2. Interior and exterior alterations and additions that comply with the development standards of the zone are permitted;
- 3. Alterations and additions that are required by licensing or construction codes for licensed child care programs are permitted; and
- 4. Signs identifying the home occupation are permitted subject to compliance with Chapter 23.55, Signs.
 - G. No outdoor storage ((shall be)) is permitted in connection with a home occupation.
- ((F. To preserve the residential character and use of the dwelling unit, only internal alterations customary to residential use shall be permitted, and no external alterations shall be permitted to accommodate a home occupation, except as required by licensing or construction codes for child care programs.))

27

1 2

3

4 5

6 7

8

9 10

1112

13

1415

16

17

18 19

2021

22

23

2425

26

2728

((G.)) <u>H.</u> Except for <u>licensed</u> child care programs, ((not)) <u>no</u> more than ((one)) <u>two</u>
persons((, whether full-time or part-time, who is not a resident)) who are not residents of ((the))
dwelling unit on the lot may work in ((the dwelling unit of the)) a home occupation, regardless of
whether the persons work full or part-time or are ((whether or not)) compensated. ((This includes
persons working off-site who come to the site for business purposes at any time as well as
persons working on site.))

- ((H-))<u>I.</u> The home occupation shall not cause ((or add to)) <u>a substantial increase in</u> onstreet parking congestion or ((cause)) a substantial increase in traffic ((through residential areas)) within the immediate vicinity.
- ((L))<u>J.</u> A maximum of two passenger vehicles, vans and similar vehicles each not exceeding a gross vehicle weight of 10,000 pounds ((shall be)) <u>are</u> permitted to operate in connection with the home occupation, independent of commercial deliveries and pickups as provided for in subsection 23.40.050.B.
- ((J.))<u>K.</u> The home occupation shall be conducted so that <u>noise</u>, odor, <u>smoke</u>, dust, light and glare, and electrical interference and other similar impacts are not detectable by sensory perception at or beyond the property line of the lot where the home occupation is located.

((K. Signs are regulated by Chapter 23.55.))

- L. <u>Licensed</u> ((\mathbb{C}))child care programs in the home of the operator are limited to 12 children per day including the children of the operator.
- Section 5. Section 23.44.014 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.44.014 Yards

Yards are required for every lot in a single-family zone. A yard that is larger than the minimum size may be provided.

A. Front Yards.

1 2

3

4 5

6 7

8 9

10

11

12

13

14 15

16

17

18 19

20

21 22

23

24

25

26 27

28

	1. The front ya	rd <u>depth</u> shall be e	either the ave	rage of the from	nt yards of	the single
family str	ructures on either sid	e or ((t wenty (20))) 20 feet, wh	nichever is less		

- 2. On any lot where the natural gradient or slope, as measured from the front line of the lot for a distance of ((sixty (60))) 60 feet or the full depth of the lot, whichever is less, is in excess of ((thirty-five (35))) 35 percent, the required front yard depth shall be either ((twenty (20)) 20 feet less one (((1))) foot for each one (((1))) percent of gradient or slope in excess of ((thirty-five (35))) 35 percent, or the average of the front yards on either side, whichever is less.
- 3. In the case of a through lot, each yard abutting a street, except a side yard, shall be a front yard. Rear yard ((requirements)) provisions shall not apply to the lot, except pursuant to Section 23.40.030 or 23.40.035.
- 4. A larger yard may be required in order to meet the provisions of Section 23.53.015, Improvement requirements for existing streets in residential and commercial zones.

Section 6. Section 23.44.041 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.44.041 Accessory Dwelling Units

- B. Accessory dwelling units, detached, additional provisions. ((A detached accessory dwelling unit is also known as a backyard cottage.)) The Director may authorize a detached accessory dwelling unit, also known as a backyard cottage, ((and that unit may be used as a residence, only under)) if the unit meets the ((conditions set forth in)) requirements of subsection 23.44.041.A and the following additional ((conditions)) requirements:
- 1. Detached accessory dwelling units are not permitted on a lot if any portion of the lot is within the Shoreline District established pursuant to Section 23.60.010.

2. ((Detached accessory dwelling units are required to meet the additional)) The development standards set forth in Table B for 23.44.041:

m 11	D. 6. 22.44.041
	B for 23.44.041 Detached Accessory Dwelling Units ¹
a. Minimum Lot Size	4,000 sq. ft.
b. Minimum Lot Width	25 feet
c. Minimum Lot Depth	70 feet ²
d. Maximum Lot Coverage	The provisions of Section 23.44.010 apply.
e. Maximum Rear Yard Coverage	A detached accessory dwelling unit, together with any other accessory structures and other portions of the principal structure, is limited to a maximum combined coverage of 40% of the rear yard.
f. Maximum Gross Floor Area	800 sq. ft. including garage and storage area but excluding areas below grade, measured as set forth in Section 23.86.007.
g. Front Yard	A detached accessory dwelling unit may not be located within the front yard required by subsection 23.44.014.A, except on a through lot pursuant to Section 23.40.030 or Section 23.40.035 and row i of this Table B for 23.44.041.
h. Minimum Side Yard	The provisions of subsection 23.44.014.C apply. ⁷
i. Minimum Rear Yard	A detached accessory dwelling unit may be located within a required rear yard if it is not within 5 feet of any lot line, unless the lot line is adjacent to an alley, in which case a detached accessory dwelling unit may be located at that lot line. ^{3,4}
j. Location of Entry	Entrances to detached accessory dwelling units may not be located on facades facing the nearest side lot line or the rear lot line unless the nearest side lot line or rear lot line abuts an alley or other public right-ofway.
((k. Maximum Height Limits ⁵))	((The roof peak of the detached accessory dwelling unit may not extend more than 15

Table B for 23.44.041 1 Development Standards for Detached Accessory Dwelling Units¹ feet above the roof peak of the principal 2 dwelling unit and must comply with the 3 height limits set forth in the table below.)) 4 k. Maximum Height Limits⁵ Lot Width (feet) 5 Greater Above 30 or Above $\begin{bmatrix} 35 \text{ up to} & 40 \text{ up to} \\ 40 \text{ up to} \\ 50^{\underline{6}} \end{bmatrix} \frac{\text{than } 50}{(\Theta_{\overline{1}})^{\underline{6}}}$ Less 6 greater than 30 50^{6} up to 35 40 7 greater⁶)) 8 (1) Maximum Base Structure Height (feet) 12 14 15 16 16 (2) Maximum Structure Height with Pitched Roof 9 15 21 22 22 23 $(feet)^{8}$ 10 (3) Maximum Structure Height with Shed or 15 18 19 20 20 Butterfly Roof (feet); see Exhibit A for 23.44.041. 11 1. Minimum Separation from Principal Structure 5 feet Footnotes: 12 1. The Director may allow an exception to standards ((4)) a-f, h, i and j pursuant to subsection 13 23.44.041.B.3, for converting existing accessory structures. 2. For lots that do not meet the lot depth requirement, but have a greater width than depth and an area 14 greater than 5,000 sq. ft., a detached accessory dwelling unit is permitted, provided the detached accessory dwelling unit is not located in a required yard. 15 3. If the lot line is adjacent to an alley and a detached accessory dwelling unit includes a garage with a vehicle entrance that faces the alley, the garage portion of the structure may not be located within 12 16 feet of the centerline of the alley. 4. On a reversed corner lot, no detached accessory dwelling unit shall be located in that portion of the 17 required rear yard that abuts the required front yard of the adjoining key lot. 5. Features such as chimneys, antennas, and flagpoles may extend up to 4 feet above the maximum 18 allowed height. ((The additional height for sloped lots permitted by subsection 23.44.012.B does not 19 apply.)) 6. Detached accessory dwelling units on lots that have a width greater than 40 feet up to 50 feet may 20 ((also)) be built to the maximum height limit((s)) applicable in the column for lots greater than 50 feet ((listed in this column if both of)) when ((the following conditions are met: a))) the detached accessory 21 dwelling unit is located on a lot with a rear lot line that is adjacent to an alley.((; and b) the width of the lot is 40 feet or greater.)) 22

7. The exceptions from standard yard requirements in subsection 23.44.014.D.6.a shall also apply. 8. All parts of the roof above the applicable base height shall be pitched at a rate of not less than 3:12.

25

23

24

2627

3. Conversion of accessory structures. An existing accessory structure that is not located in a required front yard, or that is located in a front yard where Section 23.40.030 or 23.40.035 applies, may be converted into a detached accessory dwelling unit if the structure complies with the minimum standards set forth in Sections 22.206.010 through 22.206.140 of the Housing and Building Maintenance Code and with the Seattle Residential Code, if work requiring a permit is performed on the structure or has previously been performed without a permit. The Director may allow an exception to one or more of the development standards for accessory dwelling units contained in subsections 23.44.041.A.4 and standards a-f, h, i and j listed in Table B for ((23.044.041)) 23.44.041, provided the conversion does not increase the structure's nonconformity with the standard and the applicant can demonstrate that the accessory structure was constructed prior to June 1, 1999, as an accessory structure.

Section 7. Section 23.45.504 of the Seattle Municipal Code, which section was last amended by Ordinance 123547, is amended as follows:

23.45.504 Permitted and prohibited uses

A. All uses are permitted outright, prohibited or permitted as a conditional use according to Table A for 23.45.504 and this Section 23.45.504. Uses not referred to in Table A for 23.45.504 are prohibited, unless otherwise indicated in this Chapter 23.45 or Chapters 23.51A, 23.51B, or 23.57. Communication utilities and accessory communication devices, except as exempted in Section 23.57.002, are subject to the regulations in this Chapter 23.45 and additional regulations in Chapter 23.57. Public facilities are subject to the regulations in Section 23.51A.004.

B. All permitted uses are allowed as a principal use or as an accessory use, unless otherwise indicated in this Chapter 23.45.

Table A for	Table A for 23.45.504: Permitted and Prohibited Uses					
Uses	Permitted and Prohibited Uses by Zone LR1 ((LR1,)) LR2((,)) and MR and H					
Uses	<u>LR1</u>	LR3	MR and HR			
A. Residential use	<u>P</u>	P	P			
B. Institutions	P/CU ¹	P/CU ¹	P/CU ¹			
C. Uses in existing or former public schools						
C.1. Child care centers, preschools,	<u>P</u>	P	P			
public or private schools, educational	<u> </u>					
and vocational training for the						
disabled, adult evening education						
classes, nonprofit libraries,						
community centers, community						
programs for the elderly and similar						
uses in existing or former public						
schools.						
C.2. Other non-school uses in	Permitted pursuant to	Permitted pursuant to	Permitted			
existing or former public schools	procedures established	procedures established	pursuant to			
	in Chapter 23.78	in Chapter 23.78	procedures			
	<u> </u>	1	established in			
			Chapter 23.78			
D. Park and pool and park and ride	X/CU^2	X/CU ²	X/CU ²			
lots						
E. Parks and playgrounds including	<u>P</u>	P	P			
customary uses	_					
F. Ground floor commercial uses	X/RC	$X/P^3/RC$	P^3			
G. Medical Service Uses other than	$\overline{P/X^4}$	$\overline{P/X^4}$	P/CU/X ⁴			
permitted ground floor commercial						
uses						
H. Uses not otherwise permitted in	CU	CU	CU			
landmark structures						
I. Cemeteries	$\underline{P/X^5}$	P/X ⁵	P/X ⁵			
J. Community Gardens	<u>P</u>	P	P			
K. All other uses	X	X	X			
Footnotes to Table A for 23.45.504	. —	•				

- 1. Institutions meeting development standards are permitted outright; all others are administrative conditional uses pursuant to Section 23.45.506. The provisions of this Chapter 23.45 shall apply to Major Institution uses as provided in Chapter 23.69.
- 2. Prohibited in Station Area Overlay Districts; otherwise, permitted as an administrative conditional use pursuant to Section 23.45.506.
- 3. Commercial uses as indicated in ((Subject to)) subsection 23.45.504.E((-,)) are permitted within structures in any Midrise or Highrise zone, and in Lowrise 2 and Lowrise 3 zones that are located within an urban center or the Station Area Overlay District.
- 4. Subject to subsection 23.45.504.G and 23.45.506.F.
- 5. Subject to subsection 23.45.504.F.
- P = Permitted outright
- CU = Permitted as an Administrative Conditional Use
- RC = Permitted in areas zoned Residential Commercial (RC), and subject to the provisions of the RC zone, Chapter 23.46
- X = Prohibited

- C. Accessory uses. The following accessory uses are permitted in all multifamily zones, subject to standards in Section 23.45.545, if applicable:
 - 1. Private garages and carports;
 - 2. Private, permanent swimming pools, hot tubs and other similar uses;
 - 3. Solar collectors, including solar greenhouses;
 - 4. Open wet moorage accessory to residential structures;
 - 5. Uses accessory to parks and playgrounds, pursuant to Section 23.45.578;
 - 6. Bed and breakfasts in a dwelling unit that is at least five years old;
 - 7. Recycling collection stations;
- 8. Urban farms with planting area not more than 4,000 square feet. Urban farms with greater than 4,000 square feet of planting area may be allowed as an administrative conditional use to any use permitted outright or as a conditional use. The Director may grant, condition or deny a conditional use permit in accordance with subsection 23.52.051.B; and
 - 9. Accessory dwelling units.
- D. Heat recovery incinerators may be permitted as accessory administrative conditional uses, pursuant to Section 23.45.506.
 - E. Ground floor commercial use.
 - 1. <u>Drive-in businesses are prohibited</u>, as either a principal or accessory use.
- 2. The following uses are permitted as ground-floor commercial uses in Lowrise 2 and Lowrise 3 zones located within an urban center or the Station Area Overlay District, and in Midrise and Highrise zones pursuant to Section 23.45.532:
 - a. Business support services;
 - b. Food processing and craft work;
 - c. General sales and services;
 - d. Medical services:

1

2

3

4

5

6

7

8

9

10

1112

13

14

15

16 17

18

19 20

21

22

23

24

25

26

2728

g. Live-v

e. Offices;

f. Restaurants: and

g. Live_work with one of the uses permitted in this subsection 23.45.504.E as the permitted commercial use.

((2. In MR zones, ground-floor commercial uses are permitted only on a lot that is within 800 feet of a neighborhood commercial zone.))

Section 8. Section 23.45.510 of the Seattle Municipal Code, which section was last amended by Ordinance 123770, is amended as follows:

23.45.510 Floor area ratio (FAR) limits

- A. General provisions.
- 1. All gross floor area not exempt under subsection 23.45.510.E counts toward the maximum gross floor area allowed under the floor area ratio (FAR) limits.
- 2. The applicable FAR limit applies to the total non-exempt gross floor area of all structures on the lot.
- 3. If a lot is in more than one zone, the FAR limit for each zone applies to the portion of the lot located in that zone, and the floor area on the portion of the lot with the lower FAR limit may not exceed the amount that would be permitted if it were a separate lot.
- B. FAR limits in LR zones. Floor area ratio limits apply in LR zones as shown in Table A for 23.45.510, provided that if the LR zone designation includes an incentive zoning suffix, then the applicant shall comply with Chapter 23.58A, Incentive Provisions, to obtain gross floor area exceeding that allowed by the FAR shown in the suffix designation. These FAR limits also apply to any nonresidential uses permitted pursuant to subsection 23.45.504.E. Single-purpose nonresidential development is subject to the lowest FAR limit listed in Table A for 23.45.510 for the applicable zone and location.

Form Last Revised: December 6, 2011

Table A for 23.45.510: Floor Area Ratios in Lowrise Zones							
Zone	Outside or Inside Urban Centers, Urban Villages, and the Station Area Overlay District	Cottage Housing Developments and Single- Family Dwelling Units Cottage House Bowhouse Developments					
LR1	Either outside or inside	1.1	1.0 or 1.2	0.9 or 1.1	1.0		
LR2	Either outside or inside	1.1	1.1 or 1.3	1.0 or 1.2	1.1 or 1.3		
LR3	Outside Inside	1.1	1.2 or 1.4 1.2 or 1.4	1.1 or 1.3 1.2 or 1.4	1.3 or 1.5 ⁽³⁾ 1.5 or 2.0		

Footnotes for Table A for 23.45.510:

(2) The higher FAR limit applies if the project meets the standards of subsection 23.45.510.C. (3) On lots that abut a street with frequent transit service, the higher FAR limit is 1.6.

C. In LR zones, in order to qualify for the higher FAR limit shown in Table A for 23.45.510, the following standards shall be met:

1. Applicants shall make a commitment that the structure will meet green building performance standards by earning a Leadership in energy and Environmental Design (LEED) Silver rating or a Built Green 4-star rating of the Master Builders Association of King and Snohomish Counties, except that an applicant that who is applying for funding from the Washington State Housing Trust Fund and/or the Seattle Office of Housing to develop new affordable housing, may elect to meet green building performance standards by meeting the Washington Evergreen Sustainable Development Standards (ESDS). The standards referred to in

⁽¹⁾ If more than one type of residential use is provided on a lot, the FAR limit for each residential use is the higher FAR limit for each residential use in this Table A for 23.45.510 only if the conditions in subsection 23.45.510.C are satisfied for all residential uses on the lot. Nonresidential uses are subject to the FAR limits as indicated in this subsection 23.45.510.B.

Form Last Revised: December 6, 2011

this subsection 23.45.510.C.1 are those identified in Section 23.45.526, and that section shall apply as if the application were for new development gaining extra residential floor area.

- 2. For all categories of residential use, <u>and mixed-use development</u>, if the lot abuts an alley and the alley is used for access, improvements to the alley shall be required as provided in subsections 23.53.030.E and F, except that the alley shall be paved rather than improved with crushed rock, even for lots containing fewer than ten dwelling units.
 - 3. Parking location if parking is provided.
- a. For rowhouse and townhouse developments, <u>and mixed-use</u> development containing either of those housing types, parking shall be totally enclosed with the same structure as the residential use, located in a structure or portion of a structure that meets the requirements of subsection 23.45.510.E.5, or located in a parking area or structure at the rear of the lot.
- b. For apartments, <u>and mixed-use development containing apartments</u>, parking may either:
 - 1) be totally enclosed within the same structure as the residential

use: or

- 2) <u>be</u> on lots located outside of ((U))<u>u</u>rban ((C))<u>c</u>enters, ((U))<u>u</u>rban ((V))<u>v</u>illages, and the Station Area Overlay District, be located off an alley at the rear of the lot, provided that all surface parking is limited to a single row of spaces along the alley and access to each surface parking space is taken directly from the alley.
 - 4. Access to parking if parking is provided.
- a. Access to required barrier-free parking spaces may be from either a street or an alley. Subsections 23.45.510.C.4.b, c, and d do not apply to required barrier-free parking spaces.

b. If the lot abuts an alley, access to parking shall be from the alley, unless one or more of the conditions in subsection 23.45.536.C.2 are met.

c. If access cannot be provided from an alley, access shall be from a street if the following conditions are met:

1) on corner lots, the driveway shall abut and run parallel to the rear lot line of the lot or a side lot line that is not a street lot line.

2) on a non-corner lot, there is no more than one driveway per 160 feet of street frontage.

d. ((i))If access to parking does not meet one of the standards in this subsection 23.45.510.C.4, or if an exception is granted that allows parking access from both an alley and a street pursuant to subsection 23.45.536.C, the lower FAR limit on Table A for 23.45.510 applies.

Section 9. Section 23.45.512 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.512 Residential Density Limits – Lowrise zones

A. There shall be a minimum lot area per dwelling unit in LR zones for cottage housing developments, townhouse developments, ((and)) apartments, and mixed-use development containing residential use, as shown on Table A for 23.45.512, except as provided in ((subsections B, C, D, E, and G of this Section)) subsections 23.45.512.B, C, D, E, and G.

Table A for 23.45.512: Residential Density Limits in Lowrise Zones							
Zone	Units allowed per square foot of lot area by category of residential use						
	Cottage Housing Development ⁽¹⁾ and	Apartment ⁽³⁾					
	Single-family Dwelling Unit	Development	Development ⁽²⁾				
LR1	1/1,600	No limit	1/2,200 or 1/1,600	1/2,000 Duplexes and Triplexes only			
LR2	1/1,600	No limit	1/1,600 or No limit	1/1,200 or No limit			
LR3	1/1,600	No limit	1/1,600 or No limit	1/800 or No limit			

Footnotes for Table A for 23.45.512

Section 10. Section 23.45.514 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.514 Structure height

A. Subject to the additions and exceptions allowed as set forth in this Section 23.45.514, the height limits for principal structures permitted in Lowrise zones are as shown on Table A for 23.45.514.

⁽¹⁾ See Section 23.45.531 for specific regulations about cottage housing developments.

⁽²⁾ For townhouse developments that meet the standards of subsection 23.45.510.C, the higher density shown is permitted in LR1 zones, and there is no density limit in LR2 and LR3 zones.

⁽³⁾ For apartments that meet the standards of subsection 23.45.510.C, there is no density limit in LR2 and LR3 zones.

Form Last Revised: December 6, 2011

TO 11 A C 22 AE E1A CA A	TT : 14 6 T : 77 : TO 4
Table A for 23.45.514: Structure	Height for Lowrise Zones in Feet

((Housing))Development Type	LR1	LR2	LR3 outside Urban Centers, Urban Villages, and Station Area Overlay Districts	LR3 in Urban Centers, Urban Villages, and Station Area Overlay Districts
Cottage Housing Developments ^{1,2}	18	18	18	18
Rowhouse and Townhouse Developments ¹	30	30	30	30
Apartments ¹	30	30	$30^{((1))3}$	$40^{((2))4}$

Footnotes for Table A for 23.45.514:

² An 18-foot structure height limit applies to single-purpose nonresidential development permitted in LR2 and LR3 zones in urban centers and the Station Area Overlay District.

((4))3 On lots located in the Delridge High Point Revitalization Area shown in Map A for Section 23.34.020 that were rezoned to Lowrise 4 subject to a property use and development agreement that was signed by a public agency, the height limit for apartments is 40 feet.

((2))4 The height limit is 30 feet on the portions of lots that are within 50 feet of a single-family zoned lot, unless the lot in the LR zone is separated from a single-family zoned lot by a street.

Section 11. Section 23.45.518 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.518 Setbacks and Separations

A. LR zones. Required setbacks for <u>residential and mixed-use development in ((the))</u> LR zones are shown in Table A for 23.45.518.

Structure height limits apply to single-purpose residential development, and mixed-use development where permitted in LR2 and LR3 zones in urban centers and the Station Area Overlay District.

Table A for 23.45.518: Required S	etbacks in LR Zones measured in feet
-----------------------------------	--------------------------------------

All LR Zones Category of Residential Use ⁽¹⁾							
Setback	Cottage Housing Developments and Single- Family Dwelling Units	Rowhouse Developments ⁽²⁾	Townhouse Developments	Apartments			
Front	7 average; 5 minimum	5 minimum	7 average; 5 minimum	5 minimum			
Rear	0 with Alley; 7 if no Alley	0 with Alley; With no alley: 7 average; 5 minimum	7 average; 5 minimum	10 minimum with alley; 15 minimum if no alley			
Side Setback for Facades 40 feet or less in length ⁽⁽⁴⁾⁾⁽³⁾	5	0, except that on side lot lines that abut a single-family zone, the setback is 5	5	5			
Side Setback for Facades greater than 40 feet in length	5 minimum	0, except that on side lot lines that abut a single-family zone, the setback is 7 average; 5 minimum	7 average; 5 minimum	7 average; 5 minimum			

Footnotes to Table A for 23.45.518

Section 12. Section 23.45.526 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.526 LEED, Built Green, and Evergreen Sustainable Development Standards

A. Applicants for all new development gaining extra residential floor area, pursuant to this Chapter 23.45, or seeking to qualify for the higher FAR limit in Table A for 23.45.510((;

⁽¹⁾ Setbacks apply to single-purpose residential development of each category, and all portions of mixed-use development according to the predominant category of residential use.

⁽²⁾ Setbacks in this column apply to rowhouse development, mixed-use development including rowhouses, and single-purpose nonresidential development.

⁽⁽⁽⁺¹⁾⁾⁾⁽³⁾ Portions of structures that qualify for the FAR exemption in subsection 23.45.510.E.5 are not considered part of the facade length for the purposes of determining the side setback requirement.

1 2 3

4

6

5

8

7

9 10

11

12 13

14 15

16

17

18 19

20

21

22 23

24

25 26

27

28

except additions and alterations,)) shall make a commitment that the structure will meet green building performance standards by earning a Leadership in Energy and Environmental Design (LEED) Silver rating or a Built Green 4-star rating of the Master Builders Association of King and Snohomish Counties, except: ((that))

1. This commitment is not required for building additions and alterations; and

2. ((a))An applicant who is applying for funding from the Washington State Housing Trust Fund and/or the Seattle Office of Housing to develop new affordable housing, as defined in subsection 23.45.526.D, may elect to meet green building performance standards by meeting the Washington Evergreen Sustainable Development Standards (ESDS).

Section 13. Section 23.45.527 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.527 Structure width and façade length limits in LR zones

A. Structure width for all development in LR zones may not exceed the width indicated on Table A for 23.45.527.

1

2

4

56

7 8

9 10

11

1213

14

15

16

17 18

19

2021

22

2324

25

2627

28

Form Last Revised: December 6, 2011

Table A for 23.45.527:	Maximum	Structure	Width in	I.R zones in feet
Table A 10f 25.45.527;	Maximum	Structure	wiani iii	i LK zones in teet

Zone	Width in feet by Category of Residential Use ⁽¹⁾			
	Cottage Housing and	Townhouse	Apartments	
	Rowhouse	Developments and		
	Developments	Single-Purpose		
		Nonresidential (2)		
		Developments ⁽²⁾		
LR1	No limit	60	45	
LR2	No limit	$90^{(2)}$	90	
LR3 outside Urban	No limit	$120^{(2)}$	120	
Villages, Urban				
Centers or Station				
Area Overlay Districts				
LR3 inside Urban	No limit	$150^{(2)}$	150	
Villages, Urban				
Centers or Station				
Area Overlay Districts				

Footnote to Table A for 23.45.527:

- (1) Maximum structure widths apply to all development, according to the predominant category of residential use.
- (2) Maximum structure widths in this column apply to single-purpose nonresidential development in LR2 and LR3 zones.

Section 14. Section 23.45.529 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.45.529 Design standards


- A. Intent. The intent of the design standards in this Section 23.45.529 is to:
- Enhance street-facing facades to provide visual interest, promote new development that contributes to an attractive streetscape, and avoid the appearance of blank walls along a street;
- 2. Foster a sense of community by integrating new pedestrian-oriented ((multifamily)) development with the neighborhood street environment and promoting designs that allow easy surveillance of the street by area residents;

Form Last Revised: December 6, 2011

	3. Promote liva	bility in multif	amily areas	by providing	g a sense of	openness a	and
access to l	ight and air; and						

- 4. Encourage the compatibility of a variety of housing <u>and use</u> types, <u>including</u> <u>limited nonresidential and mixed use development</u>, with the scale and character of neighborhoods where new ((multifamily)) development occurs.
- B. Application of provisions. The provisions of this Section 23.45.529 apply to all ((residential uses)) development that does not undergo any type of design review pursuant to Chapter 23.41, except single-family dwelling units.
- C. Treatment of street-facing facades. For the purposes of this subsection 23.45.529.C, a street-facing façade includes all vertical surfaces enclosing interior space, including gables and dormers, as shown in Exhibit A for 23.45.529.

Exhibit A for 23.45.529: Measurement of Street-facing Facades



Form Last Revised: December 6, 2011

Form Last Revised: December 6, 2011

1. Façade openings.

a. At least 20 percent of the area of each street-facing façade shall consist of windows and/or doors.

b. Only transparent windows count toward the requirement for façade openings in this subsection 23.45.529.C.1. Windows composed of glass blocks or opaque glass, garage doors, and doors to utility and service areas, do not count.


2. Façade articulation.

a. If a street-facing façade or portion of a street-facing façade is not vertical, the Director shall determine whether the façade is substantially vertical and required to comply with this subsection 23.45.529.C.

b. If the street-facing façade of a structure exceeds 750 square feet in area, division of the façade into separate façade planes is required (see Exhibit B for 23.45.529).

Form Last Revised: December 6, 2011

Exhibit B for 23.45.529: Street-facing Facades



c. In order to be considered a separate façade plane for the purposes of this subsection 23.45.529.C.2, a portion of the street-facing façade shall have a minimum area of 150 square feet and a maximum area of 500 square feet, and shall project or be recessed from abutting façade planes by a minimum depth of 18 inches.

d. Trim that is a minimum of 0.75 inches deep and 3.5 inches wide is required to mark roof lines, porches, windows and doors on all street-facing facades.

e. The Director may allow exceptions to the façade articulation requirements in this subsection 23.45.529.C.2, if the Director determines that the street-facing façade will meet the intent of subsection 23.45.529.A.1, and the intent of subsections 23.45.529.D.2, E.3, and F.4 for cottage housing developments, rowhouse developments, and townhouse developments, respectively, through one or more of the following street-facing façade treatments:

1) Variations in building materials and/or color, or both, that reflect the stacking of stories or reinforce the articulation of the façades;

2) Incorporation of architectural features that add interest and dimension to the façade, such as porches, bay windows, chimneys, pilasters, columns, cornices, and/or balconies;

3) Special landscaping elements provided to meet Green Factor requirements pursuant to Section 23.45.524, such as trellises, that accommodate vegetated walls covering a minimum of 25 percent of the façade surface;

4) Special fenestration treatment, including an increase in the percentage of windows and doors to at least 25 percent of the street-facing façade(s).

amended by Ordinance 123209, is amended as follows:


Form Last Revised: December 6, 2011

23.45.532 Standards for ground floor commercial uses in LR, MR and HR zones A. All ground-floor commercial uses permitted pursuant to Section 23.45.504, except medical service uses permitted pursuant to Section 23.45.506, shall meet the following conditions: 1. The commercial use is permitted only on the ground floor of a structure. On sloping lots, the commercial use may be located at more than one level within the structure as long as the floor area in commercial use does not exceed the area of the structure's footprint. See Exhibit A for 23.45.532.

Section 15. Section 23.45.532 of the Seattle Municipal Code, which section was last

Form Last Revised: December 6, 2011

Exhibit A for 23.45.532



1	
ı	
_	

2

3

4

2. <u>In a MR or HR zone</u>, ((T))the ((gross floor area)) <u>maximum size of use</u> of any one business establishment ((can be no greater than)) <u>is</u> 4,000 square feet, except that the ((gross floor area)) <u>maximum size of use</u> of a multi-purpose retail sales establishment ((may be up to)) <u>is</u> 10,000 square feet.

56

3. In a LR zone the maximum size of use of any one business establishment is 2,500 square feet. In a LR RC zone, the maximum size of use limits in Section 23.46.014 apply.

7 8

4. In a LR zone, use of outdoor seating after 10:00 p.m. for any business establishment is prohibited. In a LR RC zone, this limit does not apply.

9 10

11

5. Vents for venting of odors, vapors, smoke, gas and fumes, and exterior heat exchangers and other similar devices (e.g., related to ventilation, air-conditioning, refrigeration) shall be located and directed away from residential uses to the extent possible. In a LR RC zone, the noise and odor standards of Sections 23.46.016 and 23.46.018 apply.

1213

B. No loading berths are required for ground-floor commercial uses. If provided, loading berths shall be located so that access to residential parking is not blocked.

15

14

C. Identifying business signs are permitted pursuant to Chapter 23.55, Signs.

1617

Section 16. Section 23.45.545 of the Seattle Municipal Code, which section was enacted by Ordinance 123495, is amended as follows:

* * *

18 19

23.45.545 Standards for certain accessory uses

20

21

I. In Lowrise zones, ((lots that include rowhouse and townhouse units may include))

22

accessory dwelling units are allowed, in rowhouse and townhouse units, as follows:

23

24

1. ((No more than one accessory dwelling unit shall be located on a lot.)) One accessory dwelling unit is allowed for each rowhouse or townhouse unit that is a "principal unit."

25

5 A "principal unit" is a dwelling unit that is not an accessory dwelling unit.

26

27

	l
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	١

	((2.The principal structure on the lot shall include one and only one dwelling unit
other than th	e accessory dwelling unit, which other dwelling unit is referred to in this subsection
23.45.545.I (as the "principal unit".))

- ((3.))2. The owner of ((the lot)) a principal unit shall comply with the owner occupancy requirements of subsection 23.44.041.C.
- ((4.))3. ((Maximum gross floor area: a.)) The maximum gross floor area of an accessory dwelling unit is 650 square feet((;)) provided that ((b. T)) the maximum gross floor area of the accessory dwelling unit may not exceed 40 percent of the total gross floor area in residential use on the lot or unit lot, if present, exclusive of garages, storage sheds, and other non-habitable spaces.
- ((5-))4. An accessory dwelling unit shall be located completely within the same structure as the principal unit or in an accessory structure located between the rowhouse or townhouse unit and the rear lot line.
- ((6.)) The entrance to an accessory dwelling unit provided within the same structure as the principal unit shall be provided through one of the following configurations:
 - a. Through the primary entry to the principal unit; or
- b. Through a secondary entry on a different facade than the primary entry to the principal unit; or
- c. Through a secondary entry on the same facade as the primary entry to the principal unit that is smaller and less visually prominent than the entry to the principal unit, and does not have a prominent stoop, porch, portico or other entry feature.
- ((7.))6. Exterior stairs. Exterior stairs providing access to an accessory dwelling unit may not exceed 4 feet in height, except for exterior stairs providing access to an accessory dwelling unit located above a garage.
 - ((8.))7. Parking. Parking is not required for an accessory dwelling unit.

1

2

3

5 6

7

8

10

1112

13

14

15

16 17

18

19

20

2122

23

24

25

26

27

28

Section 17. Section 23.47A.005 of the Seattle Municipal Code, which section was last amended by Ordinance 123589, is amended as follows:

23.47A.005 Street-level uses

- A. The requirements of this Section 23.47A.005 apply in addition to the other applicable requirements of this Title 23.
- B. Mini-warehouses, warehouses, or utility uses may not abut a street-level street-facing facade in a structure that contains more than one residential dwelling unit.
 - C. Residential uses at street level.
- 1. ((Residential uses are generally permitted anywhere in a structure in NC1, NC2, NC3 and C1 zones, except as provided in subsections 23.47A.005.C.2 and 23.47A.005.C.3.))
- ((2.)) In all neighborhood commercial and C1 zones, ((R))residential uses may ((not)) occupy, in the aggregate, no more than 20 percent of the street-level street-facing facade in the following circumstances or locations:
- a. In a pedestrian-designated zone, facing a designated principal pedestrian street; or
 - b. Within the Bitter Lake Village Hub Urban Village; or
- c. Within the Lake City Hub Urban Village, except as provided in subsection 23.47A.005.C.((4))2; or
- d. Within a zone that has a height limit of 85 feet or higher, except as provided in subsection 23.47A.005.C.2; or
 - e. Within an NC1 zone, except as provided in subsection 23.47.005.C.2; or
 - f. Within the Northgate Overlay District, except as provided in 23.71.044.

1	2. ((3. Residential uses may not exceed, in the aggregate, 20 percent of the street
2	level street-facing facade if facing an arterial or within a zone that has a height limit of 85 feet o
3	higher, except that there is no limit on residential uses in the following circumstances or
4	locations:)) Subsection 23.47A.005.C.1 notwithstanding, there is no restriction on the location of
5	residential uses in the following circumstances:
6	a. Within a very low-income housing project existing as of May 1, 2006,
7	or within a very low-income housing project replacing a very low-income housing project
8	existing as of May 1, 2006 on the same site; or ((-))
9	b. The residential use is an assisted living facility or nursing home and
10	private living units are not located at street level; or ((-))
11	c. ((Within the Station Area Overlay District, in which case Chapter 23.6)
12	applies.))
13	((4. Residential uses may occupy 100 percent of the street-level street-facing
14	façade in a structure if the)) Within a structure that:
15	((a.)) 1) $((I))$ is developed and owned by the Seattle Housing
16	Authority; and
17	$((b.))$ $\underline{2})$ $((\overline{4}))$ is located on a lot zoned NC1 or NC3 that was owned
18	by the Seattle Housing Authority as of January 1, 2009((;)).
19	((c. Is not located in a pedestrian designated zone or a zone that
20	has a height limit of 85 feet or higher; and))
21	((d. Does not face a designated principal pedestrian street.))
22	$((5))\underline{3}$. Additions to, or on-site accessory structures for, existing single-family
23	structures are permitted outright.
24	((6))4. Where residential uses at street level are limited to 20 percent of the street
25	level street-facing façade, such limits do not apply to residential structures separated from the
26	

27

8

11

12

14

15

16

17

18

19

20 21

22

23

24

25

26

27

28

street lot line by an existing structure meeting the standards of this ((s))Section 23.47A.005 and Section 23.47A.008, or by an existing structure legally nonconforming to those standards.

Section 18. Section 23.47A.008 of the Seattle Municipal Code, which section was last amended by Ordinance 122935, is amended as follows:

23.47A.008 Street-level development standards

- A. Basic street-level requirements.
 - 1. The provisions of this subsection apply to:
 - a. Structures in NC zones;
 - b. Structures that contain a residential use in C zones; and
 - c. Structures in C zones across the street from residential zones.
 - 2. Blank facades.
- a. For purposes of this section, facade segments are considered blank if they do not include at least one of the following:
 - 1) Windows;
 - 2) Entryways or doorways;
 - 3) Stairs, stoops, or porticos;
 - 4) Decks or balconies; or
 - 5) Screening and landscaping on the facade itself.
- b. Blank segments of the street-facing facade between 2 feet and 8 feet above the sidewalk may not exceed 20 feet in width.
- c. The total of all blank facade segments may not exceed 40 percent of the width of the facade of the structure along the street.
- 3. Street-level street-facing facades shall be located within 10 feet of the street lot line, unless wider sidewalks, plazas, or other approved landscaped or open spaces are provided.

1	
1	

apply to:

B. Nonresidential street-level requiremen	et_level requirements	. Nonresidential	Β.
---	-----------------------	------------------	----

- 1. The provisions of this subsection <u>23.47A.008.B</u> and subsection 23.47A.008.A
 - a. Structures with street-level nonresidential uses in NC zones;
- b. Structures with street-level nonresidential uses that also contain residential uses in C zones; and
- c. Structures with street-level nonresidential uses in C zones across the street from residential zones.
 - 2. Transparency.
- a. Sixty percent of the street-facing facade between 2 feet and 8 feet above the sidewalk shall be transparent.
- b. Transparent areas of facades shall be designed and maintained to allow unobstructed views from the outside into the structure or, in the case of live-work units, into display windows that have a minimum 30-inch depth.
- 3. ((The following h)) Height and depth provisions ((apply to)) for new structures or new additions to existing structures((\(\ddots\)). ((\alpha\)) Nonresidential uses shall extend an average depth of at least 30 feet and a minimum depth of 15 feet ((in depth)) from the street-level street-facing facade. If the combination of the ((street-facing façade)) requirements of ((subsection)) Sections 23.47A.005 or 23.47A.008((\ddot-D\dot-1)) and this depth requirement would result in a requirement that an area greater than 50 percent of the structure's footprint be dedicated to nonresidential use, the Director may modify the street-facing facade or depth requirements, or both, so that no more than 50 percent of the structure's footprint is required to be nonresidential.
- b. Nonresidential uses at street level shall have a floor-to-floor height of at least 13 feet.

23.47A.008.B and the following apply:

Form Last Revised: December 6, 2011

C. In pedestrian-designated zones, the provisions of subsections 23.47A_008.A and

facade that faces a principal pedestrian street shall be occupied by uses listed in <u>subsection</u>


uses and/or pedestrian entrances (see Exhibit A for 23.47A.008).

23.47A.005.D.1. The remaining 20 percent of the street frontage may contain other permitted

1. A minimum of 80 percent of the width of a structure's street-level street-facing

Form Last Revised: December 6, 2011

Exhibit A for 23.47A.008



2. For purposes of calculating the 80 percent of a structure's street-level facade, the width of a driveway at street level, not to exceed 22 feet, may be subtracted from the width of the street-facing facade if the access cannot be provided from an alley or from a street that is not a designated principal pedestrian street.

3. If the street-facing facade and depth requirements would result in a requirement that an area greater than 50 percent of the structure's footprint be dedicated to the uses in subsection 23.47A.005.D.1, the Director may modify the street-facing facade or depth requirements, or both, so that no more than 50 percent of the structure's footprint is required to be dedicated to the uses in subsection 23.47A.005.D.1.

D. ((The provisions of this subsection apply to structures with residential uses located along a street level street facing façade)) Where ((1. R))residential uses are ((limited to 20% of the)) located along a street-level street-facing facade ((under section 23.47.005.D;)) the following requirements apply unless exempted by subsection 23.47A.008.G:

 $\underline{1}$. ((2.)) At least one of the street-level street-facing facades containing a residential use shall have a visually prominent pedestrian entry; and

 $\underline{2}$.((3-)) The floor of a dwelling unit located along the street-level street-facing facade shall be at least 4 feet above or 4 feet below sidewalk grade or be set back at least 10 feet from the sidewalk.

E. When a live-work unit is located on a street-level street-facing facade, the provisions of subsections 23.47A.008.A and 23.47A.008.B apply, and the portion of each such live-work unit in which business is conducted must be located between the principal street and the residential portion of the live-work unit.

F. The Director may allow departures from street-level requirements of this section for projects that are not subject to the Design Review process, as a Type I decision, if the Director

determines that the project will maintain the safety and aesthetics of the streetscape for pedestrians and will:

- 1. maintain pedestrian access to the structure;
- 2. maintain urban form consistent with adjacent structures;
- 3. maintain the visibility of nonresidential uses;
- 4. maintain the privacy of residential uses; or
- 5. allow the continued use of an existing structure without substantial renovation.

G. In a structure existing on January 1, 2012, an accessory dwelling unit may be established if it is accessory to an existing dwelling unit and if it meets minimum housing standards of Chapter 22.206, even if nonconforming to standards of subsection 23.47A.008.D.

Section 19. A new Subchapter II and a new Section 23.52.008 are added to Chapter 23.52 of the Seattle Municipal Code as follows:

23.52 Transportation Concurrency, ((Project Review System)) and Impact Mitigation Subchapter I Transportation Concurrency Project Review System

Subchapter II Transportation Impact Mitigation

23.52.008 Transportation Impact Mitigation

A. Applicability. The requirements of this Section 23.52.008 apply to new development as described in Table A for 23.52.008. New development that is subject to SEPA environmental review per SMC Chapter 25.05 is exempt from this Subchapter II.

27

Form Last Revised: December 6, 2011

1 2

3

4

5

7

6

8 9

11

10

1213

1415

16

17 18

19 20

21

22

2324

25

2627

28

Form Last Revised: December 6, 2011

Table A for 23.52.008 Development Location and Size Ranges Where the Requirements of Section 23.52.008 Apply

Applicable Zones, When Located	Applicable Size Ranges					
Within an Urban Center or the Station Area Overlay District	Number of Dwelling Units	Amount of Non-Residential Space (square feet), When Located in a Mixed-Use Development ¹				
<u>LR1</u>	<u>7 to 200</u>	4,001 to 75,000				
LR2, LR3, NC1, NC2, NC3, C1, C2,	31 to 200	12,001 to 75,000				
MR, HR, SM						
DOC1, DOC2, DMC, DMR, DH1,	<u>81 to 250</u>	12,001 to 75,000				
DH2, IDM, IDR, PSM, PMM						

Footnote to Table A for 23.52.008

¹ This size range applies to a development that contains at least one dwelling unit.

B. Authority.

1. The Director may require a transportation impact evaluation for permit applications for which this subsection 23.52.008.B.1 is applicable pursuant to subsection 23.52.008.A. The Director shall determine the scope and level of detail of the evaluation based on the probable impacts and/or scale of the proposed development. Analysis or discussion of the following topics and other elements may be required:

- a. Number of additional daily and peak hour vehicular trips;
- b. Likely distribution of project traffic and effects on traffic operations;
- c. Availability and expected usage of transit;
- d. Existing vehicular, pedestrian, and bicycle conditions, including access
- and connections to transit and bicycle facilities;
 - e. Accident history.

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	

2. The Director in consultation with the Director of Transportation may condition
permit approval, as a Type I decision, based on the results of a transportation impact evaluation.
to mitigate or prevent identified impacts. Mitigation may include, but is not limited to:

- a. changes in access;
- b. changes in the location, number and size of curb cuts and driveways;
- c. provision of transit incentives, including transit pass subsidies;
- d. bicycle parking, and shower facilities for bicycle commuters;
- e. signage, including wayfinding;
- f. improvements to vehicular, pedestrian and bicycle traffic operations including signalization, turn channelization, right-of-way dedication, street widening, pedestrian and bicycle facilities improvements, pedestrian lighting, or other improvements proportionate to the impacts of the project;
 - g. transportation management plans;
- h. Parking management strategies including, but not limited to, unbundling parking from building-space leases, reserved parking spaces for vanpools, and reduction in the amount of parking to be provided; and
- i. Participation in transportation mitigation payment program or transportation management association, where available.

Section 20. Section 23.54.015 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.54.015 Required parking

A. Minimum parking requirements. The minimum number of off-street motor vehicle parking spaces required for specific uses is set forth in Table A for 23.54.015 for nonresidential uses other than institutional uses, Table B for 23.54.015 for residential uses, and Table C for 23.54.015 for institutional uses, except as otherwise provided in this Section 23.54.015 and

Section 23.54.020. The minimum parking requirements are based upon gross floor area of a use within a structure and the square footage of a use when located outside of an enclosed structure, or as otherwise specified. Exceptions to the parking requirements set forth in this section are provided in subsection 23.54.015.B and in Section 23.54.020, Parking quantity exceptions, unless otherwise specified. This chapter does not apply to parking for construction activity, which is regulated by ((SMC)) Section 23.42.044.

- B. Parking requirements for specific zones.
- 1. Parking in downtown zones is regulated by Section 23.49.019 and not by this Section 23.54.015.
- 2. Parking for major institution uses in the Major Institution Overlay District is regulated by Sections 23.54.015 and 23.54.016 ((and not by this Section 23.54.015)).
- 3. Parking in the Northgate Overlay District is regulated by Chapter 23.54 except as modified by Section 23.71.016.
- 4. No parking is required for single-family residential uses in single-family zones on lots less than 3,000 square feet in size or 30 feet in width where access to parking is permitted through a required yard abutting a street according to the standards of subsection 23.44.016.B.2.
- 5. No parking is required for urban farms or community gardens in residential zones.

	PARKING	Table A for ((Section)) 2 FOR NONRESIDENTIAL USES O				
		Use	Minimum parking required			
I. General	Nonresidential	Uses (other than institutions)				
A.	AGRICULTURAL USES 1 space for each 2,000 square feet					
B.	COMMERCIA	AL USES				
	B.1.	Animal shelters and kennels	1 space for each 2,000 square feet			
	B.2.	Eating and drinking establishments	1 space for each 250 square feet			
	B.3.	Entertainment Uses, general, except as noted below (1)	For public assembly areas: 1 space for each 8 fixed seats, or			
			1 space for each 100 square feet of public assembly area not containing fixed seats			

	PARKI		able A for ((Section)) 23 ESIDENTIAL USES OT	3.54.015 THER THAN INSTITUTIONS				
		Use		Minimum parking required				
		B.3.a	Adult cabarets	1 space for each 250 square feet				
		B.3.b	Sports and recreation uses	1 space for each 500 square feet				
	B.4.	Food process	sing and craft work	1 space for each 2,000 square feet				
	B.5.	Laboratories, development	, research and	1 space for each 1,500 square feet				
	B.6.	Lodging uses		1 space for each 4 rooms; For bed and breakfast facilities in single family and multifamily zones, 1 space for each dwelling unit, plus 1 space for each 2 guest rooms				
	B.7.	Medical serv	ices	1 space for each 500 square feet				
	B.8.	Offices		1 space for each 1,000 square feet				
	B.9.	Sales and ser	vices, automotive	1 space for each 2,000 square feet				
	B.10.	Sales and ser noted below	vices, general, except as	1 space for each 500 square feet				
		B.10.a.	Pet Daycare Centers (2)	1 space for each 10 animals or 1 space for each staff member, whichever is greater; plus 1 loading and unloading space for each 20 animals.				
	B.11.	Sales and ser	vices, heavy	1 space for each 2,000 square feet				
	B.12.		vices, marine	1 space for each 2,000 square feet				
C.	HIGH IMP.	ACT USES		1 space for each 2,000 square feet				
D.	LIVE-WOF	RK UNITS		0 spaces for units with 1,500 square feet or less; 1 space for each unit greater than 1,500 square feet; 1 space for each unit greater than 2,500 square feet, plus the parking that would be required for any nonresidential activity classified as a principal use				
E.	MANUFAC	CTURING USES		1 space for each 2,000 square feet				
F.	STORAGE	USES		1 space for each 2,000 square feet				
G.	TRANSPO	RTATION FACII	LITIES					
	G.1.	Cargo termin		1 space for each 2,000 square feet				
	G.2.	Parking and						
		G.2.a.	Principal use parking	None				
		G.2.b.	Towing services	None				
	İ	G.2.c.	Boat moorage	1 space for each 2 berths				
	i	G.2.d.		1 space for each 2,000 square feet				
	G.3.	Passenger ter		1 space for each 100 square feet of waiting area				
	G.4.	Rail transit fa	acilities	None				
	G.5.	Transportation	on facilities, air	1 space for each 100 square feet of waiting area				
	G.6.			es 1 space for each 2,000 square feet				
H.	UTILITIES			1 space for each 2,000 square feet				

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

Table A for ((Section)) 23.54.015 PARKING FOR NONRESIDENTIAL USES OTHER THAN INSTITUTIONS Minimum parking required II. Nonresidential Use Requirements ((with Locational Criteria)) For Specific Areas Nonresidential uses (other than institutions) in urban No minimum requirement centers or the Station Area Overlay District (3) Nonresidential uses in commercial and industrial No minimum requirement zones outside of urban centers and the Station Area Overlay District, if the nonresidential use is located within 1,320 feet of a street with frequent transit service, measured as the walking distance from the nearest transit stop to the lot line of the lot containing the nonresidential use. (3) ((J.))K. Nonresidential uses (other than institutions) permitted No minimum requirement ((in on the ground floor)) in LR, MR and HR zones pursuant to Section 23.45.504. Footnotes for Table A for ((Section)) 23.54.015 (1) Required parking for spectator sports facilities or exhibition halls must be available when the facility or exhibition hall is in use. A facility shall be considered to be "in use" during the period beginning three hours before

- an event is scheduled to begin and ending one hour after a scheduled event is expected to end. For sports events of variable or uncertain duration, the expected event length shall be the average length of the events of the same type for which the most recent data are available, provided it is within the past five years. During an inaugural season, or for nonrecurring events, the best available good faith estimate of event duration will be used. A facility will not be deemed to be "in use" by virtue of the fact that administrative or maintenance personnel are present. The Director may reduce the required parking for any event when projected attendance for a spectator sports facility is certified to be 50 percent or less of the facility's seating capacity, to an amount not less than that required for the certified projected attendance, at the rate of one space for each ten fixed seats of certified projected attendance. An application for reduction and the certification shall be submitted to the Director at least 15 days prior to the event. When the event is one of a series of similar events, such certification may be submitted for the entire series 15 days prior to the first event in the series. If the Director finds that a certification of projected attendance of 50 percent or less of the seating capacity is based on satisfactory evidence such as past attendance at similar events or advance ticket sales, the Director shall, within 15 days of such submittal, notify the facility operator that a reduced parking requirement has been approved, with any conditions deemed appropriate by the Director to ensure adequacy of parking if expected attendance should change. The parking requirement reduction may be applied for only if the goals of the facility's Transportation Management Plan are otherwise being met. The Director may revoke or modify a parking requirement reduction approval during a series, if projected attendance is exceeded.
- (2) The amount of required parking is calculated based on the maximum number of staff or animals the center is designed to accommodate.
- (3) The general requirements of lines A through H of Table A for ((Section)) 23.54.015 is superseded to the extent that a use, structure or development qualifies for either a greater or a lesser parking requirement (which may include no requirement) under any other provision. To the extent that a nonresidential use fits within more than one line in Table A for ((Section)) 23.54.015, the least of the applicable parking requirements applies. The different parking requirements listed for certain categories of nonresidential uses shall not be construed to create separate uses for purposes of any requirements related to establishing or changing a use under this Title 23.

24

25

26

27

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Table B for 23.54.015: PARKING FOR RESIDENTIAL USES Use Minimum parking required I. General Residential Uses A. Adult family homes 1 space for each dwelling unit B. Artist's studio/dwellings 1 space for each dwelling unit C. Assisted living facilities 1 space for each 4 assisted living units plus 1 space for each 2 staff members onsite at peak staffing time; plus 1 barrier-free passenger loading and unloading space 1 space for each dwelling unit D. Caretaker's quarters E. Congregate residences 1 space for each 4 residents F. Cottage housing developments 1 space for each dwelling unit G. Floating homes 1 space for each dwelling unit 1 space for each mobile home lot as H. Mobile home parks defined in Chapter 22.904 I. Multifamily residential uses, except as provided in Sections ((B or C)) II or 1 space per dwelling unit. <u>III</u> of this Table B for 23.54.015. (1) J. Nursing homes (2) 1 space for each 2 staff doctors; plus 1 additional space for each 3 employees; plus 1 space for each 6 beds K. Single-family dwelling units 1 space for each dwelling unit II. Residential Use Requirements ((with Location Criteria)) For Specific Areas L. All ((R))residential uses ((in commercial and multifamily zones)) within No minimum requirement urban centers or within the Station Area Overlay District (1) M. All $((\mathbb{R}))$ residential uses in commercial and multifamily zones outside of No minimum requirement urban centers and the Station Area Overlay District.((within urban villages that are not within urban center or the Station Area Overlay District, if the residential use is)) when located within 1,320 feet of a street with frequent transit service, measured as the walking distance from the nearest transit stop to the lot line of the lot containing the residential use. (1) N. Multifamily residential uses within the University of Washington parking | 1 space per dwelling unit for dwelling impact area shown on Map A for 23.54.015 (1) units with fewer than two bedrooms: 1.5 spaces per dwelling units with 2 or more bedrooms; plus .25 spaces per bedroom for dwelling units with 3 or more bedrooms

2627

1	Table B for 2 PARKING FOR RES
	Use
2 3	O. Multifamily dwelling units within the Alki area shown or ((Section)) 23.54.015 (1)
5	III. Multifamily Residential Use Requirements with Inco
4	P. Multifamily residential uses: for each dwelling unit rented
5	by a household with an income at time of its initial occupand percent of the median income (3), for the life of the building
6	Q. Multifamily residential uses: for each dwelling unit renter
7	occupied by a household with an income at time of its initial between 30 and 50 percent of the median income (3), for the
8	building (1)
	R. Low-income disabled multifamily residential uses (1) (3)
9	S. Low-income elderly/low-income disabled multifamily res
10	T. Low-income elderly multifamily residential uses (1) (3) nurban centers or within the Station Area Overlay District
11	Footnotes for Table B for ((Section)) 23.54.015:
	(1) The general requirement of line I of Table B for ((Section
12	superseded to the extent that a use, structure or development
13	requirement (which may include no requirement) under any residential use fits within more than one line in Table B for (requirements applies, except that if an applicable parking red
14	23.54.015 requires more parking than line I, the parking requirements listed for certain categories of multifamily resi
15	uses for purposes of any requirements related to establishing (2) For development within single-family zones the Director
16	according to Section 23.44.015 as a special or reasonable accelerate that less parking is needed to provide a special of the section 23.44.015 as a special or reasonable accelerate that less parking is needed to provide a special of the section 23.44.015 as a special or reasonable accelerate that less parking is needed to provide a special of the section 23.44.015 as a special or reasonable accelerate that less parking is needed to provide a special of the section 23.44.015 as a special of the section 24.44.015 as a spec
17	the requirement. The Director shall specify the parking require program that allow such reduction. The parking reductions s
18	the conditions change, the standard requirements shall be me (3) Notice of Income Restrictions. Prior to issuance of any p
19	structure, or to reduce any parking accessory to a multifamil reduced parking requirements, the applicant shall record in t
20	acknowledged by the owner(s), in a form prescribed by the I legal description, and shall acknowledge and provide notice
21	are a condition for maintaining the reduced parking requiren
22	
23 24	
25	
26	
-	1

Table B for 23.54.015:					
PARKING FOR RESIDENTIAL USES					
Use	Minimum parking required				
O. Multifamily dwelling units within the Alki area shown on Map B for ((Section)) 23.54.015 (1)	1.5 spaces for each dwelling unit				
III. Multifamily Residential Use Requirements with Income Criteria					
P. Multifamily residential uses: for each dwelling unit rented to and occupied	0.33 space for each dwelling unit with				
by a household with an income at time of its initial occupancy at or below 30 percent of the median income (3), for the life of the building (1)	2 or fewer bedrooms, and 1 space for each dwelling unit with 3 or more bedrooms				
Q. Multifamily residential uses: for each dwelling unit rented to and	0.75 spaces for each dwelling unit				
occupied by a household with an income at time of its initial occupancy of between 30 and 50 percent of the median income (3), for the life of the building (1)	with 2 or fewer bedrooms, and 1 space for each dwelling unit with 3 or more bedrooms				
R. Low-income disabled multifamily residential uses (1) (3)	1 space for each 4 dwelling units				
S. Low-income elderly/low-income disabled multifamily residential uses (1) (4)	1 space for each 5 dwelling units				
T. Low-income elderly multifamily residential uses (1) (3) not located in	1 space for each 6 dwelling units				
urban centers or within the Station Area Overlay District					
Footnotes for Table B for ((Section)) 23.54.015:					
(1) The general requirement of line I of Table B for ((Section)) 23.54.015 for					
superseded to the extent that a use, structure or development qualifies for either					
requirement (which may include no requirement) under any other provision. It residential use fits within more than one line in Table B for ((Section)) 23.54. It requirements applies, except that if an applicable parking requirement in section 23.54.015 requires more parking than line I, the parking requirement in line I requirements listed for certain categories of multifamily residential uses shall uses for purposes of any requirements related to establishing or changing a usus (2) For development within single-family zones the Director may waive some	015, the least of the applicable parking on ((B)) II of Table B for ((Section)) does not apply. The different parking not be construed to create separate e under this Title 23.				
according to Section 23.44.015 as a special or reasonable accommodation. In demonstrate that less parking is needed to provide a special or reasonable accommodation. The requirement. The Director shall specify the parking required and link the program that allow such reduction. The parking reductions shall be valid only the conditions change, the standard requirements shall be met.	other zones, if the applicant can ommodation, the Director may reduce parking reduction to the features of the under the conditions specified, and if				
(3) Notice of Income Restrictions. Prior to issuance of any permit to establish structure, or to reduce any parking accessory to a multifamily residential use, reduced parking requirements, the applicant shall record in the King County Facknowledged by the owner(s), in a form prescribed by the Director, which she legal description, and shall acknowledge and provide notice to any prospectivare a condition for maintaining the reduced parking requirement.	if the applicant relies upon these Recorder a declaration signed and hall identify the subject property by				

27

	Table C for ((Section) PARKING FOR PUBLIC USES	
	Use	Minimum parking required
I. Ge	neral Public Uses and Institutions	
A.	Adult care centers (1), (2)	1 space for each 10 adults (clients) or 1 space for each staff member, whichever is greater; plus 1 loading and unloading space for each 20 adults (clients)
В.	Child care centers (1), (2), (3)	1 space for each 10 children or 1 space for each staff member, whichever is greater; plus 1 loading and unloading space for each 20 children
C.	Colleges	A number of spaces equal to 15 percent of the maximum number of students that the facility is designed to accommodate; plus 30 percent of the number of employees the facility is designed to accommodate; plus 1 space for each 100 square feet of spectator assembly area in outdoor spectator sports facilities
D.	Community centers owned and operated by the Seattle Department of Parks and Recreation (DOPAR) (1), (4)	1 space for each 555 square feet; or for family support centers, 1 space for each 100 square feet
E.	Community clubs, and community centers not owned and operated by DOPAR (1), (5)	1 space for each 80 square feet of floor area of all auditoria and public assembly rooms not containing fixed seats; plus 1 space for every 8 fixed seats for floor area containing fixed seats; or if no auditorium or assembly room, 1 space for each 350 square feet, excluding ball courts
F.	Hospitals	1 space for each 2 staff doctors; plus 1 additional space for each 5 employees other than staff doctors; plus 1 space for each 6 beds
G.	Institutes for advanced study, except in single family zones ((as provided in line H below))	1 space for each 1,000 square feet of offices and similar spaces; plus 1 space for each 10 fixed seats in all auditoria and public assembly rooms; or 1 space for each 100 square feet of public assembly area not containing fixed seats
Н.	Institutes for advanced study in single family zones (existing) (1)	3.5 spaces for each 1,000 square feet of office space; plus 10 spaces for each 1,000 square feet of additional building footprint to house and support conference center activities; or 37 spaces for each 1,000 square feet of conference room space, whichever is greater
I.	Libraries (1) (6)	1 space for each 80 square feet of floor area of all auditoria and public meeting rooms; plus 1 space for each 500 square feet of floor area, excluding auditoria and public meeting rooms
J.	Museums	1 space for each 80 square feet of all auditoria and

Table C for ((Section)) 23.54.015 1 PARKING FOR PUBLIC USES AND INSTITUTIONS Minimum parking required 2 public assembly rooms, not containing fixed seats; 3 1 space for every 10 fixed seats for floor area containing fixed seats; plus 4 1 space for each 250 square feet of other gross floor area open to the public 5 K. 1 space for each 80 square feet of floor area of all Private clubs auditoria and public assembly rooms not 6 containing fixed seats; or 1 space for every 8 fixed seats for floor area 7 containing fixed seats; or if no auditorium or assembly room, 1 space for 8 each 350 square feet, excluding ball courts 1 space for each 80 square feet of all auditoria and Religious facilities (1) L. 9 public assembly rooms 1 space for each 80 square feet of all auditoria and M. Schools, private elementary and secondary (1) 10 public assembly rooms, or if no auditorium or assembly room, 1 space for 11 each staff member N. 1 space for each 80 square feet of all auditoria or Schools, public elementary and secondary (7) (8) 12 public assembly rooms, or 1 space for every 8 fixed seats in auditoria or 13 public assembly rooms containing fixed seats, for new public schools on a new or existing public 14 school site O. Vocational or fine arts schools 1 space for each 2 faculty that the facility is 15 designed to accommodate; plus 1 space for each 2 full-time employees other than 16 faculty that the facility is designed to accommodate; plus 17 1 space for each 5 students, based on the maximum number of students that the school is designed to 18 accommodate 19 II. General Public Uses and Institutions ((with Locational Criteria)) For Specific Areas General public uses, ((and)) institutions and Major Institution uses No minimum requirement 20 in urban centers or the Station Area Overlay District (9) Footnotes for Table C for ((Section)) 23.54.015: 21 (1) When this use is permitted in a single-family zone as a conditional use, the Director may modify the parking requirements pursuant to Section 23.44.022; when the use is permitted in a multifamily zone as a conditional use, 22 the Director may modify the parking requirements pursuant to Section 23.45.570. The Director, in consultation with the Director of Transportation, may allow adult care and child care centers locating in existing structures to provide 23 loading and unloading spaces on-street when no other alternative exists. (2) The amount of required parking is calculated based on the maximum number of staff, children, or clients that the 24 center is designed to accommodate on site at any one time. (3) A child care facility, when co-located with an assisted living facility, may count the passenger load/unload space 25 required for the assisted living facility toward its required passenger load/unload spaces. (4) When family support centers are located within community centers owned and operated by the Department of

2627

1

2

4

6

5

7 8

9 10

11

1213

1415

16

17

18 19

20

2122

23

24

25

26

27

28

$\label{eq:continuous} \textbf{Table C for ((Section)) 23.54.015} \\ \textbf{PARKING FOR PUBLIC USES AND INSTITUTIONS} \\ \\$

Use Minimum parking required

Parks and Recreation, the Director may lower the combined parking requirement by up to a maximum of 15 percent, pursuant to ((Section)) subsection 23.54.020.I.

- (5) Indoor gymnasiums are not considered ball courts, nor are they considered auditoria or public assembly rooms unless they contain bleachers (fixed seats). If the gymnasium contains bleachers, the parking requirement for the gymnasium is one parking space for every eight fixed seats. Each 20 inches of width of bleachers is counted as one fixed seat for the purposes of determining parking requirements. If the gymnasium does not contain bleachers and is in a school, there is no parking requirement for the gymnasium. If the gymnasium does not contain bleachers and is in a community center, the parking requirement is one space for each 350 square feet.
- (6) When a library is permitted in a single-family zone as a conditional use, the Director may modify the parking requirements pursuant to Section 23.44.022; when a library is permitted in a multifamily zone as a conditional use, the Director may modify the parking requirements pursuant to Section 23.45.122; and when a library is permitted in a commercial zone, the Director may modify the parking requirements according to ((Section)) subsection 23.44.022.L.
- (7) For public schools, when an auditorium or other place of assembly is demolished and a new one built in its place, parking requirements are determined based on the new construction. When an existing public school on an existing public school site is remodeled, additional parking is required if any auditorium or other place of assembly is expanded or additional fixed seats are added. Additional parking is required as shown on Table C for 23.54.015 for the increase in floor area or increase in number of seats only. If the parking requirement for the increased area or seating is 10 percent or less than that for the existing auditorium or other place of assembly, then no additional parking is required.
- (8) Development standard departures may be granted or required pursuant to the procedures and criteria set forth in Chapter 23.79 to reduce the required or permitted number of parking spaces.
- (9) The general requirement of lines A through O of Table C for ((Section)) 23.54.015 for general public uses, ((and)) institutions, and requirements of subsection 23.54.016.B for Major Institution uses ((is)) are superseded to the extent that a use, structure or development qualifies for either a greater or a lesser parking requirement (which may include no requirement) under any other provision. To the extent that a general public use, institution or Major ((i))Institution use fits within more than one line in Table C for ((Section)) 23.54.015, the least of the applicable parking requirements applies. The different parking requirements listed for certain categories of general public uses or institutions shall not be construed to create separate uses for purposes of any requirements related to establishing or changing a use under this Title 23.

Section 21. Section 23.54.016 of the Seattle Municipal Code, which section was last amended by Ordinance 122311, is amended as follows:

23.54.016 Major Institutions—Parking and transportation((,))

Major Institution uses are subject to the following transportation and parking requirements:

- A. General Provisions.
 - 1. Minimum requirements for parking quantity are established in subsection
- 23.54.016.B ((of this section)).

- 2. The maximum number of spaces provided for the Major Institution use shall not exceed ((one hundred thirty-five ())135(())) percent of the minimum requirement, ((except)) unless additional spaces are approved through administrative or Council review as provided in subsection 23.54.016.C ((of this section)). For a Major Institution use in an urban center or the Station Area Overlay District, the maximum limit shall not exceed 135 percent of the minimum parking requirements calculated pursuant to subsection 23.54.016.B.2.
- 3. Parking requirements for Major Institutions with more than one (((1))) type of institutional use (for example, a hospital and a university), <u>if applicable</u>, shall be calculated for each use separately, and then added together to derive the total number of required spaces.
- 4. When a permit application is made for new development at an existing Major Institution that is not located in an urban center or the Station Area Overlay District, parking requirements shall be calculated both for the entire Major Institution and for the proposed new development. If there is a parking deficit for the entire institution, the institution shall make up a portion of the deficit in addition to the quantity required for the new development, according to the provisions of subsection 23.54.016.B.3((5 of this section)). If there is a parking surplus((;)) above the maximum allowed number of spaces((;)) for the institution as a whole, ((requirements)) required amounts of parking for new development will first be applied to the surplus in the required ratio of long-term and short-term spaces. Additional parking shall be permitted only when no surplus remains.
- 5. When determining parking requirements, individuals fitting into more than one (((1))) category (for example, a student who is also an employee or a faculty member who is also a doctor) shall not be counted twice. The category requiring the greater number of parking spaces shall be used.
- B. Parking Quantity Required.((The minimum number of parking spaces required for a Major Institution shall be as follows:))

1	
2	1
3	
4	1
5	
6	
7	1
8]
9	
10	(
11	5
12	1
13	
14	
15	
16	1
17	
18	(
19	
20	t
21	1
22	1
23	(
24	
25	•
26	

	1. In urban	centers ar	nd the S	Station	Area	Overlay	District,	no	parking	is re	equired
for Major Insti	tution uses.										

2. For all other Major Institutions the minimum number of parking spaces required is as follows:

((1.))<u>a.</u> Long-term Parking.

 $((a.))\underline{1})$ Medical Institutions. A number of spaces equal to $((eighty (\cdot))80((\cdot)))$ percent of hospital-based doctors; plus $((twenty five (\cdot))25((\cdot)))$ percent of staff doctors; plus $((thirty (\cdot))30((\cdot)))$ percent of all other employees present at peak hour;

 $((b\cdot))2$) Educational Institutions. A number of spaces equal to $((fifteen \cdot ((t))15((t))))$ percent of the maximum students present at peak hour, excluding resident students; plus $((thirty \cdot ((t))30((t))))$ percent of employees present at peak hour; plus $((ttwenty \cdot ((ttwenty

((2.))b. Short-term Parking.

((a-))1) Medical Institutions. A number of spaces equal to one (((1))) space per six (((6))) beds; plus one (((1))) space per five (((5))) average daily outpatients; ((6-))2) Educational Institutions. A number of spaces equal to five

 $((\frac{5}{2}))$ percent of the maximum students present at peak hour excluding resident students.

((3.))c. Additional Short-term Parking Requirements. When one (((1))) of the following uses is a Major Institution use, the following additional short-term parking requirements shall be met. Such requirements may be met by joint use of parking areas and facilities if the Director determines that the uses have different hours of operation according to ((Section)) subsection 23.54.020.G:

((a.))1) Museum. One (((1))) space for each ((two hundred fifty ())250(())) square feet of public floor area;

Form Last Revised: December 6, 2011

1	((b.))2 Theater, Auditorium, or Assembly Hall. One $(((1)))$ space
2	for each ((two hundred ())200(())) square feet of audience assembly area not containing fixed
3	seats, and one $((\frac{1}{1}))$ space for every $(\frac{1}{1})$ seats for floor area containing fixed seats;
4	((e-))3) Spectator Sports Facility Containing Fewer than ((Twenty
5	Thousand ())20,000(())) Seats. One (((1))) space for each ((ten ())10(())) permanent seats and one
6	(((1))) space for each $((one hundred ())100(()))$ square feet of spectator assembly area not
7	containing fixed seats;
8	((d.))4) Spectator Sports Facility Containing ((Twenty Thousand
9	(\cdot))20,000((\cdot))) or More Seats. One ($(\cdot(1))$) space for each ($(\cdot(1))$) permanent seats and one
10	(((1))) bus space for each $((three hundred ())300(()))$ permanent seats.
11	((4.)) <u>d.</u> Bicycle Parking. Bicycle parking meeting the development
12	standards of subsections 23.54.015.K.2 through 23.54.015.K.((—))6 and subsection
13	23.54.016.D.2 ((of this section)) shall be provided in the following quantities:
14	((a.))1) Medical Institutions. A number of spaces equal to two
15	$((\frac{(2)}{2}))$ percent of employees, including doctors, present at peak hour;
16	((b.))2) Educational Institutions. A number of spaces equal to ((ten
17	(-))10(($(-)$)) percent of the maximum students present at peak hour plus five (($((-5))$)) percent of
18	employees.
19	If at the time of application for a master use permit, the applicant can demonstrate that
20	the bicycle parking requirement is inappropriate for a particular institution because of
21	topography, location, nature of the users of the institution or other reasons, the Director may
22	modify the bicycle parking requirement.
23	((5.))3. Parking Deficits. In addition to providing the minimum required parking
24	for a new structure, five $((\frac{5}{}))$ percent of any vehicular or bicycle parking deficit as determined
25	by the minimum requirements of this subsection <u>23.54.016.B</u> , existing on the effective date of
26	
- 1	1

27

((b-1)) Theater, Auditorium, or Assembly Hall. One $(((1-1)))$ space
for each ((two hundred ())200(())) square feet of audience assembly area not containing fixed
seats, and one $((\frac{1}{1}))$ space for every $(\frac{1}{1})10(\frac{1}{1})$ seats for floor area containing fixed seats;
((e.))3) Spectator Sports Facility Containing Fewer than ((Twenty
Thousand ())20,000(())) Seats. One (((1))) space for each ((ten ())10(())) permanent seats and one
(((1))) space for each $((one hundred ())100(()))$ square feet of spectator assembly area not
containing fixed seats;
((d.))4) Spectator Sports Facility Containing ((Twenty Thousand
())20,000(())) or More Seats. One (($\frac{(1)}{(1)}$)) space for each (($\frac{(ten - (1))}{(1)}$)) permanent seats and one
(((1))) bus space for each $((three hundred ())300(()))$ permanent seats.
((4.))d. Bicycle Parking. Bicycle parking meeting the development
standards of subsections 23.54.015.K.2 through 23.54.015.K.((—))6 and subsection
23.54.016.D.2 ((of this section)) shall be provided in the following quantities:
((a.))1) Medical Institutions. A number of spaces equal to two
$((\frac{(2)}{2}))$ percent of employees, including doctors, present at peak hour;
((b.))2) Educational Institutions. A number of spaces equal to ((ten
())10(())) percent of the maximum students present at peak hour plus five (((5))) percent of
employees.
If at the time of application for a master use permit, the applicant can demonstrate that
the bicycle parking requirement is inappropriate for a particular institution because of
topography, location, nature of the users of the institution or other reasons, the Director may
modify the bicycle parking requirement.
((5.))3. Parking Deficits. In addition to providing the minimum required parking

Form Last Revised: December 6, 2011

the ordinance codified in this section, shall be supplied before issuance of a certificate of occupancy.

C. Requirement for a Transportation Management Program.

1.When a Major Institution proposes parking in excess of ((one hundred thirty-five ())135(())) percent of the applicable minimum requirement for short-term parking spaces calculated pursuant to subsections 23.54.016.A and 23.54.016.B, or when a Major Institution prepares a master plan or applies for a master use permit for development that would provide ((require twenty ())20(())) or more parking spaces or increase the Major Institution's number of parking spaces by ((twenty ())20(())) or more above the level existing on May 2, 1990, a transportation management program shall be required or an existing transportation management program shall be reviewed and updated. The Director shall assess the traffic and parking impacts of the proposed development against the general goal of reducing the percentage of the Major Institution's employees, staff and/or students who commute in single-occupancy vehicles (SOV) during the peak period to ((fifty ())50(())) percent or less, excluding those employees or staff whose work regularly requires the use of a private vehicle during working hours.

2. Transportation management programs ((shall be)) are prepared and implemented in accordance with the Director's Rule governing Transportation Management Programs. The Transportation Management Program shall be in effect upon Council adoption of the Major Institution master plan.

4. Through the process of reviewing a new or updated transportation management program in conjunction with reviewing a master plan, the Council may approve in excess of ((one hundred thirty five ())135(())) percent of the minimum requirements for long-term parking spaces, or may increase or decrease the required ((fifty ())50(())) percent SOV goal, based upon

1 2

3

4

5

6 7

8

9

10

11

1213

14

15

16

17

18 19

20

2122

23

24

25

2627

28

Form Last Revised: December 6, 2011

transportation. Factors to be considered shall include, but not be limited to:

the Major Institution's impacts on traffic and opportunities for alternative means of

- a. Proximity to a street with $((\frac{\text{Fifteen }()}{15((\cdot))}))$ minute transit service headway in each direction;
 - b. Air quality conditions in the vicinity of the Major Institution;
- c. The absence of other nearby traffic generators and the level of existing and future traffic volumes in and through the surrounding area;
- d. The patterns and peaks of traffic generated by Major Institution uses and the availability or lack of on-street parking opportunities in the surrounding area;
 - e. The impact of additional parking on the Major Institution site;
- f. The extent to which the scheduling of classes or work shifts reduces the transportation alternatives available to employees and/or students or the presence of limited carpool opportunities due to the small number of employees; and
- g. The extent to which the Major Institution has demonstrated a commitment to SOV alternatives.
- 5. The provision of short-term parking spaces in excess of ((one hundred thirty-five ())135(())) percent of the minimum requirements established in subsection 23.54.016.B.2 ((of this section)) may be permitted by the Director through preparation or update of a Transportation Management Program. In evaluating whether to allow more than ((one hundred thirty five ())135(())) percent of the minimum, the Director, in consultation with the Director of ((Seattle Department of)) Transportation ((and Metropolitan King County)), shall consider evidence of parking demand and opportunities for alternative means of transportation. Factors to be considered shall include but are not necessarily limited to the criteria contained in subsection 23.54.015.D.1.b ((of this section)) and the following:

1

2

3

5

6

7

8

10

11

1213

14

15 16

17

18

19 20

21

22

2324

25

26

27

28

generate short-term parking demand; and
b. The extent to which the Major Institution manages short-term parking to

a. The nature of services provided by Major Institution uses which

Based on this review, the Director shall determine the amount of additional short-term parking to be permitted, if any.

Section 22. Subsection F of Section 23.54.020 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

23.54.020 Parking quantity exceptions

F. Reductions to minimum parking requirements.

ensure its availability to meet short-term parking needs.

1. When parking is required, ((R))reductions to minimum parking requirements permitted by this subsection 23.54.020.F will be calculated from the minimum parking requirements in Section 23.54.015. Total reductions to required parking as provided in this subsection 23.54.020.F may not exceed 40 percent.

((2. Transit reduction.

a. In multifamily and commercial zones, the minimum parking requirement for all uses is reduced by 20 percent if the use is located within 1,320 feet of a street with frequent transit service. This distance will be the walking distance measured from the nearest transit stop to the lot line of the lot containing the use.

b. In industrial zones, the minimum parking requirement for a nonresidential use is reduced by 15 percent if the use is located within 1,320 feet of a street with peak transit service headways of 15 minutes or less. This distance will be the walking distance measured from the nearest transit stop to the lot line of the lot containing the use.))

((3.))2. For new or expanding offices or manufacturing uses that require 40 or more parking spaces, the minimum parking requirement may be reduced by up to a maximum of 40 percent by the substitution of alternative transportation programs, according to the following provisions:

a. For every ((eertified)) carpool space accompanied by a cash fee, performance bond or alternative guarantee acceptable to the Director, the total parking requirement will be reduced by 1.9 spaces, up to a maximum of 40 percent of the parking requirement. ((The Director will consult with the Director of the Seattle Department of Transportation in certifying carpool spaces and the location of carpool parking.))

b. For every ((eertified)) vanpool purchased or leased by the applicant for employee use, or equivalent cash fee for purchase of a van by the public ridesharing agency, the total parking requirement will be reduced by six spaces, up to a maximum of 20 percent of the parking requirement. ((Before a certificate of occupancy may be issued, details of the vanpool program shall be specified in a Memorandum of Agreement executed between the proponent, the Director, and the Director of the Seattle Department of Transportation.))

c. If transit or transportation passes are provided with a 50 percent or greater cost reduction to all employees in a proposed structure for the duration of the business establishment(s) within it, or five years, whichever is less, and if transit service is located within 800 feet, the parking requirement shall be reduced by 10 percent. With a 25 percent to 49 percent cost reduction, and if transit service is located within 800 feet, the parking requirement shall be reduced by 5 percent.

d. For every four covered bicycle parking spaces provided, the total parking requirement shall be reduced by one space, up to a maximum of 5 percent of the parking requirement, provided that there is access to an arterial over improved streets.

Form Last Revised: December 6, 2011

Section 23. Section 23.55.022 of the Seattle Municipal Code, which section was last amended by Ordinance 123046, is amended as follows:

23.55.022 Signs in multifamily zones

E. In ((Midrise and Highrise)) all multifamily zones ((which)) that are not designated Residential-Commercial (RC), permitted ground-floor business establishments in multifamily structures may have one (((1))) electric or non-illuminated sign per street frontage. The sign may be a wall or projecting sign. The maximum area of each sign face ((shall be twenty four (24))) is limited to 24 square feet. The maximum height of any portion of the sign ((shall be fifteen (15))) is limited to 15 feet.

Section 24. Section 23.76.004 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.76.004 Land use decision framework

B. Type I and II decisions are made by the Director and are consolidated in Master Use Permits. **Type I** decisions are decisions made by the Director that require the exercise of little or no discretion and that are not appealable to the Hearing Examiner. **Type II** decisions are discretionary decisions made by the Director that are subject to an administrative open record appeal hearing to the Hearing Examiner; provided that **Type II** decisions enumerated in ((Section)) subsection 23.76.006.C.2 shall be made by the Council when associated with a Council land use decision and are not subject to administrative appeal. **Type III** decisions are made by the Hearing Examiner after conducting an open record hearing and not subject to administrative appeal. Type I, II or III decisions may be subject to land use interpretation pursuant to Section 23.88.020.

Table A for 23.76.004 LAND USE DECISION FRAMEWORK DIRECTOR'S AND HEARING EXAMINER'S DECISIONS REQUIRING MASTER USE PERMITS

TYPE I Director's Decision (No Administrative Appeal)	TYPE II Director's Decision (Appealable to Hearing Examiner*)	TYPE III Hearing Examiner's Decision (No Administrative Appeal)
* Compliance with development standards	* Temporary uses((,)) <u>and facilities for light</u> rail transit facility construction ((more than	* Subdivisions (preliminary plats)
* Uses permitted outright	four weeks, except for temporary relocation of police and fire stations))	
* Temporary uses, ((four weeks or less)) except temporary uses and	* Variances	
facilities for light rail transit facility construction	* Administrative conditional uses	
* Intermittent uses	* Shoreline decisions (*appealable to Shorelines Hearings Board along with all related environmental appeals)	
* Interim use parking authorized under subsection 23.42.040.G	* Short subdivisions	
* Uses on vacant/underused lots per Section 23.42.038	* Special Exceptions	
* Certain street uses	* Design review, except for streamlined design review pursuant to Section 23.41.018 for which no development standard	
* Lot boundary adjustments	departures are requested	
* Modifications of features bonused under Title 24	* Light rail transit facilities	
	* The following environmental	
* Determinations of significance (EIS required) except for determinations of	determinations: 1. Determination of non_significance (EIS	
significance based solely on historic and cultural preservation	not required) 2. Determination of final EIS adequacy 3. Determinations of significance based	
* Temporary uses for relocation of police and fire stations	solely on historic and cultural preservation 4. A decision by the Director to approve,	
* Exemptions from right-of-way	condition or deny a project based on SEPA Policies	
improvement requirements	5. A decision by the Director that a project is consistent with a Planned Action Ordinance	
* Special accommodation	and EIS (no threshold determination or EIS	
* Reasonable accommodation	required) * Major Phased Development	
* Minor amendment to a Major Phased Development Permit	* Downtown Planned Community	

Form Last Revised: December 6, 2011

Table A for 23.76.004 LAND USE DECISION FRAMEWORK DIRECTOR'S AND HEARING EXAMINER'S DECISIONS REQUIRING MASTER USE PERMITS

TYPE I Director's Decision (No Administrative Appeal)	TYPE II Director's Decision (Appealable to Hearing Examiner*)	TYPE III Hearing Examiner's Decision (No Administrative Appeal)
	Developments	
* Determination of public benefit for combined lot FAR		
* Determination of whether an amendment to a Property Use and		
Development Agreement is major or minor		
* Streamlined design review, pursuant		
to Section 23.41.018, if no development standard departures are requested		
Toquested		
* Other Type I decisions that are identified as such in the Land Use Code		

COUNCIL LAND USE DECISIONS	
TYPE IV (Quasi-Judicial)	TYPE V (Legislative)
* Amendments to the Official Land Use Map (rezones), except areawide amendments, and adjustments pursuant to Section 23.69.023	* Land Use Code text amendments
* Public project approvals	* Area-wide amendments to the Official Land Use Map
* Major Institution Master Plans, including major amendments and renewal of a master plan's development plan component	* Concept approval for City facilities
* Major amendments to Property Use and Development Agreements	* Major Institution designations
* Council conditional uses	* Waiver or modification of development standards for City facilities
	* Planned Action Ordinance

1 2

3

4 5

6 7

8

10

1112

13

14

15

16 17

18

20

19

21

22

2324

25

26

27

28

Form Last Revised: December 6, 2011

Section 25. Section 23.76.006 of the Seattle Municipal Code, which section was last amended by Ordinance 123649, is amended as follows:

23.76.006 Master Use Permits required

- A. Type I, II and III decisions are components of Master Use Permits. Master Use Permits are required for all projects requiring one or more of these decisions.
 - B. The following decisions are Type I:
 - 1. Determination that a proposal complies with development standards;
- 2. Establishment or change of use for uses permitted outright, <u>interim use parking</u> under subsection 23.42.040.G, uses allowed under Section 23.42.038, temporary relocation of police and fire stations for 24 months or less, and temporary uses for ((four weeks)) 18 months or less not otherwise permitted in the zone except temporary uses and facilities for light rail transit facility construction.((, interim use parking under subsection 23.42.040.G, uses allowed under Section 23.42.038, and temporary relocation of police and fire stations for 24 months or less;))

- C. The following are Type II decisions:
- 1. The following procedural environmental decisions for Master Use Permits and for building, demolition, grading and other construction permits are subject to appeal to the Hearing Examiner and are not subject to further appeal to the City Council (supplemental procedures for environmental review are established in Chapter 25.05, Environmental Policies and Procedures):
 - a. Determinations of Non-significance (DNS), including mitigated DNS;
 - b. Determination that a final environmental impact statement (EIS) is
- adequate; and

preservation.

c. Determination of Significance based solely on historic and cultural

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

1

2. The following decisions, including any integrated decisions to approve,
condition or deny based on SEPA policies, are subject to appeal to the Hearing Examiner (except
shoreline decisions and related environmental determinations that are appealable to the
Shorelines Hearings Board):

- a. ((Establishment or change of use for temporary uses more than four weeks not otherwise permitted in the zone or not meeting development standards, including the)) ((e))Establishment of temporary uses and facilities to construct a light rail transit system for so long as is necessary to construct the system as provided in subsection $23.42.040.F((\frac{1}{2})$ excepting temporary relocation of police and fire stations for 24 months or less));
 - b. Short subdivisions;
- c. Variances; provided that, variances sought as part of a Type IV decision may be granted by the Council pursuant to Section 23.76.036;
- d. Special exceptions; provided that, special exceptions sought as part of a Type IV decision may be granted by the Council pursuant to Section 23.76.036;
- e. Design review, including streamlined design review pursuant to Section 23.41.018 if development standard departures are requested pursuant to Section 23.41.012;
- f. Administrative conditional uses; provided that, administrative conditional uses sought as part of a Type IV decision may be approved by the Council pursuant to Section 23.76.036;
- g. The following shoreline decisions (supplemental procedures for shoreline decisions are established in Chapter 23.60):
 - 1) Shoreline substantial development permits;
 - 2) Shoreline variances;
 - 3) Shoreline conditional uses;
 - h. Major Phased Development;

and EIS:

1

2

3

4

5

6

7 8

9

10

1112

13

1415

16 17

18

1920

2122

23

24

2526

27

28

Form Last Revised: December 6, 2011

i. Determination of project consistency with a planned action ordinance

j. Establishment of light rail transit facilities necessary to operate and maintain a light rail transit system, in accordance with the provisions of Section 23.80.004; and

k. Downtown planned community developments.

Section 26. Section 23.84A.032 of the Seattle Municipal Code, which section was last amended by Ordinance 123589, is amended as follows:

23.84A.032 "R((+))"

"Residential use" means any one or more of the following:

1. "Accessory dwelling unit" means one or more rooms that (a) are located within an owner-occupied dwelling unit, or within an accessory structure on the same lot <u>or unit lot</u> as an owner-occupied dwelling unit; (b) meet the standards of Section 23.44.041, ((or)) 23.45.545, <u>or Chapter 23.47A as applicable</u>; (c) are designed, arranged, and intended to be occupied by not more than one household as living accommodations independent from any other household; and (d) are so occupied or vacant.

18. "Rowhouse Development" means a multifamily residential use in which all principal dwelling units on the lot meet the following conditions: (a) each dwelling unit occupies the space from the ground to the roof of the structure in which it is located; (b) no portion of a dwelling unit, ((including an accessory dwelling unit, but excluding garages)) except for an accessory dwelling unit or shared parking garage, occupies space above or below another dwelling unit; (c) each dwelling unit is attached along at least one common wall to at least one other dwelling unit, or abuts another dwelling unit on a common lot line; (d) the front of each

the street that it faces; and (f) no portion of any other dwelling unit, except for an attached accessory dwelling unit, is located between any dwelling unit and the street faced by the front of that unit.

dwelling unit faces a street lot line; (e) each dwelling unit provides pedestrian access directly to

20. "Townhouse Development" means a multifamily residential use that is not a rowhouse development, and in which: (a) each dwelling unit occupies the space from the ground to the roof of the structure in which it is located; (b) no portion of a dwelling unit occupies space above or below another dwelling unit, except for an attached accessory dwelling unit and except for dwelling units constructed over a shared parking garage; and (c) each dwelling unit is attached along at least one common wall to at least one other dwelling unit, or abuts another dwelling unit on a common lot line.

Section 27. Section 23.91.002 of the Seattle Municipal Code, which section was last amended by Ordinance 123546, is amended as follows:

23.91.002 Scope of Chapter 23.91

- A. Violations of the following provisions of Seattle Municipal Code Title 23 shall be enforced under the citation or criminal provisions set forth in this Chapter 23.91:
- 1. Junk storage in residential zones (Sections 23.44.006 and 23.44.040, and Chapter 23.45), unless the lot contains a vacant structure subject to the vacant building maintenance standards contained in subsection 22.206.200.A;
- 2. Construction or maintenance of structures in required yards or setbacks in residential zones (Sections 23.44.014 and 23.44.040, and Chapter 23.45);

- 3. Parking of vehicles in a single-family zone (Section 23.44.016) unless the lot contains a vacant structure subject to the vacant building maintenance standards contained in subsection 22.206.200.A; and
 - 4. Keeping of animals (Section 23.42.050). ((; and))
 - ((5. Home occupations (Section 23.42.052).))
- B. Any enforcement action or proceeding pursuant to this Chapter 23.91 shall not affect, limit or preclude any previous, pending or subsequent enforcement action or proceeding taken pursuant to Chapter 23.90.

Section 28. Section 25.05.800 of the Seattle Municipal Code, which section was last amended by Ordinance 123495, is amended as follows:

Subchapter IX Categorical Exemptions

25.05.800 Categorical exemptions

The proposed actions contained in this subchapter are categorically exempt from threshold determination and EIS requirements, subject to the rules and limitations on categorical exemptions contained in Section 25.05.305.

- A. Minor new construction--- flexible thresholds.
- 1. The exemptions in this subsection <u>25.05.800.A</u> apply to all licenses required to undertake the construction in question, except when a rezone or any license governing emissions to the air or discharges to water is required. To be exempt under this Section 25.05.800, the project shall be equal to or smaller than the exempt level. For a specific proposal, the exempt level in subsection ((A.2 of this Section)) 25.05.800.A.2 shall control. If the proposal is located in more than one city or county, the lower of the agencies' adopted levels shall control, regardless of which agency is the lead agency.

2. The following types of construction are exempt, except when undertaken wholly or partly on lands covered by water or unless undertaken in environmentally critical areas (Section 25.05.908):

a. The construction or location of residential ((structures)) or mixed-use development containing no more than the number of dwelling units identified in Table A for 25.05.800((, except for lots located in an Urban Center or a SAOD, if the proposed construction or location is on a lot in an LRI or LR2 zone, and if the lot abuts any portion of another lot that is zoned SF or RSL, or is across an alley of any width from a lot that is zoned SF or RSL, or is across a street from a lot zoned SF or RSL if that street does not meet minimum width requirements in Section 23.53.015.A, then the level of exempt construction is 4 dwelling units for lots in an LR1 zone, and 6 dwelling units for lots in an LR2 zone));

		> +1 -4-1T
<u>'</u>	Table A for 25.05.800: Exemptions for F	Residential Uses
Zone	Residential Uses Number of Exempt Dwelling Units	
	Outside of Urban Centers and	Within Urban Centers or SAOD
	SAOD	
SF, RSL	4	4
LR1	4	$((6))200^{(1)}$
LR2	6	$((30))200^{(1)}$
LR3	8	$((30))200^{(1)}$
NC1, NC2, NC3, C1, C2	4	$((30))200^{(1)}$
MR, HR, SM	20	$((30))200^{(1)}$
Downtown zones	NA	$((80))250^{(1)}$
Industrial zones	4	4

Notes for Table A for 25.05.800

SAOD = Station Area Overlay District((s)).

Urban centers and urban villages are identified in the Seattle Comprehensive Plan.

(1) Pursuant to RCW 43.21C.229, in urban centers and the Station Area Overlay District, new residential and mixed-use development up to these threshold levels is categorically exempt from SEPA, as long as the urban center's or Station Area Overlay District's residential density targets stated in the Comprehensive Plan (in terms of dwelling units per acre) have not been achieved. See the Comprehensive Plan's Urban Village Element Appendix A, and see Director's Rule 17-2008 (or successor rule) on "SEPA Exemptions From Environmental Review Requirements When Establishing, Changing or Expanding a Use" for details on other rules pertaining to when SEPA review may be required.

1 2

Form Last Revised: December 6, 2011

b. The construction of a barn, loafing shed, farm equipment storage building, produce storage or packing structure, or similar agricultural structure, covering 10,000 square feet or less, and to be used only by the property owner or his or her agent in the conduct of farming the property. This exemption does not apply to feed lots;

c. The construction of office, school, commercial, recreational, service or storage buildings, <u>in development</u> containing no more than the gross floor area listed in the Table B for 25.05.800 below:

Table B for 25.05.800: Exemptions for Non-Residential Uses		
Zone	Non-Residential Uses	
	Exempt Area of Use	
	(square feet of gross floor area)	
	Outside of Urban Centers <u>and</u>	Within Urban Centers or SAOD
	SAOD	
SF, RSL, LR1 ((LR2, LR3))	4,000	4,000
LR2, LR3	4,000	12,000 ⁽¹⁾ or 75,000 ⁽²⁾
MR, HR, NC1, NC2, NC3	4,000	$12,000^{(1)} \text{ or } 75,000^{(2)}$
C1, C2, SM((, Industrial)) zones	12,000	$12,000^{(1)} \text{ or } 75,000^{(2)}$
Industrial zones	12,000	12,000
Downtown zones	Not Applicable	$12,000^{(1)} \text{ or } 75,000^{(2)}$

Notes for Table B for 25.05.800. SAOD = Station Area Overlay District((s)).

Urban centers and urban villages are identified in the Seattle Comprehensive Plan.

(1) New development that is not mixed-use (e.g., does not contain new residential dwelling units) is categorically exempt from SEPA up to 12,000 square feet or as indicated in Director's Rule 17-2008 (or successor rule) on "SEPA Exemptions From Environmental Review Requirements When Establishing, Changing or Expanding a Use." (2) Pursuant to RCW 43.21C.229, in urban centers and the Station Area Overlay District, commercial uses up to 75,000 square feet that are part of a new mixed-use development are categorically exempt from SEPA, as long as the urban center's or Station Area Overlay District's employment intensity targets stated in the Comprehensive Plan, in terms of employees per acre, have not been achieved. See the Comprehensive Plan's Urban Village Element Appendix A, and see Director's Rule 17-2008 (or successor rule) on "SEPA Exemptions From Environmental Review Requirements When Establishing, Changing or Expanding a Use" for details on other rules pertaining to when SEPA review may be required.

d. The construction of a parking lot designed for 40 or fewer automobiles, as well as the addition of spaces to existing lots up to a total of 40 spaces;

e. Any landfill or excavation of 500 cubic yards or less throughout the total lifetime of the fill or excavation; and any fill or excavation classified as a Class I, II, or III forest practice under <u>regulations pursuant to RCW 76.09.050</u> ((or regulations thereunder));

f. Mixed-use construction, including but not limited to projects combining residential and commercial uses, is exempt if each use, if considered separately, is exempt under the criteria of subsections 25.05.800.A.2.a through A.2.d ((above)), unless the uses in combination may have a probable significant adverse environmental impact in the judgment of an agency with jurisdiction (see ((Section)) subsection 25.05.305.A.2.b);

g. In zones not specifically identified in this subsection 25.05.800.A, the standards for the most similar zone addressed by this subsection 25.05.800.A apply.

* * *

Section 29. Severability. The provisions of this ordinance are declared to be separate and severable. The invalidity of any particular provision, or its invalidity as applied in any circumstances, shall not affect the validity of any other provision or the application of the particular provision in other circumstances.

1	Section 30. This ordinance shall take	e effect and be in force 30 days after its approval by
2	the Mayor, but if not approved and returned	by the Mayor within ten days after presentation, it
3	shall take effect as provided by Seattle Mur	nicipal Code Section 1.04.020.
4		
5	Passed by the City Council the day of	, 2012, and signed by
6	me in open session in authentication of its passage this	
7	day of, 2012	2.
8		
9		
10		Presidentof the City Council
11		
12	Approved by me this day of	, 2012.
13		
14		
15		Michael McGinn, Mayor
16		
17	Filed by me this day of	, 2012.
18		
19		
20		Monica Martinez Simmons, City Clerk
21	(Seal)	
22		
23		
24		
25		
26		
27		