INDEX

Changes from the index in the Washington State Energy Code are not shown in underline and strikeout.

A

ACCESS HATCHES R402.2.4
ADDITIONS
Defined R202
Requirements R501.1.1, R502
ALTERATIONS
Defined R202
Requirements 503
ADMINISTRATION . . . . . Chapter 1
ADMINISTRATIVE REVIEW R109
AIR BARRIER
Installation . . . . . R402.4.1.1, Table R402.4.1.1
Testing R402.4.1.2
AIR ECONOMIZERS
Defined R202
AIR LEAKAGE R402.4, R403.3.3, R403.3.4
ALTERNATE MATERIALS R102.1
APPROVED
Defined R202
AUTOMATIC
Defined R202

B

BASEMENT WALLS
Defined R202
Requirements . . . . . R303.2.1, Table R402.1.1, Table R402.1.3, R402.2.8, Table R405.5.2(1)
BELOW-GRADE WALLS (see BASEMENT WALLS)
BUILDING
Defined R202
BUILDING THERMAL ENVELOPE
Air tightness R402.4.1
Compliance documentation R103.2, R401.2
Defined R202
Insulation R303.1.1
Insulation and fenestration criteria R402.1.2
Performance method . . . . . Table R405.5.2(1)
Requirements R402

C

CEILINGS R402.2.1
Specification for standard reference design . . . . . Table R405.5.2(1)
CERTIFICATE R401.3
CHANGE OF OCCUPANCY R505
CIRCULATION SYSTEMS R403.5.1
CLIMATE TYPES
Defined . . . . . Table R301.1
CLIMATE ZONES . . . . . R301, Table R301.1
CODE OFFICIAL
Defined R202
COMMERCIAL BUILDINGS
Compliance R101.5
Defined R202
COMPLIANCE AND ENFORCEMENT R101.5
Compliance Report R405.4.2
CONDITIONED FLOOR AREA
Defined R202
CONDITIONED SPACE
Defined R202
CONSTRUCTION DOCUMENTS R103.2
Information required R103.2.1
Thermal envelope depiction R103.2.2
CONTINUOUS AIR BARRIER
Defined R202
Requirements . . . . . Table R402.4.1.1
CONTROLS
Heat pump R403.1.2
Heating and cooling R403.1
Service water heating R403.5
CRAWL SPACE WALLS
Requirements . . . . . R303.2.1, Table R402.1.1, Table R402.1.3

D

DEFAULT DISTRIBUTION SYSTEM EFFICIENCIES . . . . . Table R405.5.2(2)
DEFINITIONS . . . . . Chapter 2
DEMAND RECIRCULATION WATER SYSTEM
Defined R202
Requirements R403.5.2
DESIGN CONDITIONS . . . . . Chapter 3, R302
DOORS
Attics and crawl spaces R402.2.4
Default *U*-factors . . . . . Table R303.1.3(2)
Opaque R402.3.4
Performance requirements . . . . . Table R405.5.2(1)
U-values . . . . . Table R402.1.3

DUCTS
Defined R202
Insulation R103.2, R401.3, R403.3, R403.3.1
Sealing R103.2, R403.3.2
Tightness verification
Postconstruction test R403.3.4
Rough-in test R403.3.4
DUCT SYSTEM
Defined R202
DWELLING UNIT
Defined R202
Multiple units R403.8

E

EAVE BAFFLE
Installation R402.2.3
ELECTRICAL POWER AND LIGHTING R404
ENERGY ANALYSIS, ANNUAL
Defined R202
Documentation. R405.4
Requirements R405.3
ENERGY COST
Defined R202
ENERGY CREDITS . . . . . .Table R406.2
ENERGY SIMULATION TOOL
Defined R202
ENVELOPE, BUILDING THERMAL
Defined R202
ENVELOPE DESIGN PROCEDURES R402
EQUIPMENT EFFICIENCIES. R103.2, R401.3
EXISTING BUILDINGS. . . . . Chapter 5
EXTERIOR WALLS
Defined R202
Thermal performance . . . . . .R402, R402.1, Table R405.5.2(1)

F

FEES. R107
Schedule of permit fees R107.1
FENESTRATION R303.1.3, R402.3, R402.3.2, R402.4.3
Default *U*-factors . . . . . .Table R303.1.3(1)
Defined R202
Rating and labeling R303.1.3, R402.1.1
Replacement R503.1.1.1
Requirements . . . . . Table R402.1.1
FENESTRATION PRODUCT, FIELD-FABRICATED
Defined R202
FENESTRATION PRODUCT, SITE-BUILT
Defined R202
FIREPLACES R402.4.2
FLOORS
Above-grade. . . . . .Table R405.5.2(1)
Insulation R402.2.7
Slab-on-grade insulation requirements R402.2.9
FOUNDATIONS
Requirements. . . . . .Table R402.4.1.1, Table R405.5.2(1)
FURNACE EFFICIENCY . . . . . .Table R405.5.2(1)

G

GLAZED FENESTRATION. R402.3.2, R402.3.3

H

HEAT PUMP R403.1.2
HEATED SLAB
Defined. R202
HEATING AND COOLING LOADS . . .R302.1, R403.7
HIGH-EFFICACY LAMPS
Defined. R202
HOT WATER
Piping insulation R403.4, R403.5.3
HOT WATER BOILER
Outdoor temperature setback R403.2
HVAC SYSTEMS
Tests
Postconstruction R403.3.4
Rough-in-test R403.3.4

I

IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM) R303.1
INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)
INFILTRATION, AIR LEAKAGE. . . . . R402.4, Table R405.5.2(1)
Defined. R202
INSPECTIONS R104
INSULATION
Basement walls R402.2.8
Ceilings with attic spaces R402.2.1
Duct R403.3.1
Eave baffle R402.2.3
Floors R402.2.7
Hot water piping R403.5.3
Identification R303.1, R303.1.2
Installation . . . . . .R303.1.1, R303.1.1.1, R303.1.2, R303.2, Table R402.4.1.1
Masonry veneer R402.2.11

Mass walls R402.2.5
Mechanical system piping R403.4
Product rating R303.1.4
Protection of exposed foundation R303.2.1
Protection of piping insulation. R403.4.1
Requirements . . . . . Table R402.1.1, R402.2
Slab-on-grade floors R402.2.9
Steel-frame ceilings, walls and floors . . . . . R402.2.6, Table A103.3.6.1(1), Table A103.3.6.1(2), Table A103.3.6.2, Table A105.1(3)

INSULATING SHEATHING
Defined R202
Requirements R402.1.2

L

LABELED
Defined R202
Requirements R303.1.3, R303.3, R402.4.3
LANDMARK BUILDINGS R101.6
LIGHTING SYSTEMS R404
Recessed R402.4.5
LISTED
Defined R202
LOW ENERGY BUILDINGS R402.1
LOW-VOLTAGE LIGHTING
Defined R202
LUMINAIRE
Sealed R402.4.5

M

MASONRY VENEER
Insulation R402.2.11
MASS
Wall. . . . . R402.2.5, Table A105.3.7.1(1), Table A105.3.7.1(2), Table A105.3.7(4)
MATERIALS AND EQUIPMENT. R303
MECHANICAL SYSTEMS AND EQUIPMENT R403, R405.1
MECHANICAL VENTILATION . . . . . .R403.6, Table R405.5.2(1)
MODIFICATIONS R102.2
MULTIPLE DWELLING UNITS. R403.8

O

OCCUPANCY
Requirements R101.4.1
OPAQUE DOORS . . . . . R402.3.4, Table R303.1.3(2)

P

PERFORMANCE ANALYSIS R405
PERMIT R103.1
PIPE INSULATION R403.4, R403.5.3
POOLS. R403.10
Covers. R403.10.3
Heaters R403.10.1
Time switches R403.10.2
PROPOSED DESIGN
Defined R202
Requirements . . . . . R405, Table R405.5.2(1)
PUMPS
Time switches R403.10.2

R

***R*-VALUE**
Defined R202
Computation R402.1.2
Wood frame to cold formed steel frame ceiling, wall and floor insulation *R*-values . . . . . .Appendix A
READILY ACCESSIBLE
Defined R202
REFERENCED STANDARDS. . . . . .R106, Chapter 6
REPAIR
Defined R202
Requirements R504
RESIDENTIAL BUILDINGS
Compliance R101.2, R101.5
Defined R202
Simulated performance alternative R405
ROOF ASSEMBLY
Defined R202
Requirements . . . . . R303.1.1.1, R402.2.1, Table R405.5.2(1)

S

SCOPE. R101.2
SERVICE HOT WATER
Requirements R403.5
SHEATHING, INSULATING (see INSULATING SHEATHING)
SHGC (see SOLAR HEAT GAIN COEFFICIENT)
SIMULATED PERFORMANCE ALTERNATIVE. R405
Documentation R405.4
Mandatory requirements. R405.2
Performance-based compliance R405.3
Report R405.4.2

Software tools R405.4.1
SIZING
Equipment and system R403.7
SKYLIGHTS . . . . . R303.1.3, R402.1.1, R402.3, Table R405.5.2(1)
SNOW MELT SYSTEM CONTROLS R403.9
SOLAR HEAT GAIN COEFFICIENT (SHGC) . . . . . R104.2, Table R303.1.3(3), R401.3, Table R402.1.1, R402.1.4, R402.3.2, R402.3.3
Defined R202
STANDARD REFERENCE DESIGN
Defined R202
Requirements . . . . . .R405, Table R405.5.2(1)
STANDARDS, REFERENCED . . . . . R106, Chapter 6
STEEL FRAMING R402.2.6
SWIMMING POOLS R403.10

T

THERMAL MASS (see MASS)
THERMAL RESISTANCE (see *R*-VALUE)
THERMAL TRANSMITTANCE (see *U*-FACTOR)
THERMOSTAT
Defined R202
Controls R403.1.1
Programmable R403.1.1
TIME SWITCHES R403.10.2
TOTAL BUILDING PERFORMANCE
Residential R405
TOWNHOUSE (see RESIDENTIAL BUILDINGS)

U

***U*-FACTOR**
Alternative . . . . R402.1.3, Table R402.1.3, R402.1.4
Default door . . . . . Table R303.1.3(2)
Default glazed fenestration . . . . . Table R303.1.3(1)
Defined R202, R402.3.1, R402.5
Skylights . . . . . Table R402.1.1, Table R402.1.3

V

VALIDITY R105
VAPOR RETARDER R402.1.5
VENTILATION . . . . . R403.6, Table R403.6.1, Table R405.5.2(1)
Defined R202
VISIBLE TRANSMITTANCE (VT)
Default glazed fenestration . . . . . Table R303.1.3(3)
Defined R202

W

WALL
Above-grade, defined R202
Standard reference design . . . . . Table R405.5.2(1)
Basement, defined R202
Installation R402.2.8
Standard reference design . . . . . Table R405.5.2(1)
Exterior, defined R202
Mass R402.2.5
Steel-frame R402.2.6
WALLS (see EXTERIOR WALLS AND BUILDING THERMAL ENVELOPE)
WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)
WATER HEATING . . . . . R401.3, R403.5, R405.1, Table R405.5.2(1)
WHOLE HOUSE MECHANICAL VENTILATION SYSTEM
Defined R202
System fan efficacy R403.6.1
WINDOW AREA (see FENESTRATION and GLAZING AREA)