





NOTES

1. SEE SHEET NT1 FOR ADDITIONAL NOTES.
2. ALL NEWLY PLACED R1-1 (STOP) SIGNS SHALL HAVE TEMPORARY TRAFFIC REVISION SIGNS W3-1 (STOP AHEAD) AND W20-901 (TRAFFIC REVISION AHEAD) SIGNS PLACED AS SPECIFIED IN SECTION 1-10.3(3)0.
3. INSTALL TYPE 2A LANE MARKER PER STANDARD PLANS. COLOR TO MATCH PAVEMENT MARKING COLOR.

CHANNELIZATION LEGEND

L-MP/4YD	PROFILED MMA 4", 4" SPACE DOUBLE YELLOW LINES
L-M/4YS	MMA 4" SOLID YELLOW LINE
L-M/6W2	MMA 6" DASHED WHITE LINE, W/ 2' PAINT & 4" SKIP
L-M/6WS	MMA 6" SOLID WHITE LINE
L-M/4WS	MMA 4" SOLID WHITE LINE
L-T/XWK	THERMOPLASTIC 8" CROSSWALK
L-T/SL16	THERMOPLASTIC 16" STORLINE
L-T/SL24	THERMOPLASTIC 24" STORLINE
C-P/W	WHITE CURB STRIPE, STD PLAN 713
C-P/Y	YELLOW CURB STRIPE, STD PLAN 713
S-T720C	THERMOPLASTIC TIGHT ARROW
S-T720B	THERMOPLASTIC RIGHT ARROW
S-T7316	THERMOPLASTIC THROUGH/RIGHT ARROW
S-T731A	THERMOPLASTIC "ONLY" LEGEND
S-M770A	MMA BICYCLE LANE SYMBOL & ARROW
S-M771C	MMA BIKES SYMBOL
S-T770A	THERMOPLASTIC BIKE LANE SYMBOL & ARROW
S-T771A	THERMOPLASTIC BIKE SHARROW
S-T774A	THERMOPLASTIC GREENWAY THROUGH
S-T774B	THERMOPLASTIC GREENWAY THROUGH
FP48S	FLEXIBLE DELINEATOR POST, 48", WHITE
FP28Y	FLEXIBLE DELINEATOR POST, 28", YELLOW
S-7002AB	LANE MARKER TYPE 2A, WHITE (OR YELLOW)
S-7002(WY)	LANE MARKER TYPE 2B, WHITE
S-M780	MMA GREEN CROSS BIKE PAV MARKING
GREEN	GREEN PAIDMENT MARKING, MMA

SIGNAGE LEGEND


OM1-3	[YELLOW DIAMOND MARKER] PER STD PLAN 626	GREENWAY ROUTE	INSTALL [RETRACT] [REMOVE] [RELOCATE/ MAINTAIN]
M1-8A-CWY	BEGIN		
M1-11	[LEFT ARROW]		
M1-12	[RIGHT ARROW]		
M7-1R	STOP (RED BACKING)		
R1-1	ALL WAY		
R1-1P	SPEED LIMIT 20		
R2-20	RIGHT TURN ONLY		
R3-1	NO LEFT TURN		
R3-2	NO LEFT TURN		
R3-5RC	RIGHT TURN ONLY, EXCEPT BICYCLES		
R3-502R	RIGHT TURN ONLY		
R5-1	EXCEPT BICYCLES		
R5-100	EXCEPT BICYCLES		
R7-1	NO PARKING ANYTIME		
R7-NP	NORTH OF HERE		
R7-NPL(R)	NO PARKING		
R7-NP(L)	NO PARKING, LEFT (OR RIGHT) ARROW (ORIENTED 45° TOWARDS TRAFFIC)		
R7-NPE(W)	NO PARKING, EAST		
R7-SPACE	NO PARKING THIS SPACE		
R7-W30	NO PARKING WITHIN 30 FEET		
R8-DISABLE	[DISABLED PERSON] STATE DISABLED [USE PERMIT REQUIRED]		
R9-5	[BIKE] USE PED SIGNAL		
SNS	STREET NAME SIGN		
S1-1	[SCHOOL PED] WARNING SIGN		
S5-2	END SCHOOL ZONE		
TS-5	5-FOOT SIGN POST PER STD. PLAN NO. 625		
TS-10	10-FOOT SIGN POST PER STD. PLAN NO. 625		
TS-10RW	WITH RED AND WHITE STRIPED POST SLEEVE		
W16-9P	AHEAD POST		

1. SEE SHEET NT1 FOR ADDITIONAL NOTES.
2. ALL NEWLY PLACED R1-1 (STOP) SIGNS SHALL HAVE TEMPORARY TRAFFIC REVISION SIGNS W3-1 (STOP AHEAD) AND W20-901 (TRAFFIC REVISION AHEAD) SIGNS PLACED AS SPECIFIED IN SECTION 1-10.3(3)O. INSTALL TYPE 2A LANE MARKER PER STANDARD PLANS. COLOR TO MATCH PAVEMENT MARKING COLOR.
- 3.

L-MP/4YD PROFILED MMA 4" SOLID DOUBLE
YELLOW LINES W/ 4" SPACE BET
L-M/4YS MMA 4" SOLID YELLOW LINE
L-M/6W2 MMA 6" DASHED WHITE LINE, W/
& 4' SKIP

- | | | |
|--|-----------------------------------|-------------|
| MMA 4" | SOLID YELLOW LINE | W/ 2' PAINT |
| L-M/4WS | | |
| MMA 6" | SOLID WHITE LINE | W/ 2' PAINT |
| L-M/6WS | | |
| MMA 4' | SOLID WHITE LINE | & 4' SKIP |
| L-M/4WS | | |
| MMA 4" | SOLID WHITE LINE | |
| L-M/4WS | | |
| MMA 4" | CROSSWALK | |
| L-M/4WS | | |
| MMA 8" | THERMOPLASTIC 16" STOPLINE | |
| L-M/8WS | | |
| MMA 16" | THERMOPLASTIC 24" STOPLINE | |
| L-M/16WS | | |
| MMA 16" | WHITE CURB STRIPE, STD PLAN 713 | |
| L-M/16WS | | |
| MMA 16" | YELLOW CURB STRIPE, STD PLAN 713 | |
| L-M/16WS | | |
| MMA 16" | THERMOPLASTIC THROUGH/ARROW | |
| L-M/16WS | | |
| MMA 16" | THERMOPLASTIC THROUGH/RIGHT ARROW | |
| L-M/16WS | | |
| MMA 16" | THERMOPLASTIC "ONLY" LEGEND | |
| L-M/16WS | | |
| MMA BICYCLE LANE SYMBOL & ARROW | | |
| L-M/BS | | |
| MMA BIKE SYMBOL | | |
| L-M/BS | | |
| MMA THERMOPLASTIC BIKE SYMBOL & ARROW | | |
| L-M/BS | | |
| MMA THERMOPLASTIC BIKE SHARROW | | |
| L-M/BS | | |
| MMA THERMOPLASTIC GREENWAY THROUGH | | |
| L-M/BS | | |
| MMA THERMOPLASTIC THROUGH/TURNS | | |
| L-M/BS | | |
| MMA FLEXIBLE DELINEATOR POST, 48" WHITE | | |
| L-M/BS | | |
| MMA FLEXIBLE DELINEATOR POST, 28" YELLOW | | |
| L-M/BS | | |
| MMA LANE MARKER TYPE 2A, WHITE (OR YELLOW) | | |
| L-M/BS | | |
| MMA LANE MARKER TYPE 2B, WHITE | | |
| L-M/BS | | |
| MMA GREEN CROSS BIKE PAV MARKING | | |
| L-M/BS | | |
| MMA GREEN PAEMENT MARKING, MA | | |
| L-M/BS | | |

HOME 1-3	[YELLOW DIAMOND MARKER] PER
M1-8A-GWY	STD PLAN 626
M4-11	GREENWAY ROUTE
M4-12	BEGIN
M7-1L	END
M7-1R	[LEFT ARROW]
R1-1	[RIGHT ARROW]
R1-1	STOP (RED BACKING)
R1-1	ALL WAY
	INSTALL ☐
	REMOVE ☐
	RELOCATE/ MAINTAIN ☐



APPROVED FOR ADVERTISING		INITIALS AND DATE		INITIALS AND DATE	
LIZ ALFANZ		DESIGNED BY	DESIGNED BY	CONST.	CONST.
DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES		CHECKED BY	CHECKED BY	SEAL	SEAL
SEATTLE, WASHINGTON		DRAIN	JSC	RECORDED	RECORDED
		CHECKED	PT	REVISED AS BUILT	REVISED AS BUILT

BY: _____

ALL WORKMAN SHALL BE LICENSED IN THE STATE OF WASHINGTON. ALL WORKMAN SHALL BE LICENSED IN THE STATE OF WASHINGTON. ALL WORKMAN SHALL BE LICENSED IN THE STATE OF WASHINGTON.

PURCHASING AND CONTRACTING DIRECTOR

BY: PURCHASING AND CONTRACTING DIRECTOR





INITIALS AND DATE		INITIALS AND DATE	
DESIGNED LD		REVIEWED:	CONST.
CHECKED PT		DESOT	PROJ. MGR.
DRAWN JSC		RECEIVED	
CHECKED PT		REVISED AS BUILT	

APPROVED FOR ADVERTISING
LIZ ALZER
DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES
SEATTLE, WASHINGTON 20

BY: PURCHASING AND CONTRACTING DIRECTOR

PW#2018-103



- ## NOTES
1. SEE SHEET NT1 FOR ADDITIONAL NOTES.
 2. ALL NEWLY PLACED R1-1 (STOP) SIGNS SHALL HAVE TEMPORARY TRAFFIC REVISION SIGNS W3-1 (STOP AHEAD) AND W20-901 (TRAFFIC REVISION AHEAD) SIGNS PLACED AS SPECIFIED IN SECTION 1-10.1(3)D.
 3. INSTALL TYPE 2A LANE MARKER PER STANDARD. CHANGES, COLOR TO MATCH PAVEMENT MARKING COLOR.
- ## CHANNELIZATION LEGEND

CHANNELIZATION LEGEND



- | | |
|------------|--|
| L-MP/41D | PROFILED MMA 4" SOLID DOUBLE YELLOW LANE |
| L-M/41YS | MMA 4" SOLID YELLOW LANE |
| L-M/6W2 | MMA 6" DASHED WHITE LINE, W/ 2" PAINT & 4" SKP |
| L-M/6WS | MMA 6" SOLID WHITE LINE |
| L-M/4WS | MMA 4" SOLID WHITE LINE |
| L-T/WXK | THERMOPLASTIC 8" CROSSWALK |
| L-T/SUL16 | THERMOPLASTIC 16" STOPLINE |
| L-T/SUL24 | THERMOPLASTIC 24" STOPLINE |
| C-P/W | WHITE CURB STRIPE, STD PLAN 713 |
| C-P/Y | YELLOW CURB STRIPE, STD PLAN 713 |
| S-T720C | THERMOPLASTIC THROUGH ARROW |
| S-T720B | THERMOPLASTIC RIGHT ARROW |
| S-T721B | THERMOPLASTIC THROUGH/RIGHT ARROW |
| S-T730A | THERMOPLASTIC "ONLY" LEGEND |
| S-T730A | MMA BICYCLE LANE SYMBOL & ARROW |
| S-T770A | THERMOPLASTIC LANE SYMBOL & ARROW |
| S-T770A | THERMOPLASTIC BIKE LANE SYMBOL & ARROW |
| S-T771A | THERMOPLASTIC BIKE SHARROW |
| S-T774A | THERMOPLASTIC GREENWAY THROUGH |
| FDP48H | FLEXIBLE DELINEATOR POST, 48", WHITE |
| FDP28H | FLEXIBLE DELINEATOR POST, 28" YELLOW |
| S-T702B(W) | LANE MARKER TYPE 2B, YELLOW (OR YELLOW) |
| S-T702B | LANE MARKER TYPE 2B, YELLOW |
| S-M780 | MMA GREEN CROSS BIKE PAV MARKING |
| S-M780 | MMA GREEN PAVEMENT MARKING, MMA GREEN |

SIGNAGE LEGEND

- | OMT-3 | [YELLOW DIAM. MARKER] PER
STD PLAN 626 | [PER
STD PLAN 626
GREENWAY ROUTE
BEGIN
[RIGHT ARROW]
[LEFT ARROW]
STOP (RED BACKING)
ALL WAY
SPEED LIMIT 20
SPEED LIMIT 30
SPEED LIMIT 40
NO RIGHT TURN
NO LEFT TURN
RIGHT TURN ONLY, EXCEPT BICYCLES
RIGHT TURN ONLY
EXCEPT BICYCLES
NO PARKING ANYTIME
NO PARKING
NO PARKING, LEFT (OR RIGHT) ARROW
(OPENED 45° TOWARDS TRAFFIC)
NO PARKING (LEFT) OF HERE
NO PARKING WITHIN 30 FEET
[DISABLED PERSON] STATE DISABLED
PARKING PERMIT REQUIRED
[BKE] USE PED SIGNAL
STREET NAME SIGN
[SCHOOL, PED] WARNING SIGN
END SCHOOL ZONE
5-FOOT SIGN POST PER STD PLAN NO 625
10-FOOT SIGN POST PER STD PLAN NO 625
15-FOOT SIGN POST PER STD PLAN NO 625
WITH RED AND WHITE STRIPED POST SLEEVE
HEAD
WOOD POST |
|------------|---|--|
| M1-8A-GWY | | INSTALL |
| M1-8B | | BEGIN |
| M1-12 | | REMOVE |
| M7-1R | | RELOCATE/
MAINTAIN |
| R1-1 | | |
| R1-1P | | |
| R2-20 | | |
| R2-30 | | |
| R2-40 | | |
| R3-2 | | |
| R3-5R | | |
| R3-502R | | |
| R3-100 | | |
| R7-1 | | |
| R7-NP | | |
| R7-NPL(R) | | |
| R7-NPE(W) | | |
| R7-S | | |
| R7-DISABLE | | |
| R8-DISABLE | | |
| R9-5 | | |
| R9-10 | | |
| SNS | | |
| S1-1 | | |
| S3-5 | | |
| TS-2 | | |
| TS-10 | | |
| TS-10RW | | |
| W16-9P | | |



SCALE IN FEET



NOTES

1. SEE SHEET NT1 FOR ADDITIONAL NOTES.
2. ALL NEWLY PLACED R1-1 (STOP) SIGNS SHALL HAVE TEMPORARY TRAFFIC REVISION SIGNS W3-1 (STOP AHEAD) AND W20-901 (TRAFFIC REVISION AHEAD) SIGNS PLACED AS SPECIFIED IN SECTION 1-10.3(3)O. INSTALL TYPE 2A LANE MARKER PER STANDARD PLANS, COLOR TO MATCH PAVEMENT MARKING COLOR.

CHANNELIZATION LEGEND

L-6F/4TD	CERTIFIED M/M, 4" SOLID DOUBLE YELLOW LINES W/ A "A" SPACE BETWEEN
L-M/4YS	MMA 4" SOLID YELLOW LINE
L-M/6W2	MMA 6" DASHED WHITE LINE, W/ 2' PAINT AND 4" SKIP
L-M/6WS	MMA 6" SOLID WHITE LINE
L-M/4WS	MMA 4" SOLID WHITE LINE
L-T/YMK	THERMOPLASTIC 8" CROSSWALK
L-T/SL24	THERMOPLASTIC 24" STOPLINE
L-T/S126	THERMOPLASTIC 126" STORINE
C-P/W	WHITE CURB STRIPE, STD PLAN 713
C-P/Y	YELLOW CURB STRIPE, STD PLAN 713
S-T720C	THERMOPLASTIC RIGHT ARROW
S-T720B	THERMOPLASTIC THROUGH ARROW
S-T721B	THERMOPLASTIC THROUGH/RIGHT ARROW
S-T730A	THERMOPLASTIC "ONLY" LEGEND
S-W730A	MMA BICYCLE LINE SYMBOL & ARROW
S-W730B	THERMOPLASTIC BIKY SYMBOL & ARROW
S-T770A	THERMOPLASTIC BIKE SHARROW
S-T771A	THERMOPLASTIC BIKE SHADOW
S-T774A	THERMOPLASTIC GREENWAY THROUGH
S-T774B	FLEXIBLE DELINATOR POST, 48", WHITE
FDP448	FLEXIBLE DELINATOR POST, 28", YELLOW
FDP28	LINE MARKER TYPE 2A, WHITE (OR YELLOW)
S-7002AN(Y)	GREEN PAVEMENT MARKING, MMA
S-7002BY	GREEN PAVEMENT MARKING, THERMOPLASTIC
S-7002BN	GREEN PAVEMENT MARKING, MMA

SIGNAGE LEGEND

STANDARD	NEW	SECOND	MARKER	PER
	STD. PLAN	STD. PLAN		
OMT-3	M1-8A-QWY	GREENWAY ROUTE	INSTALL	
	M4-11	END		
	M7-1L	[LEFT ARROW]		
	M7-1R	[RIGHT ARROW]		
	M1-1P	[CROSS BACK]		
	R1-3P	ALL WAY		
	R2-20	SPEED LIMIT 20		
	R2-25	SPEED LIMIT 25		
	R3-1	NO RIGHT TURN		
	R3-1	NO RIGHT TURN		
	R3-26C	RIGHT TURN ONLY, EXCEPT BICYCLES		
	R3-502R	RIGHT TURN ONLY		
	R5-100	DO NOT ENTER		
	R5-100	EXCEPT BICYCLES		
	R7-1	NO PARKING ANYTIME		
	R7-1	NO PARKING		
	R7-NP	NO PARKING, LEFT (OR RIGHT) ARROW		
	R7-NPL(R)	(ORIENTED 45° TOWARDS TRAFFIC)		
	R7-NPE(W)	NO PARKING EAST (OR WEST) OF HERE		
	R7-SPACE	NO PARKING THIS SPACE		
	R8-1	NO PARKING		
	R8-DISABLE	[DISABLED PERSON] STATE DISABLED PARKING PERMIT REQUIRED		
	R9-5	[BIKE] USE PED SIGNAL		
	MP	METAL POST		
	SNS	STREET NAME SIGN		
	SI-1	[SCHOOL PED] WARNING SIGN		
	TS-1	5-FOOT SIGN POST PER STD. PLAN NO. 625		
	TS-5	10-FOOT SIGN POST PER STD. PLAN NO. 625		
	TS-10	10-FOOT SIGN POST PER STD. PLAN NO. 625		
	TS-10RW	WITH RED AND WHITE STRIPED POST SLEEVE		
	W16-9P	WOOD POST		

CHANNELIZATION AND SIGNING

Seattle
Department of
Transportation

ORDINANCE NO. 125832 PW NO. 2018-103



APPROVED FOR ADVERTISING DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES LIZ ALZEER SEATTLE, WASHINGTON		INITIALS AND DATE DESIGNED BY CHECKED BY DRAWN JSC 20	INITIALS AND DATE REVIEWED: DES. SCOT PROUL MAR.
PURCHASING AND CONTRACTING DIRECTOR PR:		RECORDED AS BUILT ALL INFORMATION ON THIS DOCUMENT IS TO BE MAINTAINED IN THE OFFICE OF THE PURCHASING AND CONTRACTING DIRECTOR THIS DOCUMENT IS TO BE MAINTAINED IN THE OFFICE OF THE PURCHASING AND CONTRACTING DIRECTOR	

PW#2018-103

WEST SEATTLE
NEIGHBORHOOD GREENWAY
PHASE 2

PC	TRC0398
CO	TRC0398
VPI #	790-766
CH7	
SHEET	31 of 45



INITIALS AND DATE		INITIALS AND DATE	
DESIGNED LD	REVIEWED:	DES.	CONST.
CHECKED PT	DESOT	PROJ. MGR.	
DRAWN JSC	RECEIVED		
CHECKED PT	REVISED AS BUILT		

APPROVED FOR ADVERTISING
LIZ ALZEER
DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES
SEATTLE, WASHINGTON 20

PW#2018-103

